

**General Information:**  
**1. Delivery Time: Contact US**  
**2. Prices in US\$ & Ex-works Phoenix, Arizona.**  
**3. Terms & Conditions of Sale Applies**

**\*\*CONFIDENTIAL\*\* PLURA PRICE LIST V21.9.1**

**Timing Solutions**

Series	Model #	Description	LIST \$
Rubidium1 Module Housings	<b>S1</b>	System housing, 19"/1RU, single module	\$859
	<b>T1</b>	System housing, tabletop, single module	\$752
	<b>H1</b>	System housing, 19"/1RU, 4 modules	\$1,074
	<b>H3</b>	System housing, 19"/3RU, 21 modules	\$2,149
	<b>D1</b>	Module housing, 19"/1RU, 2 modules, display, power supply	\$1,719
Rubidium1 Power Supply Modules	<b>EPSD</b>	External power supply only for Rub S1 and T1, TCU & SPT	\$214
	<b>PS</b>	Power supply module (60W)	\$1,289
	<b>PM</b>	Power supply module (60W), ethernet interface	\$2,042
	<b>PM-S</b>	SNMP for PM	\$859
	<b>PM-N</b>	NTP Time Server for PM	\$859
	<b>PM-M</b>	MTD over ethernet for PM	\$859
	<b>PM-R3</b>	Timer Request Protocol (3 clients)	\$1,827
Rubidium1 Master Time Code Generators	<b>GT</b>	Master generator	\$4,407
	<b>GT-V</b>	VITC generator	\$967
	<b>GT-L</b>	LTC reference input, instead of GPS, NTP or DCF reference	\$429
	<b>GT-I</b>	IRIG-B reference input, instead of GPS, NTP or DCF reference	\$429
	<b>GT-A</b>	Automation-system interface	\$1,289
	<b>GI</b>	Master IRIG-B generator	\$4,837
	<b>GI-L</b>	LTC reference input, instead of GPS, NTP or DCF reference	\$429
	<b>GI-I</b>	IRIG-B reference input, instead of GPS, NTP or DCF reference	\$429
Rubidium1 Master Signal Generator	<b>GW</b>	Master Word Clock generator	\$3,977
	<b>GB</b>	Master Blackburst generator	\$3,762
	<b>GB-V</b>	VITC generator	\$967
Rubidium1 Changeover Units	<b>SL</b>	LTC / RS 485 change-over unit and monitoring module	\$3,547
	<b>SV</b>	VITC change-over unit and monitoring module	\$3,547
	<b>SR</b>	GPS 10 MHz reference signal change-over unit and monitoring module	\$3,547
	<b>SI</b>	IRIG-B change-over unit and monitoring module	\$3,547
	<b>SW</b>	Word Clock change-over unit	\$3,547
	<b>SB</b>	Blackburst change-over unit	\$3,547
Rubidium1 Distribution Modules	<b>VD</b>	Distribution module 1:4 LTC, RS485, RS422 and analog clock signal outputs	\$2,149
	<b>VI</b>	Distribution module 1:6 LTC or IRIG-B with output monitoring and a redundant change-over switcher	\$2,472
	<b>VL</b>	Distribution module 2:4 LTC (MTD demultiplexer)	\$2,472
	<b>VM</b>	Distribution module 1:6 10MHz continuous wave with output monitoring and a redundant change-over switcher	\$2,472
	<b>VP</b>	Distribution module 1:6 PPS signals, TTL level output monitoring and a redundant change-over switcher	\$2,472
Rubidium1 Video Inserters/ Data Converter Modules	<b>XT</b>	3G/HD/HD-SDI video data processor and inserter module	\$5,697
	<b>XT-B</b>	Video bypass relay	\$429
	<b>XT-O</b>	Configurable offset (Not incl. TCU)	\$967
	<b>XT-P</b>	Converter biphas/CTL to LTC	\$967
	<b>XT-S</b>	Sony 9P and VDCP converter	\$1,074
	<b>XV</b>	3G/HD/HD-SDI video inserter module	\$4,944
	<b>XV-L</b>	LTC-reader for XV	\$429

	<b>XV-I</b>	IRIG-B-reader for XV	\$429
	<b>XV-B</b>	Video bypass relay	\$322
Rubidium1 Network Interface	<b>IE</b>	Ethernet interface module (10/100baseT)	\$1,827
	<b>IE-S</b>	SNMP functionality	\$859
	<b>IE-N</b>	NTP Time Server	\$859
	<b>IE-C</b>	NTP Time Client	\$859
	<b>IE-M</b>	MTD over ethernet (option N is included)	\$859
	<b>IE-D</b>	Data input, customized	\$859
	<b>IE-G</b>	GPS interface (GPS receiver not included)	\$859
	<b>IE-R3</b>	Timer Request Protocol (3 clients)	\$1,719
	<b>IE-R10</b>	Timer Request Protocol (10 clients)	\$3,224
	<b>G3</b>	IEEE 1588-2008 PTPv2 incl its own GPS/GLONASS/QZSS receiver with 10 MHZ	\$7,309
	<b>C3</b>	IEEE 1588-2008 PTPv2 Module with one of the available options	\$4,514
	<b>C3-SL</b>	Slave option for C3	\$1,934
	<b>C3-GM</b>	Grandmaster option for C3	\$4,514
	<b>C3-BC</b>	Boundary clock option for C3	\$3,117
	<b>C3-GF</b>	Grandmaster with PTP fallback option for C3	\$3,117
	<b>C3-BG</b>	Boundary clock with GPS option for C3	\$3,117
	<b>C3-OXCO</b>	IEE 1588 client OCXO oscillator HW	\$3,859
Rubidium1 GPS Solutions	<b>GNS10</b>	GPS/GLONASS/QZSS double receiver with 10 MHZ	\$5,374
	<b>GNS10-2</b>	Second receiver for GNS10	\$1,289
	<b>ANTG</b>	GLONASS antenna, pole mount	\$1,289
	<b>ANTGLP</b>	GLONASS antenna, flush mount	\$644
	<b>CAB25</b>	Cable 25 m, BNC/N RGB58U for ANTG	\$644
	<b>CAB50</b>	Cable 50 m, BNC/N RGB5/X for ANTG	\$1,074
	<b>CAB05</b>	Cable 5 m, BNC/TNC RGB58U for ANTGLP	\$429
	<b>G16</b>	External module, GPS receiver and antenna	\$752
	<b>G16-E</b>	RJ45 extension kit 30 m	\$214
	<b>G16-M</b>	Magnetic mount kit	\$214
Time Code Compact System	<b>G19</b>	External module, GPS receiver and antenna	\$1,074
	<b>TCC70XS2</b>	3G/HD/HD-SDI video inserter system	\$4,192
Studio Production Timer	<b>TCC70XS2-S</b>	Serial Interface for TCC70XS2	\$644
	<b>SPT</b>	Studio-/Production Timer tabletop housing, PoE	\$4,299
	<b>SPTH1</b>	Studio-/Production Timer 19" / 1 RU housing, PoE	\$4,299
	<b>SPT-DR</b>	Second display, 14 mm red for SPTH1	\$752
	<b>SPT-DG</b>	Second display, 14 mm green for SPTH1	\$752
	<b>SPT-DY</b>	Second display, 14 mm yellow for SPTH1	\$752
	<b>MTD-ID</b>	Additional display for TCUE, TCU2, SPT	\$2,149
	<b>EPSD</b>	External power supply only for Rub S1 and T1, TCU & SPT	\$214
	<b>ELC</b>	Converter ethernet to LTC, PoE	\$644
Timer Control Unit TCU	<b>TCU</b>	Timer control unit, tabletop housing	\$3,332
	<b>EPSD</b>	External power supply only for Rub S1 and T1, TCU & SPT	\$214
	<b>EPSW</b>	External power supply only forTCUH1	\$214
	<b>TCU19</b>	Timer control unit, table or rack mountable	\$3,009
	<b>TCUH1</b>	Timer control unit, 19", 1 RU	\$3,332
	<b>TCU DR</b>	Second display, 14 mm red, for TCU H1	\$752
	<b>TCU DG</b>	Second display, 14 mm green, for TCU H1	\$752
	<b>TCU DY</b>	Second display, 14 mm yellow, for TCU H1	\$752
	<b>MTD-ID</b>	Additional display for TCUE, TCU2, SPT	\$2,149

Universal Time Displays	<b>UD25</b>	MTD display 25mm, LTC/ethernet/IRIG-B interface, 6 digits (1 RU/ 19"), including EPSD 24 VDC, PoE	\$1,612
	<b>UD25TT</b>	MTD display 25mm, LTC/ethernet/IRIG-B interface, 6 digits, tabletop housing, including EPSD 24 VDC, PoE	\$1,612
	<b>UD25-8</b>	MTD display 25mm, LTC/ethernet/IRIG-B interface, 8 digits (1 RU/ 19"), 24 VDC, PoE	\$2,149
	<b>UDD25</b>	MTD double display 25mm, LTC/ethernet/IRIG-B interface, 2x6 digits (1 RU/ 19"), including EPSD 24 VDC, PoE	\$2,472
	<b>UD56</b>	MTD display 56mm, LTC/ethernet/IRIG-B interface, 6 digits (2 RU/ 19"), including EPSD 24 VDC, PoE	\$1,934
	<b>UD56S</b>	MTD display 56mm, LTC/ethernet/IRIG-B interface, LED seconds ring, including EPSD 24 VDC, PoE	\$2,579
	<b>UD56-8</b>	MTD display 56mm, LTC/ethernet/IRIG-B interface, 8 digits (2 RU/ 19"), 24 VDC, PoE	\$2,519
	<b>UD300</b>	MTD display with LED seconds ring, LTC/ethernet/IRIG-B interface, 300 mm square, including EPSD 24 VDC, PoE	\$2,149
Universal Time Displays - Options	<b>UD300D</b>	UD300 with appended 25 mm display, 6 digits	\$3,332
	<b>EPSW</b>	External power supply 24 VDC	\$214
	<b>UD-AP</b>	Attached power supply (UD56)	\$429
	<b>UD-BP</b>	Internal power supply (UD56)	\$322
	<b>UD-BP3</b>	Internal power supply (UD300 only)	\$322
	<b>PI</b>	Ethernet power injector	\$214
	<b>UD-G</b>	GPS-Interface for UD Series display	\$322
	<b>UD25TT-TM</b>	Tripod mount kit for UD25TT	\$161
Time Code Readers	<b>UD56-W</b>	Wall mount kit for UD56 and UD56S	\$322
	<b>UD300-W</b>	mount kit for 2 UD300 (wall/ceiling)	\$752
Time Code Readers	<b>TC60</b>	LTC /VTC reader box for real time synchronisation of a PC, RS232, RS422 & USB Interface	\$1,827
	<b>EPSX</b>	External power supply 12 VDC	\$214
PCI Time Code Reader Cards	<b>PCIeTS</b>	PCI express LTC realtime synchronisation	\$1,182
	<b>PCIeL</b>	PCI express reader for LTC, analog video	\$1,182
	<b>PCIeLV</b>	PCI express reader for LTC and VITC, analog video	\$1,289
	<b>PCIe3G</b>	PCI express reader for LTC, DVITC and ATC, HD-SDI video/3G	\$1,934

General Information:				
1. Delivery Time: Contact US				
2. Prices in US\$ & Ex-works Phoenix, Arizona.				
3. Terms & Conditions of Sale Applies				
**CONFIDENTIAL** PLURA PRICE LIST V21.9.1				
Monitoring Solutions				
Category	Series	Model	Description	List
IP - 2110, 2022 & Baseband - 10G	SFP-H 10G "Hybrid" Series	SFP-317-H	17" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional 10G PIPM can be integrated. Ember+ Optional	\$3,500
		SFP-321-H	21" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	\$3,990
		SFP-324-H	24" – Broadcast Monitor (1920x1200) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	\$4,900
		SFP-332-H	32" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	\$6,825
		SFP-347-H	47" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	\$7,875
		SFP-355-H	55" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	Call US
		SFP-365-H	65" – Broadcast Monitor (1920x1080) Class A, with Direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity, IP SFP over Fiber "ST-2110 & ST-2022" with Third-party SFP decoder. Optional PIPM can be integrated. Ember+ Optional	Call US
	SFP-H-7 10G "Hybrid" Series ST-2110 & ST-2022-7	SFP-317-H-7	17" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	\$5,600
		SFP-321-H-7	21" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	\$6,090
		SFP-324-H-7	24" – Broadcast Monitor (1920x1200) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	\$7,000
		SFP-332-H-7	32" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	\$8,925
		SFP-347-H-7	47" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	\$9,975
		SFP-355-H-7	55" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	Call US
		SFP-365-H-7	65" – Broadcast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching", direct 3Gb/s BNC I/O connectivity, Coaxial SFP I/O connectivity and IP SFP+ SDI over Fiber. Ember+ Included	Call US
	PIPM Series	PIPM-R-7	PIPM-R-7, "Plura FPGA based module supports 3G SMPTE ST 2110 signals across dual 10 GbE and it features 2x 10 GbE SFP+ cages complying with SMPTE ST 2022-7, "hitless switching". The PIPM-R-7 is standard with SFP-H-7 and can be integrated into any size SFP-H monitor.	\$2,100
EW SFP-25G/10G "Hybrid" ST-2110 & ST-2022-7 ENGINEERING Series		SFP-25GIPG	25GbE ST2110 and 12G SDI bi-directional Gateway supports bidirectional 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching". Direct 12Gb/s BNC I/O connectivity - 1x bi-directional SDI and 1x SDI out copy of SDI1 (active input loopback when SDI1 in input, or dual output when SDI1 in output). Remote Media Management 1GbE port Ember+/ NMOS supported.	Call US
		SFP-217-25G	17" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$14,699
		SFP-224-25G	24" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$16,799
		SFP-324-25G	24" - 4K IP Broadcast Monitor (3840 x 2160) - 4K - 1000 nit - UHD panel with TRUE HDR (High Dynamic Range) capabilities. Supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$19,949
		SFP-232-25G	32" - 4K IP Broadcast Monitor (4096 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$20,895
		SFP-243-25G	43" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$21,945
		SFP-249-25G	49" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$22,995
		SFP-255-25G	55" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$24,045
		SFP-265-25G	65" - 4K IP Broadcast Monitor (3840 x 2160)- HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$25,095

IP - 2110, 2022 & Baseband	NI	NEW SFP-25G/10G "Hybrid" ST-2110 & ST-2022-7 - PREVIEW series	SFP-265-25G-N	65" - 4K IP Broadcast Monitor (3840 x 2160) - narrow bezel, HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$27,195
			SFP-286-25G - Custom	68" - 4K IP Broadcast Monitor (3840 x 2160) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$31,395
			SFP-298-25G - Custom	98" - 4K IP Broadcast Monitor (3840 x 2160) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 12Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$64,050
			SFP-209-25G-H	9" - 4K IP Broadcast Monitor (1280 x 768) - 12G/3G, 1000 - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$10,689
			SFP-210-25G-H	10" - 4K IP Broadcast Monitor (1920 x 1200) - 12G/3G - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$10,569
			SFP-217-25G-H	17" - 4K IP Broadcast Monitor (1920 x 1080) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$11,025
			SFP-221-25G-H	21" - 4K IP Broadcast Monitor (1920 x 1080) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$11,550
			SFP-224-25G-H	24" - 4K IP Broadcast Monitor (1920 x 1200) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$12,285
			SFP-232-25G-H	32" - 4K IP Broadcast Monitor (1920 x 1080) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$13,545
			SFP-247-25G-H	47" - 4K IP Broadcast Monitor (1920 x 1080) - HDR Capability, supports 12G/3G/1.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 GbE SFP28 cages complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hitless switching", direct 3Gb/s BNC I/O connectivity and Coaxial SFP I/O connectivity. Remote Media Management 1GbE port Ember+/ NMOS supported.	\$13,965
4K - HDR, IP & Baseband	PBM-4K-H PREVIEW Series		PBM-209-4K-H	9" - 4K Broadcast Monitor (1280 x 768) - 12G/3G, 1000 nit HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$4,389
			PBM-210-4K-H	10" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$4,269
			PBM-217-4K-H	17" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$4,725
			PBM-221-4K-H	21" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$5,250
			PBM-224-4K-H	24" - 4K Broadcast Monitor (1920 x 1200) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$5,985
			PBM-232-4K-H	32" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$7,245
			PBM-247-4K-H	47" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	\$7,665
			PBM-255-4K-H	55" - 4K Broadcast Monitor (1920 x 1080) - 12G/3G, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	Call US
	PBM-4K ENGINEERING Series		PBM-217-4K	17" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included, Field upgradable to SFP-217-25G with option "PBM-217-4KFW25G"	\$8,399
			PBM-224-4K	24" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included, Field upgradable to SFP-224-25G with option "PBM-224-4KFW25G"	\$10,499
			PBM-224-4K-DUAL	Dual Integrated 24" (3840 x 2160) 4K Customized Monitoring Solution. Ember+ Included	\$19,949
			PBM-324-4K	24" - 4K Broadcast Monitor (3840 x 2160) - 4K - 1000 nit 4K - UHD panel with TRUE HDR (High Dynamic Range) capabilities !. Ember+ Included	\$13,649
			PBM-232-4K	32" - 4K Broadcast Monitor (4096 x 2160) - 4K - HDR Capability, with bottom Keypad - Limited Supply	\$8,400
			PBM-332-4K	32" - 4K Broadcast Monitor (4096 x 2160) - 4K - HDR Capability. Ember+ Included	\$14,595
			PBM-243-4K	43" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$15,645
			PBM-249-4K	49" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$16,695
			PBM-255-4K	55" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$17,745
			PBM-265-4K	65" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$18,795
			PBM-265-4K-N	65" - 4K Broadcast Monitor (3840 x 2160) - 4K - Narrow Bezel - 3.5mm Side by side bezel Width. Ember+ Included	\$20,895
			PBM-286-4K - Custom	86" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$25,095
			PBM-298-4K - Custom	98" - 4K Broadcast Monitor (3840 x 2160) - 4K - HDR Capability. Ember+ Included	\$57,750
			PBM-217-4KFW25G	Upgrade 25G/10G option for selected PBM-217-4K units	\$6,300
			PBM-224-4KFW25G	Upgrade 25G/10G option for selected PBM-224-4K units	\$6,300
Ultra Narrow Bezel, Vdeo Wall	UNB-4K Series		UNB-249-4K	49" - Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability	Call US
			UNB-255-4K	55" - Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability - 3.5mm Side by side bezel Width	\$6,824
			UNB-255S-4K	55" - Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability - 1.8mm Side by side bezel Width	Call US
			SFP-217-3G	17" - SFP Broadcast Monitor (1920x1080) Class A- 3Gb/s ! - Package Includes - 1 x SFP-3G-TXRX-HD-BF-LR	\$3,359
Engineering LKFS Monitoring Baseband	SFP-3G Series		SFP-221-3G	21" - SFP Broadcast Monitor (1920x1080) Class A- 3Gb/s ! - Package Includes - 1 x SFP-3G-TXRX-HD-BF-LR	\$3,885
			SFP-224-3G	24" - SFP Broadcast Monitor (1920x1200) Class A- 3Gb/s ! - Package Includes - 1 x SFP-3G-TXRX-HD-BF-LR	\$4,725
			SFP-3G-2RX-1310F-LC-MH	SFP Module - 3Gbps SDI Dual Optical Receiver, (1310nm)-LC-F	\$462
			SFP-3G-2RX-HD-BF-LR	SFP Module - 3Gbps SDI Dual Coaxial Receiver, HDBNC	\$415
			SFP-3G-2RX-HD-BF-LR-C	SFP Module - 3Gbps SDI Dual Coaxial Receiver w/Reclocker, HDBNC	\$661
			SFP-3G-2TX-1310F-LC-MH	SFP Module - 3Gbps SDI Dual Optical Transmitter, (1310nm)-LC-F	\$462
			SFP-3G-2TX-HD-BF-LR	SFP Module - 3Gbps SDI Dual Coaxial Transmitter, HDBNC	\$415
			SFP-3G-2TX-HD-BF-LR-C	SFP Module - 3Gbps SDI Dual Coaxial Transmitter, w/Reclocker, HDBNC	\$661
			SFP-3G-TX-HDMI-F-TypeD	SFP Module - 3Gbps SDI to HDMI converter, Type D	\$661

QC / Engrin	SFP-3G-TXRX-1310F-LC-MH	SFP Module - 3Gbps SDI Optical Transceiver, (1310nm)-LC-F	\$462
	SFP-3G-TXRX-HD-BF-LR	SFP Module - 3Gbps SDI Coaxial Transceiver, HDBNC	\$462
	SFP-3G-TXRX-HD-BF-LR-C	SFP Module - 3Gbps SDI Coaxial Transceiver w/Redlocker,HDBNC	\$661
	SFP-LKFS	LKFS monitoring Option- Factory FIT ONLY	\$993

Preview Monitoring Baseband	LCM-3G	LCM-307-3G	Dual 7" or Quad 4"- Rackmount 3G General Use Monitor	\$1,680
		LCM-209-3G	Dual 9" or Quad 5"- Rackmount 3G General Use Monitor	\$1,995
		LCM-119-3G	19" – Preview 3G Broadcast Monitor	\$1,260
		LCM-123-3G	23" – Preview 3G Broadcast Monitor (1920x1080)	\$1,995
		LCM-132-3G	32" – Preview 3G Broadcast Monitor (1920x1080)	\$3,465
		LCM-147-3G	47" – Preview 3G Broadcast Monitor Narrow Bezel (1920x1080)	\$3,884
		LCM-155-3G	55" – Preview 3G Broadcast Monitor Narrow Bezel (1920x1080)	Call US
		LCM-147-3G - Q10 Package	QTY 10 x 47" – Preview 3G Broadcast Monitor Narrow Bezel (1920x1080) & 1 x Spyder Elite probe PACKAGE	Call US
OLED / IPS Reference Monitoring / HDR / LKFS / 10 bit Baseband	PRM-3G	PRM-217-3G	17" – Broadcast Monitor (1920x1080), 3G 10bit PANEL, 3D LUT, Dual display with dual W/f & Vect, Incl. LKFS Monitoring Capability & HDR. Ember+ Optional	\$3,780
		PRM-317-3G	17" – Reference Broadcast Monitor (3840x2160), 3G 10 bit PANEL, 3D LUT, with W/f & Vect, & HDR. Including Ember+, Field upgradable to PBM-217-4K with option "PRM-217-3GFW4K" and/or SFP-217-25G with option "PRM-217-3GFW25G"	\$4,988
		PRM-317-3GFW4K	Field Upgrade 12G/4K upgrade option for selected PRM-317-3G units.	\$3,411
		PRM-317-3GFW25G	Field Upgrade 25G/10G, 12G, 4K option for selected PRM-317-3G units.	\$9,711
		PRM-224-3G - O	24" – Reference Broadcast Monitor (1920x1080), 3G !, OLED 10bit PANEL, 3D LUT, Dual display with dual W/f & Vect, Incl. LKFS Monitoring Capability & HDR. Ember+ Optional	\$7,718
		PRM-224-3G - SP	24" – Reference Broadcast Monitor (1920x1080), 3G !, OLED 10bit PANEL, 3D LUT, Dual display with dual W/f & Vect, Incl. LKFS Monitoring Capability & HDR - Special PROMOTION. When you buy one PRM-224-3G-O, second unit at half the price.	\$3,859
High Brightness Baseband	PHB-3G	PHB-207-3G	7" - 3G High Brightness Broadcast Monitor Class A-3Gb/s !	\$2,415
		PHB-209-3G	9" - 3G High Brightness Broadcast Monitor Class A-3Gb/s !	\$2,625
		PHB-207DRK-3G	Dual 7" or Quad 4" Rackmount High Brightness Broadcast Monitor - 3Gb/s !	\$4,935
		PHB-209DRK-3G	Dual 9" or Quad 5" Rackmount High Brightness Broadcast Monitor - 3Gb/s !	\$5,250

Viewfinder - ANY Third-party Cameras	VF Series	VF-PBM-307	7" - Viewfinder Package for HITACHI Cameras ONLY - VF Cable NOT INCLUDED	\$3,255
		VF-PBM-209 - Q25 Package	QTY 25 x 9" - Viewfinder Package for HITACHI Cameras ONLY - VF Cable NOT INCLUDED	Call US
Viewfinder - ANY Third-party Cameras	PBM-3G Series	PBM-307VF-3G	7" - 3G Viewfinder Monitor Class A-3Gb/s ! Package for third Party Cameras	\$2,099
		PBM-209VF-3G	9" - 3G Viewfinder Monitor Class A-3Gb/s ! Package for third Party Cameras	\$2,099
QC / Engineering Monitoring Baseband		PBM-307DRK-3G	Dual 7" or Quad 4" Rackmount Broadcast Monitor - 3Gb/s !	\$3,780
		PBM-209DRK-3G	Dual 9" or Quad 5" Rackmount Broadcast Monitor - 3Gb/s !	\$3,885
		PBM-307-3G	7" - 3G Broadcast Monitor Class A-3Gb/s !	\$1,838
		PBM-209-3G	9" - 3G Broadcast Monitor Class A-3Gb/s !	\$2,048
		PBM-317-3G	17" - 3G Broadcast Monitor (1920x1080) Class A- 3Gb/s !, Ember+ Optional	\$3,149
		PBM-317-3G-10	17" - Broadcast Monitor (1920x1080) Class A- 3Gb/s !- 10bit PANEL, 3D LUT, Dual display with dual W/f & Vect, Incl. HDR capability, Ember+ Optional	\$3,449
		PBM-317-3G-N	17" - 3G Broadcast Monitor (1920x1080) Class A- 3Gb/s !- Narrow Bezel	\$3,149
		PBM-221-3G	21" - 3G Broadcast Monitor (1920x1080) Class A- 3Gb/s !, Ember+ Optional	\$3,674
		PBM-224-3G	24" - 3G Broadcast Monitor (1920x1200) Class A- 3Gb/s !, Ember+ Optional	\$4,199
		PBM-224-3G-10	24" - 3G Broadcast Monitor (1920x1200) Class A- 3Gb/s !-10 bit Panel & Built-IN LKFS Monitoring Capability, Ember+ Optional	\$4,724
		PBM-332-3G	32" - 3G Broadcast Monitor (1920x1080) Class A- 3Gb/s !, Ember+ Optional	\$6,299
		PBM-346-3G	46" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s !, Ember+ Optional	\$7,349
		PBM-347-3G	47" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s !, Ember+ Optional	\$7,349
		PBM-347-3G - Q10 Package	QTY 10 x 47" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s & 1 x Spyder Elite probe PACKAGE, Ember+ Optional	Call US
		PBM-255-3G	55" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s !, Ember+ Optional	Call US
		PBM-255-3G-N	55" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s ! - 3.5mm Side by side bezel Width, Ember+ Optional	Call US
		PBM-265-3G	65" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s !, Ember+ Optional	Call US
		PBM-270-3G	70" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gb/s !, Ember+ Optional	Call US
Fiber optic TX/RX System	Ezlink	Ezlink-3GHD	Plura EZlink-3GHD Compact Fiber Optic 3Gb/s HD-SDI Digital Video Transport System, includes TX & RX modules	\$1,575
		Ezlink-12V Cable	Plura EZlink-3GHD 12V XLR & Power Tap cable (Use with Anton Bauer & Sony Batteries)	\$368
Calibration HW	Probes	Klien-10	ICAC-101 Package Probe with interconnection cable, stand, S/W, Portable case Included. Klien K-10	\$7,979
		Spyder Elite	ICAC-102 Package Probe with interconnection cable, stand, S/W Included. Spyder Elite	\$262
Control Solutions	Control	PBM-Ember+	Plura Ember+ added S/W option for compliant control system capabilities	\$499
		PMT-200	External Plura Monitor PoE powered tool including PBM-Ember+ S/W for LCM-3G, PHB-3G & other legacy Plura models	\$787
		PSC-400	Plura Software System Controller for SFP, PRM, LCM & PBM Series	\$473
		PSC-500	Plura Software System Controller for SFP, PRM with LKFS Logging	\$1,049
		PBM-7RK	Tilt Rack mount for 7"	\$263
Accessories	Rack Mounts	PBM-7RKB	Blank Plate for PBM-7RK	\$158
		PBM-209RK	Fixed Rack mount for PBM-209-3G	\$289
		PBM-209RKB	Blank Plate for PBM-209RK	\$184
		PHB-209RK	Fixed Rack mount for PHB-209-3G	\$289
		PHB-209RKB	Blank Plate for PHB-209RK	\$184
		PBM-9-4K-HRK	Fixed Rack mount for PBM-209-4K-H	\$394
		PBM-9-4K-HRKB	Blank Plate for PBM-209-4K-H	\$210
		PBM-10-4K-HRK	Fixed Rack mount for PBM-210-4K-H	\$499
		PBM-17TRK	Tilt Rack mount for 17" Monitor such as PRM-217-3G, PRM-317-3G, PBM-317-3G, PBM-317-3G-10, SFP-317-H, SFP-317-H-7, PBM-217-4K, PBM-217-4K-H & PBM-217-25G	\$263
		SFP-17TRK	Tilt Rack mount for SFP-217-3G & LCM-119-3G	\$263
	MVM-RK	Tilt Rack mount for 20", 21" & 24" monitors	\$415	
	Wall Mounts	PBM-WMS	Wall Mount for Small Monitors 17", 19", 20", 21" & 24"	\$184
		PBM-WMDA	Dual Arm Wall Mount for Small Monitors 17", 19", 20", 21" & 24"	\$515
		PBM-WMM	Wall Mount for 32" Monitors	\$368
		PBM-WML	Wall Mount for Large Monitors Up to 40" to 65"	\$394
PBM-WMXL		Wall Mount for Large Monitors 70" & Above	\$1,575	
Battery Mounts	PBM-VM	V-Mount Battery for 7" & 9"	\$326	
	PBM-AB	Anton Bauer Mount Battery for 7" & 9"	\$326	
	PBM-VMI	V-Mount Battery for 17" & 19"	\$394	
	PBM-ABM	Anton Bauer Mount Battery for 17" & 19"	\$394	
	PBM-7HH	Soft Carry Case & Hood Handle for 7"	\$578	
Carry Cases	PBM-209HH	Soft Carry Case & Hood Handle for 9"	\$578	
	PBM-17HH	Soft Carry Case & Hood Handle for 17"	\$620	
	PBM-7CC	Hard Carry Case for 7"	\$578	
	PBM-209CC	Hard Carry Case for 9"	\$578	
	PBM-210CC	Hard Carry Case for 10"	\$814	
	PBM-17CC	Hard Carry Case for 17" & 19"	\$1,155	
	PBM-221CC	Hard Carry Case for 21"	\$1,234	
	PBM-224CC	Hard Carry Case for 24"	\$1,470	
	LCM-132CC	Hard Carry Case for 32"	Call US	
	DBM-146CC	Hard Carry Case for 40 & 46"	Call US	
Survivor	PBM-7SV	Survivor for 7"	\$326	
	PBM-209SV	Survivor for 9"	\$326	
Specialty Cable		PBM-12VMXLR	12V Mini XLR & Power Tap cable (Use with Anton Bauer & Sony Batteries for 7", 9" & 10")	\$394



**\*\*CONFIDENTIAL\*\* PLURA PRICE LIST V21.9.1**

---

Model		Description	Weight		Dimensions						
			Weight - LBS	Weight - KG	W - inch	H - inch	D - inch	H - MM	H - MM	D - MM	
SFP-317-H	17"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	19	8.618255	23	19	10	584.2	482.6	254	254
SFP-321-H	21"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	23	10.432625	25	20	10	635	508	254	254
SFP-324-H	24"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	27	12.26994	28	23	10	711.2	584.2	254	254
SFP-332-H	32"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	50	22.679619	37	25	11	939.8	635	279.4	279.4
SFP-347-H	47"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	70	31.751486	48	34	12	1219.2	863.6	304.8	304.8
SFP-355-H	55"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	88	39.00994	58	39	12	1473.2	990.6	304.8	304.8
SFP-365-H	65"	BroadCast Monitor (1920x1080) Class A, with Direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity, P SFP over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Optional PPM can be integrated. Ember Included	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-317-H-L	17"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	21	9.5254398	23	19	10	584.2	482.6		
SFP-321-H-L	21"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	25	11.339809	25	20	10	635	508	254	254
SFP-324-H-L	24"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	30	13.607711	28	23	10	711.2	584.2	254	254
SFP-332-H-L	32"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	52	23.568603	37	25	11	939.8	635	279.4	279.4
SFP-347-H-L	47"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	72	32.668561	48	34	12	1219.2	863.6	304.8	304.8
SFP-355-H-L	55"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	88	39.916129	58	39	12	1473.2	990.6	304.8	304.8
SFP-365-H-L	65"	BroadCast Monitor (1920x1080) Class A, supports 3G SMPTE ST 2110 signals across dual 10 GbE, features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 30Gb BNC i/o connectivity, Coaxial SFP i/o connectivity and P SFP+ SDI over Fiber "ST-2110 & ST-2022" with Third-Party SFP decoder. Ember Included	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PPM-R-7		PPM-R7: "PLA RUGA base model supports 3G SMPTE ST 2110 signals across dual 10 GbE and it features 2x 10 Gb SFP+ cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching". The PPM-R7 is standard with SFP-H+ and can be integrated into any size SFP-H monitor.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-250P-G		250G ST2110 and 120 SDI bi-directional Gateway supports bidirectional 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity - 1x bi-directional SDI and 1x SDI out port of SDI (active input toback when SDI in input, or dual output when SDI in output). Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-217-2S	17"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-224-2S	24"	4K IP BroadCast Monitor (3840 x 2160) -4K, 1000 nits - UHD panel with TRUE HDR (High Dynamic Range) capabilities. Supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-324-2S	24"	4K IP BroadCast Monitor (3840 x 2160) -4K, 1000 nits - UHD panel with TRUE HDR (High Dynamic Range) capabilities. Supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-232-2S	32"	4K IP BroadCast Monitor (4096 x 2304)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-243-2S	43"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-249-2S	49"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-255-2S	55"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-265-2S	65"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-265-2S-N	65"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-286-2S0 - Custom	86"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
SFP-286-2S0 - Custom	86"	4K IP BroadCast Monitor (3840 x 2160)- HDR Capability, supports 120G/31.5G SMPTE ST 2110 signals across dual 25 GbE, features 2x 25 Gb SFP28 cables complying with SMPTE ST 2022-7, providing redundancy protection for critical distribution and monitoring applications "hites switching", direct 120Gb BNC i/o connectivity and Coaxial SFP i/o connectivity. Blackbox! / Ti/Live reference input. Remote Media Management (IGS port) Ember+/NMOS supported.	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PM-209-4K-H	9"	4K BroadCast Monitor (1280 x 768) - 120G/30, 1000 nits HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	9	4.0823313	14	11	11	355.6	279.4	279.4	279.4
PM-217-4K-H	17"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	9	4.0823313	14	11	11	355.6	279.4	279.4	279.4
PM-221-4K-H	21"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	12	5.443899	23	19	10	584.2	482.6	254	254
PM-224-4K-H	24"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	27	12.26994	28	23	10	711.2	584.2	254	254
PM-232-4K-H	32"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	52	23.568603	37	25	11	939.8	635	279.4	279.4
PM-247-4K-H	47"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	72	32.668561	48	34	12	1219.2	863.6	304.8	304.8
PM-255-4K-H	55"	4K BroadCast Monitor (1920 x 1080) - 120G/30, HDR (High Dynamic Range) and Ember+ capabilities. Ember+ Included	88	39.916129	58	39	12	1473.2	990.6	304.8	304.8
PM-217-4K	17"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	18	7.7527479	23	19	10	584.2	482.6	254	254
PM-224-4K	24"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	29	13.154719	28	23	10	711.2	584.2	254	254
PM-232-4K-DUAL	32"	Dual Integrated 24" (3840 x 2160) 4K Customized Monitoring Solution. Ember+ Included	41	18.597287	49	19	8	1244.6	482.6	203.2	203.2
PM-324-4K	32"	4K BroadCast Monitor (3840 x 2160) -4K, 1000 nits 4K - UHD panel with TRUE HDR (High Dynamic Range) capabilities. Ember+ Included	29	13.154719	28	23	10	711.2	584.2	254	254
PM-332-4K	32"	BroadCast Monitor (4096 x 2304) -4K, HDR Capability, with bottom Kagan - Limited Supply	46	20.865249	36	29	11	914.4	736.6	279.4	279.4
PM-243-4K	43"	4K BroadCast Monitor (4096 x 2304) -4K, HDR Capability. Ember+ Included	46	20.865249	36	29	11	914.4	736.6	279.4	279.4
PM-249-4K	49"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	60	27.115562	48	32	12	1219.2	812.8	304.8	304.8
PM-265-4K	65"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	70	31.751486	48	34	12	1219.2	863.6	304.8	304.8
PM-265-4K	65"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	84	38.101789	56	39	12	1473.2	990.6	304.8	304.8
PM-265-4K	65"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	122	55.382609	84	43	12	1625.6	1092.0	304.8	304.8
PM-265-4K	65"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	122	55.382609	64	43	12	1625.6	1092.0	304.8	304.8
PM-299-4K - Custom	89"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PM-299-4K - Custom	89"	4K BroadCast Monitor (3840 x 2160) -4K, HDR Capability. Ember+ Included	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us

UNB-245-4K	48" Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability	65	29.89304	48	34	12	1219.2	980.8	304.8
UNB-255-4K	55" Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability - 3.5mm Side by side bezel Width	72	32.69581	58	39	12	1472.0	990.0	304.8
UNB-255S-4K	55" Ultra Narrow Bezel Monitor - 700 Nits-4K Input Capability - 1.8mm Side by side bezel Width	72	32.69581	58	39	12	1473.2	990.0	304.8
SFP-217-3G	17" - SFP Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Package Includes + 1 x SFP-3G-TXRX-HD-BF-LR	21	9.5254398	25	19	10	584.2	482.6	254
SFP-221-3G	21" - SFP Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Package Includes + 1 x SFP-3G-TXRX-HD-BF-LR	25	11.336909	25	20	10	635	508	254
SFP-224-3G	24" - SFP Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Package Includes + 1 x SFP-3G-TXRX-HD-BF-LR	30	13.67771	28	23	10	711.2	584.2	254
SFP-3G-2TX-119-1C-LM-H	SFP Module - 3Gbps SDI Dual Coaxial Receiver, (1310nm)-LC,F	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-2TX-HD-BF-LR	SFP Module - 3Gbps SDI Dual Coaxial Receiver, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-2TX-HD-BF-LR-C	SFP Module - 3Gbps SDI Dual Coaxial Receiver w/Receiver, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-2TX-119-1C-LM-H	SFP Module - 3Gbps SDI Dual Coaxial Transmitter, (1310nm)-LC,F	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-2TX-HD-BF-LR	SFP Module - 3Gbps SDI Dual Coaxial Transmitter, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-2TX-HD-BF-LR-C	SFP Module - 3Gbps SDI Dual Coaxial Transceiver w/Receiver, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-TXRX-HD-BF-LR	SFP Module - 3Gbps SDI Coaxial Transceiver w/Receiver, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-3G-TXRX-HD-BF-LR-C	SFP Module - 3Gbps SDI Coaxial Transceiver w/Receiver, HDnBC	1	0.4535924	12	4	9	304.8	101.6	228.6
SFP-LKFS	LKFS monitoring Option, Factory FIT ONLY	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
LCM-309-3G	Dual 7" or Quad 4" - Rackmount 3G General Use Monitor	7	3.1751486	24	11	11	609.6	177.8	279.4
LCM-113-3G	Dual 7" or Quad 4" - Rackmount 3G General Use Monitor	10	4.5399237	24	7	11	609.6	177.8	279.4
LCM-123-3G	11" - Preview 3G Broadcast Monitor (1920x1080)	15	6.8038856	23	19	10	584.2	482.6	254
LCM-132-3G	22" - Preview 3G Broadcast Monitor (1920x1080)	22	9.970351	27	20	10	685.8	508	254
LCM-132-3G	32" - Preview 3G Broadcast Monitor (1920x1080)	48	18.143906	48	32	11	1219.2	812.8	279.4
LCM-147-3G	47" - Preview 3G Broadcast Monitor Narrow Bezel (1920x1080)	70	31.751466	12	4	9	304.8	101.6	228.6
PMB-210-3G	17" - Reference Broadcast Monitor (1920x1080) 3G 10bit PANEL, 3D LUT, Dual display with dual W/V & Vect. Inc. LKFS Monitoring Capability & HDR. Emben+ Optional	16	7.2574779	23	19	10	584.2	482.6	254
LCM-147-3G-01 Package	QTY 10 x 47" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps & 1 x Spyder Elite probe PACKAGE, Emben+ Optional	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PMB-224-3G - O	24" - Reference Broadcast Monitor (1920x1080) 3G 1, OLED 10bit PANEL, 3D LUT, Dual display with dual W/V & Vect. Inc. LKFS Monitoring Capability & HDR. Emben+ Optional	30	13.67771	28	23	10	711.2	584.2	254
PHB-207-3G	7" - 3G High Brightness Broadcast Monitor Class A-3Gbps 1	7	3.1751486	14	11	11	355.6	279.4	279.4
PHB-209-3G	9" - 3G High Brightness Broadcast Monitor Class A-3Gbps 1	8	3.629739	14	11	11	355.6	279.4	279.4
PHB-207DRK-3G	Dual 7" or Quad 4" Rackmount High Brightness Broadcast Monitor - 3Gbps 1	15	6.8038856	24	7	11	609.6	177.8	279.4
PMB-209DRK-3G	Dual 9" or Quad 5" Rackmount High Brightness Broadcast Monitor - 3Gbps 1	19	8.618255	24	7	11	609.6	177.8	279.4
VF-PMB-307	7" - Viewfinder Package for HITACHI Cameras ONLY - VF Cable NOT INCLUDED	6	2.7215542	12	11	11	355.6	279.4	279.4
VF-PMB-307-023 Package	QTY 25 x 7" - Viewfinder Package for HITACHI Cameras ONLY - VF Cable NOT INCLUDED	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PMB-307V-3G	7" - 3G Viewfinder Monitor Class A-3Gbps 1 Package for third Party Camera	8	3.629739	14	11	11	355.6	279.4	279.4
PMB-209V-3G	9" - 3G Viewfinder Monitor Class A-3Gbps 1 Package for third Party Camera	9	4.082313	14	11	11	355.6	279.4	279.4
PMB-207DRK-3G	Dual 7" or Quad 4" Rackmount Broadcast Monitor - 3Gbps 1	15	6.8038856	24	7	11	609.6	177.8	279.4
PMB-209DRK-3G	Dual 9" or Quad 5" Rackmount Broadcast Monitor - 3Gbps 1	19	8.618255	24	7	11	609.6	177.8	279.4
PMB-307-3G	7" - 3G Broadcast Monitor Class A-3Gbps 1	7	3.1751486	14	11	11	355.6	279.4	279.4
PMB-209-3G	9" - 3G Broadcast Monitor Class A-3Gbps 1	8	3.629739	14	11	11	355.6	279.4	279.4
PMB-317-3G	17" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	16	7.2574779	23	19	10	584.2	482.6	254
PMB-317-3G-10	17" - Broadcast Monitor (1920x1080) Class A- 3Gbps & 10bit PANEL, 3D LUT, Dual display with dual W/V & Vect. Inc. HDR capability. Emben+ Optional	16	7.2574779	23	19	10	584.2	482.6	254
PMB-317-3G-N	17" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps & 3Gbps 1 - Narrow Bezel	17	7.2574779	23	19	10	584.2	482.6	254
PMB-221-3G	21" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	25	9.5254398	25	20	10	635	508	254
PMB-224-3G	24" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	28	12.705986	28	23	10	711.2	584.2	254
PMB-224-3G-10	24" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps 10 bit Panel & Built-In LKFS Monitoring Capability, Emben+ Optional	28	12.705986	28	23	10	711.2	584.2	254
PMB-332-3G	32" - 3G Broadcast Monitor (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	46	20.852498	36	29	11	914.4	736.6	279.4
PMB-348-3G	48" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	70	31.751486	12	4	9	304.8	101.6	228.6
PMB-347-3G	47" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	70	31.751486	12	4	9	304.8	101.6	228.6
PMB-347-3G-01 Package	QTY 10 x 47" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps & 1 x Spyder Elite probe PACKAGE, Emben+ Optional	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PMB-255-3G	55" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	84	38.10759	58	39	12	1473.2	990.0	304.8
PMB-255-3G-LM-H	55" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - 3.5mm Side by side bezel Width. Emben+ Optional	72	32.69581	58	39	12	1498.6	990.0	304.8
PMB-279-3G	85" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	102	46.89304	78	63	12	1782.2	1128.2	304.8
PMB-248-3G	70" - 3G Broadcast Monitor Narrow Bezel (1920x1080) Class A- 3Gbps 1 - Emben+ Optional	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
Extra-LKFS	Plura Extra-LKFS Compliant Fiber Optic 8065-10-SDI Dual Video Transport System, includes TX & RX modules	2	0.9071847	12	4	9	304.8	228.6	101.6
Klein-12V Cable	Plura EZios-3G12 12V XLR & Power Tap cable (Use with Anton Bauer & Sony Batteries)	1	0.4535924	12	9	4	304.8	228.6	101.6
Klein-12V	ICAC-1012 Package Probe with interconnection cable, stand, S/W, Portable case included. Klein K-10	1	4.5399237	22	10	10	558.8	254	254
Spyder Elite	ICAC-102 Package Probe with interconnection cable, stand, S/W included. Spyder Elite	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-Emben+	Plura Emben+ added S/W option for compliant control system capabilities	1	0.4535924	12	9	4	304.8	228.6	101.6
PMT-200	External Plura Monitor PoE powered for use including PMB-Emben+ S/W for LCM-3G, PHB-3G & other legacy Plura models	1	0.4535924	12	9	4	304.8	228.6	101.6
PSC-800	Plura Software System Controller for SFP, PRIM, LCM & PMB Series	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PSC-500	Plura Software System Controller for SFP, PRIM with LKFS Logging	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PMB-7RK	Blank Rack mount for 7"	2	0.9071847	12	4	9	304.8	228.6	101.6
PMB-7RKb	Blank Plate for PMB-7RK	2	0.9071847	12	9	4	304.8	228.6	101.6
PMB-209RK	Fixed Rack mount for PMB-209-3G	3	1.3607771	12	9	4	304.8	228.6	101.6
PMB-209RKb	Blank Plate for PMB-209RK	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-209RK	Fixed Rack mount for PMB-209-3G	3	1.3607771	12	9	4	304.8	228.6	101.6
PMB-209RKb	Blank Plate for PMB-209RK	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-9-4K-HRK	Fixed Rack mount for PMB-209-4K-H	5	2.2876619	16	4	10	457.2	101.6	254
PMB-9-4K-HRKb	Blank Plate for PMB-209-4K-H	2	0.9071847	12	9	4	304.8	228.6	101.6
PMB-114K-HRK	Fixed Rack mount for PMB-210-4K-H	5	2.2876619	16	4	10	457.2	101.6	254
PMB-117RK	Blank Plate for 17" Monitor such as PMB-217-3G, PMB-317-3G, PMB-317-3G-10, SFP-317-4K, SFP-317-4K & PMB-217-4K-H	3	1.3607771	12	9	4	304.8	228.6	101.6
SFP-117RK	Blank Plate for SFP-217-3G & LCM-119-3G	2	0.9071847	12	9	4	304.8	228.6	101.6
HW-K	Blank Plate for 20", 21" & 24" monitors	2	2.7215542	12	9	4	457.2	254	254
PMB-WMS	Wall Mount for Small Monitors 17", 19", 20", 21" & 24"	3	1.3607771	12	9	4	304.8	228.6	101.6
PMB-WMDA	Dual Arm Wall Mount for Small Monitors 17", 19", 20", 21" & 24"	10	4.5399237	18	4	10	457.2	101.6	254
PMB-WMM	Wall Mount for 32" Monitors	10	4.5399237	27	12	3	685.8	304.8	76.2
PMB-WML	Wall Mount for Large Monitors Up to 40" to 65"	14	8.3520932	34	12	3	863.6	304.8	76.2
PMB-WMXL	Wall Mount for Large Monitors 70" & Above	20	9.077844	50	15	5	1270	381	157
PMB-W	V-Mount Battery for 7" & 9"	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-B	Anton Bauer Mount Battery for 7" & 9"	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-VMI	V-Mount Battery for 7" & 19"	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-ABM	Anton Bauer Mount Battery for 17" & 19"	1	0.4535924	12	9	4	304.8	228.6	101.6
PMB-7H	Soft Carry Case & Hood Handle for 7"	3	1.3607771	12	9	4	304.8	228.6	101.6
PMB-209H	Soft Carry Case & Hood Handle for 9"	3	1.3607771	12	9	4	304.8	228.6	101.6
PMB-7Hb	Soft Carry Case & Hood Handle for 7"	5	2.2876619	16	4	10	457.2	254	101.6
PMB-7C	Hard Carry Case for 7"	2	2.7215542	16	13	3	458.4	330.2	203.2
PMB-209C	Hard Carry Case for 9"	6	4.5399237	18	13	13	457.2	330.2	330.2
PMB-216C	Hard Carry Case for 10"	10	4.5399237	18	13	13	457.2	330.2	330.2
PMB-17C	Hard Carry Case for 17" & 19"	15	6.8038856	25	20	10	635	508	254
PMB-221C	Hard Carry Case for 21"	30	13.607771	33	22	13	838.2	558.8	330.2
PMB-224C	Hard Carry Case for 24"	33	24.340386	35	29	17	889	756.5	431.6
LCM-125C	Hard Carry Case for 32"	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
DBM-146C	Hard Carry Case for 40 & 46"	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us	Call Us
PMB-7SV	Sanitizer for 7"	2	0.9071847	12	9	4	304.8	228.6	101.6
PMB-28SV	Sanitizer for 9"	2	0.9071847	12	9	4	304.8	228.6	101.6
PMB-12VMXLR	12V Mini XLR & Power Tap cable (Use with Anton Bauer & Sony Batteries for 7", 9" & 10"	1	0.4535924	12	9	4	304.8	228.6	101.6