

QSC List Price

Valid from January 1, 2022

Acceptance of order disclaimer: Orders for products listed in this document are subject to acceptance by QSC, LLC, as not all products are available to all dealers. Orders exceeding \$5,000.00, excluding Drop Ship orders, will qualify for pre-paid freight within the continental United States (for shipments to Alaska and Hawaii, standard shipping rates will apply). Freight allowance will only be applied to orders shipped standard ground via QSC's preferred freight carriers. No other carriers will be allowed. Orders less than \$5,000.00 and Approved Drop Ship Orders will be charged 3% of the invoice within the continental United States (for shipments to Alaska and Hawaii, standard shipping rates will apply) which will be applied to the invoice as a Freight Charge. It is the Dealer's obligation to keep pricing documents current in their records. *MAP restrictions are waived on this item when advertised and sold as a "bundle" with its associated K or E Series Family loudspeaker. Q-SYS products are subject to 15% reconfigure or restocking charge. Should you require a CTO Q-SYS system, please submit your configurations with your purchase order. **Q-SYS products are restricted from online advertising.** Pricing and product availability are subject to change at any time.

LIST

MIXERS

TouchMix Series

	TOUCHMIX-8	Touch-screen digital audio mixer with 8 mic/line inputs, 2 stereo inputs, 4 effects, 4 aux sends.	\$1,343.49
	TOUCHMIX-16	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs, 4 effects, 6 mono aux sends, 2 stereo aux sends.	\$1,974.49
	TOUCHMIX-30 PRO	Touch-screen digital audio mixer with 32 inputs (24 mic/line, 6 line, USB stereo), 6 effects, 16 aux sends.	\$2,856.99

TouchMix Series Accessory

	TMR-1	TouchMix-16 and TouchMix-8 Rack Mounting Kit/ BLK.	\$128.59
	TMR-2	Rack-mount adaptor kit for TouchMix-30 Pro.	\$106.99
	TOUCHMIX-30 TABLET SUPPORT STAND	Tablet Stand for the TouchMix-30 Pro.	\$59.49
	TOUCHMIX-30 PRO TOTE	Soft, padded polyester tote with zippered accessory pouch for TouchMix-30 Pro.	\$154.69
	TOUCHMIX-30 PRO DUST COVER	Fabric dust cover for TouchMix-30 Pro.	\$32.25

ZONE MIXERS

MP-M Series

	MP-M40	8 input 4 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability.	\$1,295.00
	MP-M80	16 input 8 output digital business music zone mixer / processor for music and paging applications with wired and wireless control capability.	\$1,900.00

			LIST
	MP-MFC-BK	Decora® style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Available in two styles for North American (NA) and European (EU) wall boxes. Color - Black.	\$320.00
	MP-MFC-WH	Decora® style multi-function controller for use with MP-M zone mixers, provides zone Volume and Source Select as well as Preset Recall capability. Available in two styles for North American (NA) and European (EU) wall boxes. Color - White.	\$320.00
LOUDSPEAKERS			
AcousticCoverage™ Ceiling Series			
	AC-C2T	2.75" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 170° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	\$98.50
	AC-C2T-LP	2.75" Full-range low profile ceiling speaker, 70/100V transformer with 8Ω bypass, 170° conical coverage, includes C-ring and tile rails for blind mount installation. Priced individually, sold only in pairs.	\$111.00
	AC-C4T	4.5" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 140° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	\$111.00
	AC-C4T-nb	4.5" Full-range no backcan (non UL), ceiling speaker, 70/100V transformer, 140° conical coverage. Priced individually but must be purchased in quantities of four (4).	\$57.50
	AC-C6T	6.5" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 110° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	\$148.50
	AC-C8T	8" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 90° conical coverage, includes C-ring and rails for blind mount installation. Priced individually, sold only in pairs.	\$217.00
	AC-C8T-nb	8" Full-range no backcan (non UL) ceiling speaker, 70/100V transformer, 130° conical coverage. Priced individually but must be purchased in quantities of four (4).	\$76.00
AcousticCoverage™ Ceiling Series Accessories			
	AC-MR4	Flanged mud ring bracket for pre-installation of AC-C2T/AC-C4T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$172.00
	AC-MR6	Flanged mud ring bracket for pre-installation of AC-C6T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$190.00
	AC-MR8	Flanged mud ring bracket for pre-installation of AC-C8T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$228.50

			LIST
AcousticCoverage™ Surface Series			
	AC-S4T-BK	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	\$128.50
	AC-S4T-WH	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	\$128.50
	AC-S6T-BK	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	\$165.00
	AC-S6T-WH	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	\$165.00
AcousticDesign™ Pendant Series			
	AD-P.HALO-BK	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75" satellites, 70/100V transformer with 6Ω bypass, includes cable and fastener for suspended installation. Color - Black.	\$770.00
	AD-P.HALO-WH	Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75" satellites, 70/100V transformer with 6Ω bypass, includes cable and fastener for suspended installation. Color - White.	\$770.00
	AD-P.SAT-BK	2.75" Satellite pendant speaker, 16Ω, 150° conical coverage, includes cable and fastener for suspended installation. Color - Black. Priced individually, sold only in pairs.	\$127.00
	AD-P.SAT-WH	2.75" Satellite pendant speaker, 16Ω, 150° conical coverage, includes cable and fastener for suspended installation. Color - White. Priced individually, sold only in pairs.	\$127.00
	AD-P.SUB-BK	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for suspended installation. Color - Black.	\$542.00
	AD-P.SUB-WH	6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for suspended installation. Color - White.	\$542.00
	AD-P4T-BK	4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - Black.	\$275.00
	AD-P4T-WH	4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - White.	\$275.00

			LIST
AD-P6T-BK	6.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - Black.		\$359.00
AD-P6T-WH	6.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, Includes cable and fastener for suspended Installation. Color - White.		\$359.00
AcousticDesign™ Ceiling Series			
AD-C.SAT-BK	2.75" Satellite ceiling speaker, 16Ω, 150° conical coverage, includes C-ring for blind mount installation. Color - Black. Priced individually, sold only in pairs.		\$103.50
AD-C.SAT-WH	2.75" Satellite ceiling speaker, 16Ω, 150° conical coverage, includes C-ring for blind mount installation. Color - White. Priced individually, sold only in pairs.		\$103.50
AD-C.SUB-BK	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for blind mount installation. Color - Black.		\$490.00
AD-C.SUB-WH	6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for blind mount installation. Color - White.		\$490.00
AD-C4T-BK	4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out. Color - Black. Priced individually, sold only in pairs.		\$192.00
AD-C4T-WH	4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out. Color - White. Priced individually, sold only in pairs.		\$192.00
AD-C4T-LP	4.5" Two-way low-profile ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out. Priced individually, sold only in pairs.		\$205.00
AD-C6T-BK	6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out. Color - Black. Priced individually, sold only in pairs.		\$250.00
AD-C6T-WH	6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out. Color - White Priced individually, sold only in pairs.		\$250.00

			LIST
AD-C6T-LP	6.5" Two-way low-profile ceiling speaker, 70/100v transformer with 16Ω bypass, 135° conical DMT coverage, includes C-ring and rails for blind mount installation, Ø305 mm cut-out. Color - White only. Priced individually, sold only in pairs.		\$260.00
AD-C81Tw-WH	8" In-ceiling subwoofer, 120Hz bypassable low pass filter, 70V/100V transformer with 8Ω bypass, includes C-ring and rails for blind mount		\$392.00
AD-C820R SYSTEM	8" High-power coaxial ceiling speaker, 70/100V transformer with 16Ω bypass, 90° conical coverage, includes AD-C820 baffle, AD-C800BB back-box, and AD-C800RG round grille. Packaged separately (total of three cartons).		\$870.00
AD-C821R SYSTEM	8" High-power blind mount coaxial ceiling speaker, 70/100V transformer with 16Ω bypass, 90° conical DMT coverage. Includes AD-C800RG round grille, C-Ring and Tile Rails. Packaged separately (total of three cartons).		\$770.00
AD-C1200	12" High-power coaxial ceiling speaker baffle, 70/100V transformer with 16Ω bypass, 85° conical coverage. Fits AD-C1200BB back box enclosure or standard ~2.75 cubic foot enclosures.		\$865.00
AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.		\$885.00
AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).		\$107.00
AcousticDesign™ Ceiling Series Accessories			
AD-MR4	Flanged mud ring bracket for pre-installation of AD-C4T in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.		\$172.00
AD-MR6	Flanged mud ring bracket for pre-installation of AD-C6T, AD-C4T-LP in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.		\$190.00
AD-MR8	Flanged mud ring bracket for pre-installation of AD-C6T-LP in sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.		\$228.50
AD-MG245	Full capture marine grille with bayonet clips and backing cloth for 245 mm cutout ceiling speakers, requires AD-MC245 collar sold separately. Priced and packaged in quantities of six (6) pieces per box.		\$335.00
AD-MC245	Full capture marine collar with bayonet sockets for 245mm cutout ceiling speakers, requires AD-MG245 grille sold separately. Priced and packaged in quantities of six (6) pieces per box.		\$158.50
AcousticDesign™ Surface AD-Sii			
AD-S.SAT-BK	2.75" Satellite surface speaker, 16Ω, 150° conical coverage, includes mounting bracket for surface installation. Color - Black. Priced individually, sold only in pairs.		\$103.50
AD-S.SAT-WH	2.75" Satellite surface speaker, 16Ω, 150° conical coverage, includes mounting bracket for surface installation. Color - White. Priced individually, sold only in pairs.		\$103.50

			LIST
	AD-S.SUB-BK	6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - Black.	\$542.00
	AD-S.SUB-WH	6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4) satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo operation, includes wall bracket for surface installation. Color - White.	\$542.00
	AD-S4T-BK	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	\$209.00
	AD-S4T-WH	4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	\$209.00
	AD-S5T-BK	5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	\$275.00
	AD-S5T-WH	5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	\$275.00
	AD-S6-BK	6.5" Two-way surface speaker, 16Ω (no transformer) , 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	\$375.00
	AD-S6-WH	6.5" Two-way surface speaker, 16Ω (no transformer) , 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	\$375.00
	AD-S6T-BK	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black. Priced individually, sold only in pairs.	\$425.00
	AD-S6T-WH	6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White. Priced individually, sold only in pairs.	\$425.00
	AD-S8T-BK	8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black.	\$642.00

			LIST
	AD-S8T-WH	8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White.	\$642.00
	AD-S10T-BK	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black.	\$870.00
	AD-S10T-WH	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White.	\$870.00
	AD-S12-BK	12" Two-way surface speaker, 75° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - Black.	\$1,045.00
	AD-S12-WH	12" Two-way surface speaker, 75° conical DMT™ coverage, includes X-Mount™ and weather input cup. Color - White.	\$1,045.00
	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	\$870.00
	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	\$870.00
AcousticDesign™ Surface Column Series			
	AD-S402T-BK	2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black.	\$392.00
	AD-S402T-WH	2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White.	\$392.00
	AD-S802T-BK	2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black.	\$625.00
	AD-S802T-WH	2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White.	\$625.00
	AD-S162T-BK	2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black.	\$1,095.00
	AD-S162T-WH	2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White.	\$1,095.00
AcousticDesign™ Surface Legacy Models			

			LIST
	AD-S28Tw-BK	Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low-pass filter, includes yoke and suspension hardware. Color - Black.	\$885.00
<i>EOL - with stock</i>	AD-S32T-BK	3" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical coverage, includes ball-mount and yoke assembly. Color - Black. Priced individually, sold only in pairs.	\$179.00
<i>EOL - with stock</i>	AD-S32T-WH	3" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical coverage, includes ball-mount and yoke assembly. Color - White. Priced individually, sold only in pairs.	\$179.00
	AD-S282H-BK	Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. Color - Black.	\$1,135.00
	AD-S282H-WH	Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. Color - White.	\$1,135.00
AcousticDesign™ Surface Series Accessories			
	AD-YMS8-BK	Yoke mount for the AD-S8T. Color - Black.	\$153.50
	AD-YMS8-WH	Yoke mount for the AD-S8T. Color - White.	\$153.50
	AD-YMS10-BK	Yoke mount for the AD-S10T. Color - Black.	\$190.00
	AD-YMS10-WH	Yoke mount for the AD-S10T. Color - White.	\$190.00
	AD-YMS12-BK	Yoke mount for the AD-S12. Color - Black.	\$248.50
	AD-YMS12-WH	Yoke mount for the AD-S12. Color - White.	\$248.50
CINEMA LOUDSPEAKERS			
PASSIVE SCREEN CHANNEL LOUDSPEAKERS			
	SC-1120	Passive 2-way, 1x12", single enclosure	\$750.00
	SC-1150	Passive 2-way, 1x15", single enclosure	\$945.00
	SC-2150	Passive or Bi-amp 3-way, 2x15", 6.5" mid-range and 1.4" HF	\$1,695.00
	SC-222X	Passive 2-way, 2x15", consists of HF-75CX2 and LF-2215 components	\$2,375.00
	SC-223X	Passive 3-way, 2x15", consists of MH-1060X and LF-2215 components	\$2,650.00
2-WAY BI-AMP SCREEN CHANNEL LOUDSPEAKERS			
	SC-412C	High power, bi-amp, 2-way, 1x15", consists of HF-75C and LF-4115 components	\$2,085.00
	SC-222	Bi-amp, 2-way, 2x15", consists of HF-75C and LF-2215 components	\$2,350.00
	SC-422C	High power, bi-amp 2-way, 2x15", consists of HF-75C and LF-4215 components	\$2,545.00
3-WAY HIGH POWER SCREEN CHANNEL LOUDSPEAKERS			
	SC-413C	Bi or tri-amp, 3-way, 1x15", consists of LF-4115 and MH-1075C components	\$2,735.00
	SC-223	Bi-amp, 3-way, 2x15", consists of LF-2215 and MH-1060 components	\$2,545.00
	SC-423C	Bi or tri-amp, 3-way, 2x15", consists of LF-4215 and MH-1075C components	\$3,035.00

			LIST
	SC-423C-F	Flyable high power, bi-amp, 3-way, 2x15", consists of LF-4215-F and MH-1075C-F components	\$4,710.00
	SC-433C	High power, bi or tri-amp, 3-way, 3x15", consists of LF-4315 and MH-1075C components	\$4,260.00
	SC-443C	High power, bi or tri-amp, 3-way, 4x15", consists of 2 x LF-4215 and MH-1075C components	\$5,235.00
4-WAY PREMIUM SCREEN CHANNEL LOUDSPEAKERS			
	SC-414	High power, tri or quad-amp, 4-way, 1x15", consists of LF-4115 and	\$3,710.00
	SC-424	High power, tri or quad-amp, 4-way, 2x15", consists of LF-4215 and	\$4,270.00
	SC-424-8F	Flyable high power, tri-amp, 4-way, 2x15", consists of LF-4215-8F and	\$5,650.00
	SC-434	High power, tri or quad-amp, 4-way, 3x15", consists of LF-4315 and	\$5,235.00
	SC-444	High power, tri or quad-amp, 4-way, 4x15", consists of 2x LF-4215 and	\$6,195.00
**** Screen channel loudspeaker LF and MH/HF/MHV components are available to purchase individually for replacements; CALL FOR PRICE. ****			
SUBWOOFERS			
	SB-1180	Compact cinema subwoofer, single 18" 600 W transducer, 98 dB sensitivity	\$970.00
	SB-7118	Cinema subwoofer, single 18" 700 W transducer, 98 dB sensitivity	\$1,455.00
	SB-2180	Cinema subwoofer, dual 18" transducers, 1100 watts, 101 dB sensitivity	\$1,695.00
	SB-7218	Cinema subwoofer, dual 18" 700 W transducers, 101 dB sensitivity	\$1,945.00
	SB-15121	Cinema subwoofer, single 21" 1500 W transducer, 96.5 dB sensitivity	\$3,785.00
SURROUND LOUDSPEAKERS			
	SR-800	Cinema surround loudspeaker, 8" 2-way, 135° conical, 90 dB sensitivity. Priced individually, sold only in pairs.	\$247.00
	SR-8101	Cinema surround loudspeaker, 8" 2-way, 130°H x 110°V, 91 dB sensitivity.	\$250.00
	SR-1000	Cinema surround loudspeaker, 10" 2-way, 90° conical, 94 dB sensitivity. Priced individually, sold only in pairs.	\$380.00
	SR-8200	Cinema surround loudspeaker, 8" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity.	\$385.00
	SR-1020	Cinema surround loudspeaker, 10" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity.	\$475.00
	SR-1030	Cinema surround loudspeaker, High Output 10" 2-way, 90°H x 90°V, HF Horn, 95.5 dB sensitivity. Priced individually, sold only in pairs.	\$570.00
	SR-1290	Cinema surround loudspeaker, High Output 12" 2-way, coaxial LF/HF drivers, 4Ω impedance, 96 dB sensitivity. Priced and sold individually.	\$760.00
	SR-1590	Cinema surround loudspeaker, Very High Output 15" 2-way, coaxial LF/HF drivers, 4Ω impedance, 98 dB sensitivity. Priced and sold	\$960.00
	SR-5152	Two-way, very high output loudspeaker, 15", selectable bi-amp or passive, 8Ω. Black only. Accepts 4-hole multi-axis wall mount bracket. Priced and sold individually.	\$1,900.00

			LIST
SURROUND LOW FREQUENCY EXTENSION LOUDSPEAKERS			
	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup.	\$870.00
	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup.	\$870.00
	SB-118F	Flyable cinema subwoofer, 8 x M10 suspension points, single 18" 800 W transducer, 98 dB sensitivity	\$1,125.00
	SB-218F	Flyable cinema subwoofer, 8 x M10 suspension points, dual 18" 800 W transducers, 101 dB sensitivity	\$1,895.00
	LF-4215-F	Flyable high power low-frequency cabinet, dual 15" , 4Ω, 99.5 dB sensitivity	\$1,885.00
	LF-4215-8F	Flyable high power low-frequency cabinet, dual 15" , 8Ω, 99.5 dB sensitivity	\$1,885.00
CINEMA LOUDSPEAKERS ACCESSORIES			
	YM-300	Yoke mount kit for SR-800, SR-1000, SR-8101	\$57.00
	YM-46	Yoke mount kit for SR-8200	\$57.00
	YM-400	Yoke mount kit for SR-1020, SR-1030, SR-1290	\$57.00
	YM-500	Yoke mount kit for SR-1590	\$77.00
	QM-SW	Side wall bracket for all SR Series surrounds (EXCEPT SR-5152)	\$32.50
	QM-BW	Back wall bracket for all SR Series surrounds (EXCEPT SR-5152) with 8° down angle	\$32.50
LIVE SOUND LOUDSPEAKERS			
CP Series			
	CP8	1000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver; 90 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	\$571.99
	CP12	1000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver; 75 degree conical waveguide; pole socket; selectable user contours. For use as main or stage monitor.	\$702.59
CP Series Accessories			
	CP8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$101.99
	CP8YM	Powder coated steel yoke for mounting the CP8 vertically or horizontally to structures.	\$142.99
	CP8 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of CP8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	\$58.19
	CP12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$112.49
	CP12YM	Powder coated steel yoke for mounting the CP12 vertically or horizontally to structures.	\$172.59

			LIST
	CP12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of CP12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install.	\$72.49
K.2 Series			
	K8.2	2000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver; 105 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP. For use as main or stage monitor.	\$992.99
	K10.2	2000W active, portable loudspeaker system; 10-inch woofer; 1.0-inch compression driver; 90 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP, for use as main or stage monitor.	\$1,079.99
	K12.2	2000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver; 75 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP. For use as main or stage monitor.	\$1,190.99
K / K.2 Series Accessories			
	K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K8 AND NEW K8.2	\$106.99
	K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K10 AND NEW K10.2	\$119.99
	K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material. FITS BOTH K12 AND NEW K12.2	\$142.89
	K8.2 YOKE	Powder coated steel yoke for mounting the K8.2 vertically or	\$171.99
	K10.2 YOKE	Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures.	\$187.99
	K12.2 YOKE	Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures.	\$199.99
	K8 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K8 AND NEW K8.2.	\$81.99
	K10 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K10 AND NEW K10.2.	\$93.99

			LIST
	K12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor install. FITS BOTH K12 AND NEW K12.2.	\$106.99
	K.2 LOC	Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains.	\$30.99
KS Series			
	KS112	2000W active, Compact subwoofer; 12-inch woofer; 4 large, swivel casters; dual M20 threaded pole socket; speaker pole optional accessory.	\$1,428.59
	KS118	3600W active, ported subwoofer; high powered 18-inch woofer; 4 large, swivel casters; M20 threaded pole socket; speaker pole optional accessory.	\$2,269.49
	KS212C	3600W active, Cardioid subwoofer; dual 12-inch woofers; 4 large, swivel casters; dual M20 threaded pole socket; speaker pole included.	\$2,269.49
KS Accessory			
	KS118-CVR	Soft cover made with heavy-duty Nylon/Cordura material for KS118 with grille guard.	\$178.49
	KS112-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for KSub with grille guard.	\$148.79
	KS212C-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for KSub with grille guard.	\$166.69
	KS LOC	Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains.	\$23.79
KW Series			
	KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor.	\$1,583.29
	KW152	15" two-way, 1000W, 60° axisymmetric, active loudspeaker.	\$1,849.59
	KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange.	\$2,099.29
KW Series Accessories			
	KW SUS KIT 122	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of KW122.	\$142.89
	KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122.	\$114.29
	KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	\$128.59
	KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	\$140.49
KLA Series			

			LIST
	KLA12-BK	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90' x 18' nominal coverage angle; self contained rigging system, Color - Black.	\$2,678.59
<i>EOL - with stock</i>	KLA12-WH	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90' x 18' nominal coverage angle; self contained rigging system, Color - While.	\$2,678.59
	KLA181-BK	18" ported, 1000W subwoofer with integrated flying hardware; Color - Black	\$3,202.39
<i>EOL - with stock</i>	KLA181-WH	18" ported, 1000W subwoofer with integrated flying hardware; Color - While.	\$3,202.39
KLA Series Accessories			
	KLA AF12 TOTE	Tote bag for the KLA AF12.	\$141.99
	KLA AF12-BK	Aluminum array frame for KLA Series enclosures; Color - Black.	\$1,341.99
<i>EOL - with stock</i>	KLA AF12-WH	Aluminum array frame for KLA Series enclosures; Color - While.	\$1,341.99
	KLA12 TOTE	Soft padded tote for the KLA12 Loudspeaker made with heavy-duty Nylon/Cordura® material.	\$140.49
	KLA181 COVER	Soft padded cover for the KLA181 Subwoofer; constructed from heavy-duty Nylon/Cordura® material	\$154.79
E Series			
	E110	10" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$714.49
	E112	12" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$868.99
	E115	15" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$1,142.89
	E118SW	18" externally powered, live sound-reinforcement subwoofer. Color - Black.	\$1,285.79
<i>EOL - with stock</i>	E215	Dual 15" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$1,355.49
<i>EOL - with stock</i>	E218SW	Dual 18" externally powered, live sound-reinforcement subwoofer. Color-black.	\$1,629.49
E Series Loudspeaker Accessories			
	E10-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E10 & E110.	\$102.99
	E12-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E12 & E112.	\$114.29
	E15-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material. FITS BOTH E15 & E115.	\$129.79
<i>EOL - with stock</i>	E215-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E215.	\$138.99

			LIST
	E118SW-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E118SW.	\$142.29
<i>EOL - with stock</i>	E218SW-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material for E218SW.	\$196.49
	E110YM	Powder coated steel yoke for mounting the E110 horizontally or	\$186.99
	E12YM	Powder coated steel yoke for mounting the E12 or E112 horizontally or vertically.	\$196.39
	E15YM	Powder coated steel yoke for mounting the E15 or E115 horizontally or vertically.	\$221.49
	M8 KIT-A	Eyebolt kit for suspending E110 loudspeakers. Includes: 6x M8x1.25, 32 mm stainless, forged shoulder eyebolts.	\$87.29
AcousticPerformance™ Series			
	AP-5102-BK	10" High-power two-way surface speaker, 105° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	\$1,610.00
	AP-5102-WH	10" High-power two-way surface speaker, 105° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - White.	\$1,610.00
	AP-5122-BK	12" High-power two-way surface speaker, 90° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	\$1,700.00
	AP-5122-WH	12" High-power two-way surface speaker, 90° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - White.	\$1,700.00
	AP-5152-BK	15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	\$1,895.00
	AP-5152-WH	15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install enclosure with M10 suspension fittings. Color - White.	\$1,895.00
	AP-4122m	12" Coaxial multipurpose speaker, 90° conical DMT™ coverage, multi-angle enclosure with M10 suspension fittings. Color - Black.	\$1,385.00
	AP-212sw	Dual 12" folded baffle subwoofer, 2x pole cups for horizontal or vertical deployments, dual crossed NL4 inputs. Color - Black.	\$1,385.00
AcousticPerformance™ Series Accessories			
	AP-YM10-BK	Yoke mount for the AP-5102. Color - Black.	\$210.00
	AP-YM10-WH	Yoke mount for the AP-5102. Color - White.	\$210.00
	AP-YM12-BK	Yoke mount for the AP-5122. Color - Black.	\$250.00
	AP-YM12-WH	Yoke mount for the AP-5122. Color - White.	\$250.00
	AP-YM12m-BK	Yoke mount for the AP-5122m and AP-4122m. Available in black only.	\$232.00
Loudspeaker Accessories			

			LIST
	M10 KIT-W	Eyebolt kit for suspending loudspeakers (wooden enclosures). For E112, E115, E215, KW Series and AcousticPerformance Series. Includes: 3x M10×1.5, 35–38 mm stainless, forged shoulder eyebolts.	\$71.39
	M10 KIT-C	Eyebolt kit for suspending loudspeakers (composite-based enclosures). For K/K.2 Series, KLA12, AcousticDesign S8T, S10T and S12 models. Includes: 3x M10×1.5, 20 mm stainless, forged shoulder eyebolts and 3x M10 black conical spring washers.	\$71.39
	M10 KIT-S	Eyebolt kit for suspending subwoofers. Includes: 4x M10×1.5, 35–38 mm stainless, forged shoulder eyebolts.	\$79.19
	SP-16x	Threaded speaker pole extension, 35 mm diameter, 16" length.	\$33.50
	SP-26	Threaded speaker pole, 35 mm diameter, 26" length.	\$41.00
	SP-36	Threaded speaker pole, 35 mm diameter, 36" length.	\$50.00
	CASTER KIT-S	3" caster wheels (4 pack) 76 mm x 44 mm mounting bolt pattern for all KS Series and KLA181 subwoofers.	\$115.00
	CASTER KIT-L	4" caster wheels (4 pack) 101 mm x 80 mm mounting bolt pattern for E118SW and E218SW subwoofer.	\$195.99
ILA Series			
	WL118-sw-BK	18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware,	\$3,535.00
<i>EOL - with stock</i>	WL118-sw-WH	18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, Color - White.	\$3,535.00
	WL2082-i-BK	Installation line array speaker - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, Color - Black.	\$2,935.00
<i>EOL - with stock</i>	WL2082-i-WH	Installation line array speaker - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, Color - White.	\$2,935.00
ILA Series Accessories			
	EB2082-i-BK	Extension bar, allows WL115-sw to be suspended behind WL2082-i,	\$1,545.00
<i>EOL - with stock</i>	EB2082-i-WH	Extension bar, allows WL115-sw to be suspended behind WL2082-i, Color - White.	\$1,545.00
	FB2082-i-BK	Fly-bar for WL2082-i and WL115-sw, Color - Black.	\$1,110.00
<i>EOL - with stock</i>	FB2082-i-WH	Fly-bar for WL2082-i and WL115-sw, Color - White.	\$1,110.00
	PB2082-i-BK	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, Color - Black.	\$425.00
<i>EOL - with stock</i>	PB2082-i-WH	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, Color - White.	\$425.00

			LIST
	QRP-KIT-1	Kit of four (4) quick release pins for use in lieu of included bolts	\$250.00
WideLine - 8			
<i>EOL - with stock</i>	GP212-sw-BK	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; Color - Black.	\$2,585.00
	WL212-sw-BK	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; Color - Black.	\$3,795.00
	WL3082-BK	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; Color- White.	\$3,975.00
WideLine - 8 Accessories			
	AF3082-L-BK	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and	\$2,825.00
	AF3082-S-BK	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; Color - Black.	\$1,510.00
	EB3082-BK	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; Color - Black.	\$1,935.00
	PB3082-BK	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; Color - Black.	\$795.00
WideLine - 10			
<i>EOL - with stock</i>	GP118-sw-BK	18" portable subwoofer with the same acoustical performance as the WL118-sw regular enclosure with the 16 x M10 suspension points; Color - Black.	\$2,850.00
	GP218-sw-BK	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; Color - Black.	\$3,395.00
	WL2102-w-BK	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, Color - Black.	\$5,350.00
<i>EOL - with stock</i>	WL218-sw-BK	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, Color - Black.	\$6,410.00
WideLine - 10 Accessories			
	AF2102-LA-BK	Large Aluminum Array Frame for the WideLine 10 (WL2102); Color - Black.	\$3,385.00
AMPLIFIERS			
MPA Series			

			LIST
	MP-A20V	400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.	\$1,020.00
	MP-A40V	800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.	\$1,720.00
	MP-A80V	1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.	\$2,750.00
CXD Series			
	CXD4.2	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω, 625 watts/ch at 2Ω, with Euro connectors and GPIO.	\$2,045.00
	CXD4.3	4000W Amplifier using FAST channel combining technology 4 channels, 900 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 1200 watts/ch at 2Ω, 625 watts/ch into 100V loads, 500 watts/ch direct drive 70V, with Euro connectors and GPIO.	\$2,945.00
	CXD4.5	8000W Amplifier using FAST channel combining technology 4 channels, 1200 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 1600 watts/ch at 2Ω, 1250 watts/ch into 100V loads, 1000 watts/ch direct drive 70V, with Euro connectors and GPIO.	\$3,670.00
CX-Q Series			
	CX-Q 2K4	4-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	\$2,710.00
	CX-Q 4K4	4-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	\$3,650.00
	CX-Q 8K4	4-Channel 2000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, Mic/line Inputs, 100-240V.	\$4,585.00
	CX-Q 4K8	8-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with Mic/line Inputs, 100-240V.	\$5,335.00
	CX-Q 8K8	8-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp™, with Mic/line Inputs, 100-240V.	\$6,645.00
CXD-Q Series Amplifiers			
<i>EOL - with stock</i>	CXD4.2Q	2000W Q-SYS Network Amplifier using FAST channel combining technology. 4 Mic/Line input channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω, 625 watts/ch at 2Ω, with GPIO and Analog Standalone mode.	\$2,085.00
<i>EOL - with stock</i>	CXD4.3Q	4000W Q-SYS Network Amplifier using FAST channel combining technology. 4 Mic/Line input channels. 900 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 1200 watts/ch at 2Ω, 625 watts/ch into 100V loads, 500 watts/ch direct drive 70V, with GPIO and Analog Standalone mode.	\$2,750.00

			LIST
<i>EOL - with stock</i>	CXD4.5Q	8000W Q-SYS Network Amplifier using FAST channel combining technology. 4 Mic/Line input channels, 1200 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 1600 watts/ch at 2Ω, 1250 watts/ch into 100V loads, 1000 watts/ch direct drive 70V, with GPIO and Analog Standalone mode.	\$3,250.00
PLD/CXD/CXD-Q/DPA Series Accessories			
	PC13L1M-NA	Accessory, North American Power Cord, 14 AWG, 1 m, Locking IEC	\$20.00
	PC13L1M-EU	Accessory, European Power Cord, 14 AWG, 1 m, Locking IEC	\$20.00
SPA Series			
	SPA2-60	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo operation 60 watts into 8Ω & 4Ω, Bridged operation 200 watts into 8Ω & 4Ω, and 250 watts into 70v and 100v / 100-240 VAC Operation.	\$650.00
	SPA2-200	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo Operation 200 watts into 8Ω & 4Ω, Bridged operation 400 watts into 8Ω & 4Ω, and 350 watts into 70v and 100v / 100-240 VAC Operation.	\$760.00
	SPA4-60	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel operation 60 watts into 8Ω & 4Ω, Bridged pair operation 200 watts into 8Ω & 4Ω, and 250 watts into 70v and 100v / 100-240 VAC Operation.	\$925.00
	SPA4-100	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel Operation 100 watts into 8Ω & 4Ω, Bridged pair operation 200 watts into 8Ω & 4Ω, and 350 watts into 70v and 100v / 100-240 VAC Operation .	\$1,065.00
DCA			
	DCA1222	2 channels, 215 watts/ch @ 8Ω, 375 watts/ch @ 4Ω, 600 watts/ch @	\$1,185.00
	DCA1622	2 channels, 350 watts/ch @ 8Ω, 600 watts/ch @ 4Ω, 800 watts/ch @	\$1,300.00
	DCA1644	4 channels, 250 watts/ch @ 8Ω, 400 watts/ch @ 4Ω	\$1,485.00
	DCA1824	4 channels, 170 watts/ch @ 8Ω, 250 watts/ch @ 4Ω, 450 watts/ch @	\$1,485.00
	DCA2422	2 channels, 475 watts/ch @ 8Ω, 825 watts/ch @ 4Ω, 1200 watts/ch @	\$1,485.00
	DCA3022	2 channels, 625 watts/ch @ 8Ω, 1050 watts/ch @ 4Ω, 1500 watts/ch @	\$1,670.00
	DCA3422	2 channels, 800 watts/ch @ 8Ω, 1250 watts/ch @ 4Ω, 1700 watts/ch @	\$1,850.00
GXD Series Processing Amplifiers			
	GXD4	Lightweight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, total power capacity of 1600 watts.	\$793.99
	GXD8	Lightweight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, total power capacity of 4500 watts.	\$1,218.99
GX Series			
	GX3	Lightweight, professional power amplifier, 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω.	\$543.59
	GX5	Lightweight, professional power amplifier, 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω.	\$645.49

			LIST
	GX7	Lightweight, professional power amplifier, 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω.	\$934.49
PLD Series Processing Amplifiers			
	PLD4.2	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω, 625 watts/ch at 2Ω, with XLR and NL4 connectors.	\$1,570.49
	PLD4.3	4000W Amplifier using FAST channel combining technology. 4 channels, 900 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 1200 watts/ch at 2Ω, with XLR and NL4 connectors.	\$2,181.49
	PLD4.5	8000W Amplifier using FAST channel combining technology. 4 channels, 1200 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 1600 watts/ch at 2Ω, with XLR and NL4 connectors.	\$2,803.49
CX Series			
	CX302	2 channels, 200 watts/ch at 8Ω, 325 watts/ch at 4Ω, 600 watts/ch at 2Ω.	\$1,450.00
	CX302V	2 channels, 250 watts/ch at 70V.	\$1,450.00
	CX502	2 channels, 300 watts/ch at 8Ω, 500 watts/ch at 4Ω, 800 watts/ch at 2Ω.	\$1,920.00
	CX602V	2 channels, 550 watts/ch at 8Ω, 440 watts/ch at 70V.	\$2,400.00
	CX702	2 channels, 425 watts/ch at 8Ω, 700 watts/ch at 4Ω, 1200 watts/ch at 2Ω.	\$2,400.00
	CX902	2 channels, 550 watts/ch at 8Ω, 900 watts/ch at 4Ω, 1500 watts/ch at 2Ω.	\$2,870.00
	CX1102	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1700 watts/ch at 2Ω.	\$3,135.00
	CX1202V	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1000 watts/ch at 70V.	\$2,835.00
	CX204V	4 channels, 200 watts/ch at 70V.	\$2,070.00
	CX254	4 channels, 170 watts/ch at 8Ω, 250 watts/ch at 4Ω, 450 watts/ch at 2Ω.	\$2,070.00
	CX404	4 channels, 250 watts/ch at 8Ω, 400 watts/ch at 4Ω.	\$2,070.00
	CX108V	8 channels, 100 watts/ch at 70V.	\$2,535.00
	CX168	8 channels, 90 watts/ch at 8Ω, 130 watts/ch at 4Ω.	\$2,535.00
ISA Series			
	ISA280	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω.	\$750.00
	ISA450	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω.	\$1,000.00
	ISA750	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω.	\$1,245.00
	ISA1350	2 channels, 800 watts/ch at 8Ω, 1300 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 1500 watts/ch at 70V (direct output).	\$2,485.00
	ISA300Ti	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω.	\$1,025.00
	ISA500Ti	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω.	\$1,175.00

			LIST
	ISA800Ti	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω, 800 watts/ch at 70V.	\$1,550.00
CMX Series			
<i>EOL - with stock</i>	CMX300Va	Contractor power amplifier/ 2 channel, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 70V/mono at 600 Watts.	\$675.00
<i>EOL - with stock</i>	CMX800Va	Contractor power amplifier/ 2 channel, 500 watts/ch at 8Ω, 800 watts/ch at 4Ω, 70V/mono at 2000 Watts.	\$1,160.00
<i>EOL - with stock</i>	CMX2000Va	Contractor power amplifier/ 2 channel, 1100 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 70V/mono at 1000 Watts.	\$2,320.00
RMX Series			
	RMX850a	2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω.	\$724.99
	RMX1450a	2 channels, 280 watts/ch at 8Ω, 450 watts/ch at 4Ω, 700 watts/ch at 2Ω.	\$983.29
	RMX2450a	2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1200 watts/ch at 2Ω.	\$1,118.19
	RMX4050a	2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged).	\$2,012.29
	RMX5050a	2 channels, 1100 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged).	\$2,363.39
PowerLight™ 3 Series			
	PL380	2 channels, 1500 watts/ch at 8Ω, 2600 watts/ch at 4Ω, 4000 watts/ch at 2Ω.	\$3,215.99
Amplifier Accessories			
	REAR RACK EAR KIT 7IN	7" Rear support rack ear kit.	\$92.00
	REAR RACK EAR KIT 3IN	3" Rear support rack ear kit.	\$58.50
	IT-42	Isolation Transformer – 25V, 70V , and 100V dual output transformer for CX302.	\$342.00
	PLENUM KIT	The UL-approved Plenum Kit enables SPA amplifiers to be used in plenum systems.	\$135.00
Q-SYS PLATFORM			
Q-SYS Cores and I/O Peripherals			
No Configuration Required Prior To Shipping			
	CORE 110f	Unified Core with 24 local audio I/O channels, 128x128 total network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, POTS and VoIP telephony, 16x16 GPIO, 16 next-generation AEC processors, 1RU.	\$3,920.00

			LIST
	CORE 5200	Enterprise Core for AV&C processing built on Dell Server Technology offering 512x512 networked audio channels, dual Ethernet ports for network redundancy, two auxiliary Ethernet ports, 160 next-generation AEC processors, dual redundant hot-swappable PSU's, Dell iDRAC remote monitoring and a pre-installed 960Gb SSD Media Drive.	*Please contact your Sales Director for pricing*
	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony, 8x8 GPIO, 8 AEC processors, Half-size 1RU.	\$2,735.00
	CORE NANO	Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP	\$1,960.00
	I/O-8 FLEX	Q-SYS I/O peripheral providing 8 individual, software-switchable Q-SYS Flex Channels (Mic/Line IP with +48v or Line Level OP). 8x8 GPIO, 1x RS232 and Audio-to-USB Bridging via USB Device Port. Single cable deployments using PoE+ with an Auxiliary DC power input. All mounting hardware included.	\$1,995.00
	I/O-22	Q-SYS I/O peripheral with PoE that provides 2 mic/line inputs, 2 line outputs, and one 10W speaker output.	\$2,545.00
	I/O-11	Q-SYS I/O peripheral with PoE, shielded Mic input, 2" Loudspeaker, and Witness-timer Display (includes I/O-22).	\$7,145.00
	I/O-11NE	Q-SYS Accessory Panel, with shielded Mic input, 2" Loudspeaker, and Witness-timer Display (does NOT include I/O-22).	\$4,960.00
	DCIO	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic, automation. Outputs Q-LAN A & B, HI/VI, and	\$2,250.00
	DCIO-H	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic, automation. Outputs Q-LAN A & B, HI/VI, and	\$2,820.00
Q-SYS Cores and I/O Peripherals - Assembled by the Purchaser (Kit)			
Purchaser should order I/O cards to fill all slots on the Core or I/O-Frame. Installation of the I/O cards and media options to be carried out by the purchaser.			
	CORE 510i Kit	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-generation AEC processors, 2RU. Can also be configured via software as an I/O-Frame offering 128 x 128 networked audio channels. Rear plates (RP1 Kit) are included.	\$8,085.00
	I/O FRAME Kit	I/O Frame with four card slots, 16x16 network I/O channels, dual LAN ports for network redundancy, and 8 configurable GPIO, 1RU. Rear plates (RP1 Kit) are included.	\$2,835.00
	RP1 Kit	Rear Plate for covering unused card slots above any installed I/O card (4-pack)	\$77.00

			LIST
	CR1 Kit	Card Riser for stacking I/O cards above an unused card slot while also covering the unused card slot from the rear. Only recommended in exceptional circumstances when using top loaded I/O card configurations.	\$60.00
Q-SYS Cores and I/O Peripherals - Configured to Order (CTO)			
Purchaser should use the online Q-SYS Configurator Tool (qsysconfigurator.com) to choose the desired I/O card and media options for each Core or I/O-Frame. Increased lead time. QSC will install all I/O cards and media options prior to shipping.			
	CORE 510i CTO	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-generation AEC processors, 2RU. Can also be configured via software as an I/O-Frame offering 128 x 128 networked audio channels.	\$8,500.00
	I/O FRAME CTO	I/O Frame with four card slots, 16x16 network I/O channels, dual LAN ports for network redundancy, and 8 configurable GPIO, 1RU.	\$3,085.00
	RP1 CTO	Rear Plate for covering unused card slots above I/O Cards.	\$19.25
	CR1 CTO	Card Riser for stacking I/O cards above an unused card slot while also covering the unused card slot from the rear. Only recommended in exceptional circumstances when using top loaded I/O card configurations.	\$60.00
Q-SYS I/O Cards			
For Kit and CTO configurations			
	CIML4	Four channels of microphone / line-level analog audio input with 48V phantom power.	\$420.00
	CIML4-HP	Four channels of microphone / line-level analog audio input with high performance pre-amplifiers and 48V phantom power.	\$1,085.00
	COL4	Four channels of balanced, line-level analog output.	\$375.00
	CAES4	Four channels of AES-3 digital audio with channel pairs configurable as input or output.	\$625.00
	CIAES16	Sixteen channels of AES-3 digital audio input on dual RJ45 connectors.	\$835.00
	CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	\$610.00
<i>EOL - with stock</i>	CAN32	Q-SYS AVB Bridge Card, 16x16 / 0x32 / 32x0.	\$1,420.00
	CDN64	Q-SYS Dante Bridge Card, 64x64.	\$1,975.00
	CTEL4	Four RJ-11 connectors to interface Q-SYS Cores and I/O Frames to analog telephony (POTS) systems.	\$920.00
Q-SYS Media Options			
For Kit and CTO configurations			
<i>Core 110f</i>	MD-110	Media Drive Kit for Core 110f ONLY - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC).	\$1,160.00

			LIST
<i>Core 510i, Core 8 Flex and Core Nano</i>	M2-MD-S	Small Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC)	\$1,185.00
<i>Core 510i, Core 8 Flex and Core Nano</i>	M2-MD-M	Medium Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 500 hours of audio storage (WAV, MP3 or FLAC).	\$2,370.00
<i>Core 510i, Core 8 Flex and Core Nano</i>	M2-MD-L	Large Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 1,000 hours of audio storage (WAV, MP3 or FLAC).	\$7,100.00
Q-SYS Control Peripherals			
<i>NEW</i>	TSC-50-G3	Q-SYS 5" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$1,375.00
<i>NEW</i>	TSC-70-G3	Q-SYS 7" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$1,750.00
<i>NEW</i>	TSC-101-G3	Q-SYS 10.1" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$2,920.00
<i>NEW</i>	TSC-50t-G3	Table top mounting accessory for TSC-50-G3.	\$250.00
<i>NEW</i>	TSC-710t-G3	Table top mounting accessory for TSC-70-G3 and TSC-101-G3.	\$417.00
<i>EOL - with stock</i>	TSC-55W-G2-BK	Q-SYS 5.5" PoE Touch Screen Controller for In-Wall Mounting. Includes 1 LAN Port and Aux Power input, Color - Black only	\$1,375.00
<i>EOL - with stock</i>	TSC-80W-G2-BK	Q-SYS 8.0" PoE Touch Screen Controller for In-Wall Mounting. Includes 1 LAN Port and Aux Power input. Color - Black only	\$1,720.00
<i>EOL - with stock</i>	TSC-116W-G2-BK	Q-SYS 11.6" PoE Touch Screen Controller for In-Wall Mounting. Includes 1 LAN Port and Aux Power input. Color - Black only	\$2,920.00
<i>EOL - with stock</i>	TSC-80T-G2-BK	Table top mounting accessory for TSC-80t-G2-BK.	\$392.00
<i>EOL - with stock</i>	TSC-116T-G2-BK	Table top mounting accessory for TSC-116W-G2-BK.	\$417.00
<i>EOL - with stock</i>	TSC-80TW-G2-BK	8.0" Touch Panel with Table Top mounting accessory included.	\$2,110.00
<i>EOL - with stock</i>	TSC-116TW-G2-BK	11.6" Touch Panel with Table Top mounting accessory included.	\$3,335.00
	WCP-1	Wall Control Plate with Rotary Potentiometer.	\$142.00
	WCP-2	Wall Control Plate with Rotary BCD Switch.	\$167.00

			LIST
Q-SYS AV-to-USB Bridging			
NEW	NC-110	110° Horizontal Field of View, ePTZ network camera, PoE, includes mounting bracket for monitor and surface mounting	\$1,335.00
NEW	NC-12x80	12x Optical Zoom 80° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket	\$4,250.00
NEW	NC-20x60	20x Optical Zoom 60° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket.	\$5,100.00
EOL - with stock	PTZ-12x72	Q-SYS PoE camera for AV-to-USB Bridging. 12x Optical Zoom 72° horizontal field of view. For small to medium conference rooms. Includes Lan, 3G-SDI and HDMI; includes a PTZ-WMB1 (Wall Mount Bracket).	\$4,250.00
EOL - with stock	PTZ-20x60	Q-SYS PoE camera for AV-to-USB Bridging 20x Optical Zoom 60° horizontal field of view. For medium to large conference rooms. Includes Lan, 3G-SDI and HDMI; includes a PTZ-WMB1 (Wall Mount Bracket).	\$5,100.00
	PTZ-CMB1	Accessory Ceiling Mount Bracket for PTZ Camera.	\$147.00
	PTZ-WMB1	Accessory Wall Mount Bracket for PTZ Camera.	\$147.00
	I/O USB Bridge	Q-SYS PoE bridging endpoint for AV-to-USB Bridging. Delivers driverless USB 2.0 connection. Includes dual LAN connections.	\$2,000.00
Q-SYS Software Licenses			
Required for some Q-SYS design files, check with QSC Sales Director for details on Q-SYS Software Licensing			
*	SLDAN-8-P	Q-SYS Software-based Dante 8x8 Channel License, Perpetual.	\$295.00
	Note *: Core 110f sold prior to 30-March-2020, Core 510i and Core 5200 sold prior to 31-December-2020, and all NV-32-H (Core Capable)		
**	SLDAN-16-P	Q-SYS Software-based Dante 16x16 Channel License, Perpetual.	\$517.00
**	SLDAN-32-P	Q-SYS Software-based Dante 32x32 Channel License, Perpetual.	\$850.00
	Note **: Core 110f, Core 8 FLEX, Core NANO, Core 510i, Core 5200, NV-32-H (Core Capable)		
***	SLDAN-64-P	Q-SYS Software-based Dante 64x64 Channel License, Perpetual	\$1,650.00
***	SLDAN-128-P	Q-SYS Software-based Dante 128x128 Channel License, Perpetual	\$3,200.00
	Note ***: Core 510i		
	SLQUD-110-P	Q-SYS Core 110 UCI Deployment Software License, Perpetual.	\$215.00
	SLQSE-110-P	Q-SYS Core 110 Scripting Engine Software License, Perpetual.	\$427.00
	SLQUD-510-P	Q-SYS Core 510 UCI Deployment Software License, Perpetual.	\$535.00
	SLQSE-510-P	Q-SYS Core 510 Scripting Engine Software License, Perpetual.	\$960.00
	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	\$107.00
	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	\$215.00
	SLMST-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable) license for Microsoft Teams Room software features, enables both Q-SYS Scripting and UCI Deployment, Perpetual	\$320.00

			LIST
	SLMST-110-P	Q-SYS Core 110 license for Microsoft Teams Room software features, enables both Q-SYS Scripting and UCI Deployment, Perpetual	\$640.00
	SLMST-510-P	Q-SYS Core 510 license for Microsoft Teams Room software features, enables both Q-SYS Scripting and UCI Deployment, Perpetual	\$1,495.00
<i>Cores 110f, 510i, 5200</i>	SLMTP-32	Multi-Track Playback Option - up to 32 Channels; (requires a Media Drive installed to activate).	\$2,970.00
<i>Cores 510i</i>	SLMTP-64	Multi-Track Playback Option - up to 64 Channels; (requires a Media Drive installed to activate).	\$5,935.00
<i>Cores 510i</i>	SLMTP-128	Multi-Track Playback Option - up to 128 Channels; (requires a Media Drive installed to activate).	\$11,870.00
****	SLDAN-256-P	Q-SYS Software-base Dante 256x256 Channel License, Perpetual	\$6,000.00
****	SLDAN-512-P	Q-SYS Software-base Dante 256x256 Channel License, Perpetual	\$11,100.00
Note****Core 5200			
Q-SYS Paging Peripherals & Accessories			
	PS-1600H	Q-SYS 16-Button Wall Mounted Page Station; Handheld (H) Microphone.	\$3,495.00
	PS-1600G	Q-SYS 16-Button Wall Mounted Page Station; Gooseneck (G) Microphone.	\$3,495.00
	PS-1650H	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Handheld (H) Microphone.	\$3,495.00
	PS-1650G	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Gooseneck (G) Microphone.	\$3,495.00
	PS-X	Q-SYS Page Station Expander, Handheld microphone.	\$805.00
	PS-ACC	Q-SYS Gooseneck Page Station Podium Mounting Flange Accessory.	\$140.00
Q-SYS NS Series Network Switches			

			LIST
<i>EOL - with stock</i>	NS-1108P	10-port network switch preconfigured for Q-SYS Audio, Video and Control with 4x PoE+ ports. With advanced QoS and IGMP to also support AES67 and Dante in same VLAN.	\$1,160.00
Note: Q-SYS NS Series is intended for standalone AV networks consisting of only one switch. QSC does not support applications beyond the supplied configurations, such as additional VLANs, other AVC protocols etc.			
Q-SYS NS Series Gen 2 Network Switches			
<i>NEW</i>	NS10-125+	10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE+ ports and 125 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	\$1,250.00
<i>NEW</i>	NS10-720++	10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE++ ports and 720 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	\$2,840.00
<i>NEW</i>	NS26-300+	26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE+ ports and 300 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	\$2,835.00
<i>NEW</i>	NS26-1440++	26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE++ ports and 1440 Watts PoE budget. Features advanced QoS and IGMP configuration to also support AES67 and Dante within the same VLAN.	\$5,335.00
Note: Q-SYS NS Series Gen 2 is intended for standalone AV networks. QSC does not support applications beyond the supplied configurations, such as additional VLANs, other AVC protocols etc.			
Q-SYS Network Video I/O			
	NV-32-H (Core Capable)	4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging. Supports optional stand-alone "Q-SYS Core Mode" operation for audio DSP with local video switching (no encoding or decoding) and AV Bridging.	\$3,710.00
DIGITAL Accessories			
	PTL-1	Pilot Tone Load for End-of-line monitoring of loudspeaker circuits.	\$68.50
	DAB-801	DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used with Q-SYS DataPort I/O, 4 RU.	\$2,525.00
<i>EOL - with stock</i>	IT-8400	Isolation Output Transformer Panel, 25/70/100 volt, 8 Channels, 400 w/ch, Rack Mount, 4 RU.	\$1,820.00
<i>EOL - with stock</i>	DDI-3	DataPort Accessory card, converts an HD15 connector on DataPort amplifiers to a terminal block style connector. Also provides audio signal access when connected to the outputs of DataPort-equipped processors.	\$90.00

			LIST
	DDI-11	DataPort accessory card, converts an HD15 connector on DataPort amplifiers to a terminal block style connector. Same as DDI-3, except DataPort connector is right angle mounted. Provides access to the amplifier's 15Vdc output, standby control connectivity.	\$40.00
<i>EOL - with stock</i>	DPC-1	DataPort cable, HD15 connector, 1 ft. length.	\$11.00
	DPC-2	DataPort cable, HD15 connector, 2 ft. length.	\$20.00
<i>EOL - with stock</i>	DPC-3	DataPort cable, HD15 connector, 3 ft. length.	\$27.00
	DPC-4	DataPort cable, HD15 connector, 4 ft. length.	\$30.00
<i>EOL - with stock</i>	DPC-5	DataPort cable, HD15 connector, 5 ft. length.	\$33.50
	DPC-6	DataPort cable, HD15 connector, 6 ft. length.	\$36.75
	DPC-10	DataPort cable, HD15 connector, 10 ft. length.	\$52.00
<i>EOL - with stock</i>	DPC-20	DataPort cable, HD15 connector, 20 ft. length.	\$80.00
DPM - DIGITAL PROCESSOR / MONITOR			
<i>EOL - with stock</i>	DPM-100	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel bi-amp, Intrinsic Correction™, Ethernet control.	\$2,600.00
<i>EOL - with stock</i>	DPM-100H	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel bi-amp, Intrinsic Correction™, Ethernet control, with HDMI in/out, Dolby® Digital Plus and DTS® -HD.	\$2,920.00
	DPM-300	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel bi-, tri- and quad-amp, Intrinsic Correction™, Ethernet control.	\$3,710.00
	DPM-300H	10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel tri-and quad-amp, Intrinsic Correction™, Ethernet control, with HDMI in/out, Dolby® Digital Plus and DTS® -HD.	\$4,070.00
DCP - DIGITAL CINEMA PROCESSOR			
	DCP 300	16 Ch. Digital Cinema Processor with booth monitor, crossovers, Ethernet control and network audio transport	\$4,825.00
<i>EOL - with stock</i>	DCP 100	8 Ch. Digital Cinema Processor with crossover, booth monitor and Ethernet control	\$3,860.00
DCM - DIGITAL CINEMA MONITOR			
<i>EOL - with stock</i>	DCM-100	Cinema monitor, crossover, and signal processor with 8 channel analog input, DataPort connections and Intrinsic Correction™ for 3 screen channels passive or bi-amp	\$1,785.00
	DCM-300	Cinema monitor, crossover, and signal processor with 8 channel analog input, DataPort connections and Intrinsic Correction™ for 3 screen	\$2,320.00

			LIST
<i>EOL - with stock</i>	DCM-30D	Cinema amplifier monitor and signal processor with AES/EBU inputs, 5 screen channel bi, tri or quad-amp, EX/ES compatible	\$1,920.00
USL SIGNAL PROCESSORS AND BOOTH MONITORS			
<i>EOL - with stock</i>	JSD-100M	Digital Proc w/SPDIF Digital Inputs (8 Ch). Specify NA, EU, or AU.	\$3,500.00
<i>EOL - with stock</i>	JSD-60D	8-Ch Digital Proc. AES/EBU DTS & AC3. Specify NA, EU, or AU.	\$2,400.00
<i>EOL - with stock</i>	JSD-60DX	8-Ch Digital Proc. DTS & AC3 w/Bi-amp XO. Specify NA, EU, or AU.	\$2,600.00
<i>EOL - with stock</i>	JSD-60DN	8-Ch Digital Proc. DTS & AC3 w/Blulink Out. Specify NA, EU, or AU.	\$2,875.00
<i>EOL - with stock</i>	CM-8E	8-Ch Balanced Monitor w/Bypass & remote. Specify NA, EU, or AU.	\$1,420.00
	DAX-202	2-Channel Digital Audio Converter	\$395.00
ACCESSORIES FOR USL SIGNAL PROCESSORS AND BOOTH MONITORS			
	PXC-4	CM-8E Breakout Board - Left & Center	\$62.00
	JSDV-100	JSD-100 Remote/Fader/Volume	\$235.00
	JSDV-80	JSD-60/80 Remote/Fader/Volume	\$235.00
	JSD-RJM8	RJ45 Connector to JSD DMA-8 Pin Out (Male)	\$78.50
	JSD-RJMI	RJ45 Connector to JSD, DCI Pin Out (Male)	\$78.50
	151515.1	Power Supply for DAX & JSD-100	Contact QSC Customer Care
	JSDP-80 (MS-00018)	Power Supply JSD-60/80/100	Contact QSC Customer Care
ACCESSIBILITY PRODUCTS			
	CCR-100	IR Closed Caption Receiver. Includes Receiver Box, Twist-Lock Cup Holder Insert & Gooseneck, and two AA NiMH rechargeable batteries, and USB charging cable . Requires UPC-28C to function.	\$735.00
	CCR-100C	CCR-100 with clamp instead of cup holder insert	\$735.00
	CCR-100P	CCR-100 with puck (for cup holder mount)	\$735.00
	CCR-100S	CCR-100 with shorter gooseneck - no bend extension	\$735.00
	CCH-100	IR Closed Caption Eyewear (Captionwear). Includes two AA rechargeable NiMH batteries and USB charging cable .	\$685.00
INFRARED EMITTER PANEL KITS			
	UPC-28	2 Ch IR Hearing System - 300 seat 2.3/2.8MHz. Includes IRC-28 emitter panel, IRP-20 power supply, mounting brackets, window decals, and display sign. Specify NA, EU, or AU.	\$1,235.00
	UPC-28D	2-Ch IR Combined Hearing Sys - 600 seat 2.3/2.8MHz. Includes two IRC-28 emitter panels, two IRP-20 power supplies, mounting brackets, window decals, and display sign. Specify NA, EU, or AU.	\$2,460.00

			LIST
	UPC-28C	2-Ch IR Hearing Sys w/CC - 300 seats 2.3/2.8MHz. Includes IRC-28C emitter panel, IRP-20 power supply, mounting brackets, window decals, and display sign. Specify NA, EU, or AU.	\$1,485.00
	UPC-28CD	2-Ch IR Hearing Sys w/CC -600 seats 2.3/2.8MHz. Includes one IRC-28C emitter panel and one IRC-28 emitter panel, two IRP-20 power supplies, mounting brackets, window decals, and display sign. Specify NA, EU, or	\$2,720.00
	UPC-28C-N	2-Ch IR Hearing Sys w/CC - 300 seats 2.3/2.8MHz. Includes IRC-28C-N <u>Narrow Beam</u> emitter panel, IRP-20 power supply, mounting brackets, window decals, and display sign. Universal Power Supply, NA power	\$1,485.00
	UPC-28C2-N	2-Ch IR Hearing Sys w/CC -600 seats 2.3/2.8MHz. Includes <u>two</u> IRC-28C-N <u>Narrow Beam</u> emitter panels, <u>two</u> IRP-20 power supplies, mounting brackets, window decals, and display sign. Universal Power Supply, NA	\$2,950.00
	IRC-28	Emitter Panel for UPC-28 kit. IRP-20 power supply <u>not</u> included, must order separately.	\$1,145.00
	IRC-28C	Emitter Panel for UPC-28C kit. IRP-20 power supply <u>not</u> included, must order separately.	\$1,460.00
	IRC-28C-N	<u>Narrow Beam</u> Emitter Panel for UPC-28C-N kit. IRP-20 power supply <u>not</u> included, must order separately.	\$1,460.00
HEADSETS			
	IRH-280i	2Ch. Headset Receiver with channel A/B Switch. Includes two AAA	\$143.50
	IRH-281i	2Ch. Headset Receiver with Individual Volume Controls. Includes two	\$143.50
ACCESSORIES FOR ACCESSIBILITY PRODUCTS			
	CCR-CHGR	CCR Battery Charger (batteries not included)	\$37.50
	BAT-RCH-AA	Two (2) AA NiMH Rechargeable Batteries. (priced individually, sold only in pairs)	\$25.00
	BAT-280	Battery Cover IRH-280/281 or IRH-280i/281i headset.	\$17.00
	CCC-100	CCR Twist-Lock Cupholder	\$68.50
	CCHPS-100	CCH-100 Power Supply	\$137.00
	IRBC-28	Connecting Bracket Strap for UPC-28D & UPC-28CD	\$25.00
	IRBE-20	Bracket Attaching to Emitter	\$20.00
	IRBS-20	Swivel Wall Plate Bracket	\$33.50
	IRP-20	Power Supply for UPC Series. Specify NA, EU, or AU.	\$70.00
TEST & MEASUREMENT			
	LSS-200	Light and Sound Sensor, XYZ color sensor with Power over Ethernet. Replaces LSS-100P. Does not include power supply.	\$1,090.00
EOL - with stock	DAT100	Digital Audio Tester	\$525.00
ACCESSORIES FOR TEST & MEASUREMENT PRODUCTS			
	LST-100	LSS-100 Test Content	Contact QSC Cinema Tech Support
	LST-200	LSS-200 Test Content	Contact QSC Cinema Tech Support

			LIST
REFERENCE MONITOR SYSTEM			
NOTE: Q-SYS Level 1 for Cinema training required.			
Reference-quality audio monitoring system with Q-SYS processing, amplification, and loudspeakers. Sold as complete system only. System comprised of:			
Processing: One Q-SYS Core 510c, configured with one CODP4 I/O card per screen channel position			
Amplification: One DCA 1222 and one DCA 3022 per screen channel position			
Loudspeakers: One RSC112 and one RSB212 per screen channel position. Baffle wings optional but recommended.			
<i>EOL - with stock</i>	Core 510c	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 2RU. Rear plates are included.	\$8,085.00
	CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	\$610.00
	DCA1222	2 channels, 215 watts/ch @ 8Ω, 375 watts/ch @ 4Ω, 600 watts/ch @ 2Ω. Priced individually.	\$1,185.00
	DCA3022	2 channels, 625 watts/ch @ 8Ω, 1050 watts/ch @ 4Ω, 1500 watts/ch @ 2Ω. Priced individually.	\$1,670.00
	RSC112	Tri-amp, 3-way, consists of 1x12" LF, coaxial MF/HF. Requires NL8 connectors (not supplied by QSC). Priced individually.	\$3,395.00
	RSB212	LFE (subwoofer), dual 12" 500 W transducers, 96 dB sensitivity. Requires NL8 connectors (not supplied by QSC). Priced individually.	\$2,035.00
	RBK-12	(Optional) Baffle wings kit for RSC-112 and RSB-212; one kit includes one Left and one Right wing section and attachment hardware. One kit	\$680.00
Software / Training			
	Q-SYS DESIGNER	Q-SYS Designer software.	-
	LEV 1 CERTIFICATION	Q-SYS Level 1 Online training.	-
	LEV 2 CERTIFICATION	Q-SYS Level 2 Classroom training.	-
Professional Services			
QSC Dealers in the United States have access to Professional Services from a fully dedicated team at QSC composed of Project Managers, Programmers, and Commissioning Professionals. This service assists Dealers for projects across all verticals which may require specialized Q-SYS expertise, Customer/Consultant request, overflow help needed, and direct factory involvement for high value contracts. Discuss opportunities with QSC Sales Director for requirements and a Professional Services proposal. All prices are invoiced per hour.			
Design			
<i>NEW</i>	Programming Service	Complete Q-SYS solution programming with file deployment, dedicated project management, and training.	\$300/h
Deploy			
<i>NEW</i>	Remote Deployment	Remote deployment of Professional Services Q-SYS Designer Software files including comprehensive signal validation, system demo, and a 90 day programming warranty period	\$300/h

			LIST
NEW	On-site Deployment	On-site deployment of Professional Services Q-SYS Designer Software files including comprehensive signal validation, system demo, and a 90 day programming warranty period	\$300/h + Travel
Maintain			
NEW	Extended Programming Warranty	+90 day warranty on deployed Professional Services Q-SYS programming (180 days total) Professional Tier Enterprise Manager Subscription Required	-
Q-SYS Reflect Enterprise Manager			
QSC Dealers who have incorporated Q-SYS Reflect Enterprise Manager into their managed services offerings have a streamlined and secure method to monitor and manage Q-SYS based AV systems including 3rd party devices over the cloud. Contact you QSC sales representative for an invitation into the MSP program for access to the subscription based services below.			
NEW	Basic Tier: One place for all your Cores. Simple, secure, global visibility and remote software license activation for all Q-SYS Cores. Verify that all Cores are connected, running the design and firmware you need and working as expected.		
NEW	SS-EMA-S-B	Basic Tier - one System per month	FREE
NEW	SS-EMA-P-B	Basic Tier - one Peripheral per month	FREE
NEW	Standard Tier: Painless remote management for multiple systems. All the features of Basic Tier plus real-time status and event logs for all AV system devices, including 3rd party devices. Allows for secure, centralized management of all Q-SYS systems, their settings, security profiles, audio files and playlists. Plus integrate with 3rd party software services using the Q-SYS Reflect API.		
NEW	SS-EMA-S-S	Standard Tier - one System per month	\$7.50
NEW	SS-EMA-P-S	Standard Tier - one Peripheral per month	\$0.75
NEW	Professional Tier: Remote helpdesk & system update capabilities. All the features of Standard Tier plus the ability to use Q-SYS Designer remotely and securely via the Q-SYS Reflect Cloud, for full system troubleshooting, modifications and firmware updates. Also includes the ability to use Q-SYS UCI's via web browser for remote support. The Q-SYS Reflect Cloud offers secure, robust and scalable remote access to all of your Q-SYS based AV systems.		
NEW	SS-EMA-S-P	Professional Tier - one System per month	\$10.00
NEW	SS-EMA-P-P	Professional Tier - one Peripheral per month	\$1.00
Attero Tech by QSC			
Axiom Series			
	AXPIO	2 Channel Axiom Bus Analog Input and Output expander (for use with Axiom wall plates).	\$294.00
	BT1	Single gang US Bluetooth Wall Plate interface (includes white and black faceplates, Axiom bus compatible).	\$570.00
EOL - with stock	ML1	Single Gang US, 2 Channel Analog Input Extender Wall Plate, with XLR Mic/Line in and 3.5mm line input (Axiom bus compatible).	\$450.00

			LIST
<i>EOL - with stock</i>	USB1	Single gang US USB Audio Wall Plate interface (includes white and black faceplates, Axiom bus compatible).	\$495.00
Axon Series			
	A4FLEX	4 Channel I/O Interface w/ Logic I/O, AES67, USB, 2x5W Amplifier, PoE+, 1/3rd rack width w/mounting ears (rack tray kit sold separately)	\$1,625.00
	A4Mio	4x4 Channel Mic/Line I/O AES67 Interface, PoE, 1/3 rack width w/mounting ears (rack tray kit sold separately)	\$1,420.00
	A8Mio	8x8 Channel Mic/Line I/O AES67 Interface, PoE 1/2 rack width w/mounting ears (rack tray kit sold separately)	\$1,835.00
	1RU Steel Rack Tray	Axon series, 1 RU rack tray	\$175.00
	C1	Single gang US, IP Wall Controller, PoE (includes white and black faceplates)	\$645.00
	D2i	Single gang US Dante/AES67 Wall Plate with 2 Mic/Line Inputs on XLR and 1/4" TRS combo connectors, PoE (includes white and black faceplates, Axiom bus expansion capable).	\$1,085.00
	DBU	Dante/AES67 USB and Bluetooth audio bridging interface, PoE.	\$875.00
	DTH1620	Dante/AES67 16-channel by 20 Watt ruggedized themed attraction amplifier.	\$3,545.00
Universal AV Series			
	D2FLEXio	Dual Analog Flex I/O Dante/AES67 Interface, PoE.	\$495.00
	unD4I-L	4 Channel Mic/Line In Dante/AES67 Interface w/ Logic I/O, PoE.	\$1,125.00
	unD4O	4 Channel Line Level Output Dante/AES67 Interface, PoE.	\$725.00
	unD6IO	4x2 Channel Dual Gang US, Dante/AES67 Wall Plate 2 Mic/Line In (XLR), RCA, 3.5 mm I/O, PoE (white and black faceplates included).	\$1,045.00
	unD6IO-BT	4x2 Channel 2 Gang US, Dante/AES67 Wall Plate w/Bluetooth, RCA, 3.5 mm I/O, PoE (white and black faceplates included).	\$1,245.00
	unDIO2x2+	2x2 Channel Mic/Line I/O Dante/AES67 Interface.	\$735.00
	unDNEMO	64 Channel Desktop Dante Audio Monitor w/USB.	\$1,225.00
<i>EOL - with stock</i>	unDUSB	2x2 Channel Dante/AES67 - USB Audio Bridge Interface.	\$530.00
	unDX2IO+	4x2 Channel 2 Gang US Dante/AES67 Wall Plate 2 Mic/Line In x 2 Out (XLR), Phoenix I/O, PoE (white and black faceplates included)	\$960.00
	unDX4I	4x2 Channel Dual Gang, Dante/AES67 US Wall Plate 4 Mic/Line In (XLR), Phoenix I/O, PoE.	\$1,045.00
	unHX2D	Dante/AES67-enabled, HDMI Audio De-Embedder/Embedder.	\$1,410.00
<i>EOL - with stock</i>	unXP2I	Single gang passive wall plate input expander, 2 XLR-F (includes 3-gang Decora plate, white and black inserts).	\$125.00
<i>EOL - with stock</i>	unXP2O	Single gang passive wall plate output expander, 2 XLR-M (includes 3-gang Decora plate, white and black inserts).	\$125.00
Synapse I/O Series			

			LIST
	D16Mio	16x16 Channel Mic/Line I/O Dante/AES67 Interface, 1RU.	\$4,750.00
<i>EOL - with stock</i>	D32i	32 Channel Line In Dante/AES67 Interface, 1RU.	\$4,090.00
	D32Mi	32 Channel Mic/Line In Dante/AES67 Interface, 1RU.	\$6,370.00
	D32o	32 Channel Line Out Dante/AES67 Interface, 1RU.	\$4,200.00
<i>EOL - with stock</i>	DM1	Rackmount Dante/AES67 Audio Monitor, 1RU.	\$4,000.00
<i>EOL - with stock</i>	PS-24VDC-D	24V worldwide desktop power supply (Synapse only).	\$162.00
Paging Series			
	Zip4	4-Zone Dante/AES67 Paging Interface, PoE, dual gang.	\$1,320.00
	Zip4-3G	4-Zone Dante/AES67 Paging Interface, PoE, triple gang.	\$1,520.00
	Zip4-Mag Mic Base	Zip series magnetic mic receiver base.	\$47.00
	Zip4-PTT Mic-Std	Zip series PTT Paging microphone, RJ-45 terminated.	\$335.00
	Zip4-PTT Mic-Mag	Zip series PTT Paging microphone, RJ-45 terminated w/magnetic base.	\$420.00
Accessories			
<i>EOL - with stock</i>	PS-24VDC-W	24V / 1.25A Worldwide Power Supply.	\$72.00