

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.144.952		320	Stand clamp for RE20, RE20-Black, RE27N/D, and RE320	n/a	55.30
F.01U.144.589		326	Stand clamp for NDYM and Cobalt microphones.	0.1	20.30
F.01U.117.910		376	Windscreen pop filter for RE16, RE50, N/D967, 767a, 367s, 267a, RE410 and RE510	0.1	31.50
F.01U.118.537		2234	2234, Complete Earset - includes RTW-04,CMT-2,AEF-2,ET-1,ET2 for use with Earmold. 500 Ohm, 5' (1.5M) Cord, and 1/4" Plug	0.1	88.20
F.01U.391.597	F.01U.146.617	4001	IFB 4 position control station for 4 IFB, 1 SA, with illuminated switches, programmable priority levels and 1/4" gooseneck mic connector.	2.8	1,036.00
F.01U.391.579	F.01U.135.375	4002	Control station 8-pos for 8 IFB, 2SA	3.1	1,211.00
F.01U.391.598	F.01U.146.619	4010	Central IFB electronics station. Features include two distinct audio sends per IFB channel, individual level control and silent program select switches.	14.6	3,329.00
F.01U.118.565		4030	Portable two channel IFB user station. 1/4" earset jack.	1.1	424.00
F.01U.145.150		550257	Assembly cable, category 5E, 3ft (0.9m)	0.2	18.20
F.01U.391.602	F.01U.147.766	90007741009	Speaker station, 2ch, S-box, no handle	4.7	464.00
F.01U.117.878		24-PSE	Power supply for TR-24, TR-240, TR-1800	0.6	23.60
F.01U.143.302		2TX800KIT	2TX800KIT, Two Transmitter Output Modification kit for BTR-800 - User installed.	1.5	379.00
F.01U.137.205		2TX80N-KIT	2TX80N-KIT, Two Transmitter Output Modification kit for BTR-800 - User installed.	1.5	379.00
F.01U.117.892		309A	Suspension shock mount for RE20, RE20-BLACK, RE27N/D, and RE320, black	1.2	149.00
F.01U.117.894		314E	Windscreen for 635 model field production mics, gray	0.1	24.80
F.01U.117.896		323S	Quick-disconnect "soft" stand clamp for 1-inch diameter microphones - including RE50 and tapered mics - N/D967, 767a, 367s, 267a, 167, and RE510	0.2	31.50
F.01U.117.911		379-1	Black windscreen pop filter for RE50, ND76, ND86, ND96, RE420 and RE520	0.1	22.60
F.01U.144.954		379-2	Red windscreen pop filter for RE50, ND76, ND86, ND96, RE420 and RE520	0.1	22.60
F.01U.391.507	F.01U.118.502	4001-RMA	Rack mount adapter for 4001.	1.0	172.00
F.01U.391.580	F.01U.135.377	4002RMA	Rack mount adapter	0.7	145.00
F.01U.143.112		4015-100	100ft. 25-pair Cable Assembly.	9.4	372.00
F.01U.117.428		4015-15	15ft. 25-pair Cable Assembly.	1.6	123.00
F.01U.143.113		4015-150	150ft. 25-pair Cable Assembly.	14.1	516.00
F.01U.117.427		4015-5	5ft. 25-pair Cable Assembly.	1.0	95.70
F.01U.117.430		4015-50	50ft. 25-pair Cable Assembly.	4.7	239.00
F.01U.391.581	F.01U.135.378	4015-5F	5ft. 25-pair Cable Assembly (Flat ribbon cable).	0.7	168.00
F.01U.143.111		4015-75	75ft. 25-pair Cable Assembly.	6.8	330.00
F.01U.391.515	F.01U.118.511	4025A	1 X 4 50 pin Passive Splitter.	1.5	378.00
F.01U.391.592	F.01U.145.109	450D	Dynamic, Normally open, Low Z, Handheld paging mic	n/a	142.00
F.01U.118.054		635A	"Classic" dynamic omnidirectional interview microphone, fawn beige	1.4	179.00
F.01U.118.052		635A/B	"Classic" dynamic omnidirectional interview microphone, black	1.4	181.00
F.01U.306.159		635L	635L, Omnidirectional broadcast interview microphone, beige, 9.5" long	0.9	199.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.306.160		635L/B	635L/B, Omnidirectional broadcast interview microphone, black, 9.5" long	1.0	199.00
F.01U.118.053		635N/D-B	N/DYM® dynamic omnidirectional interview microphone, black	1.4	225.00
F.01U.391.503	F.01U.117.945	785L	Dynamic, No switch, Low Z, Gooseneck paging mic	2.0	259.00
F.01U.144.819		920-8B	920-8B, 12" Coaxial Speaker, Sold Individually	15.5	344.00
F.01U.118.161		AB-2	Universal bracket for 1/2 wave antenna w/10' coax	1.0	89.40
F.01U.117.875		AB-24	Bracket for BTR-200/300 with 6ft coax	0.4	79.80
F.01U.118.061		AB-300	AB-300, Universal bracket for model UX-X 5/8 wave antenna's.	0.5	41.70
F.01U.274.382		AB-ZE	Universal array bracket mounting system for up to four ZX1i or EVID 3.2, 4.2 or 6.2 speaker systems in any combination. Enables either pole or threaded rod mounting. Includes one piece bracket, mounting hardware and safety plate.	7.0	170.00
F.01U.218.378		ACD-MFC-ISO	Mifare classic NFC card (50 pcs / pkg).	0.8	Call for Price
F.01U.132.607		ACS-101	ACS-101, Antenna Combiner/Splitter for up to 10 RKP-4B or BTR-1 base station transmit antenna outputs and 10 receive antenna inputs with US power cord.	23.5	9,038.00
F.01U.117.310		AEF-2	AEF-2, Plastic Covered Metal Earloop	0.5	11.03
F.01U.117.410		AEF-3	AEF-3, Nylon Earloop	0.5	11.03
F.01U.118.468		ALP 600M	ALP 600M, Telescoping mast for ALP-600 antenna	3.5	247.00
F.01U.118.162		ALP-450	Telex Branded Directional log periodic antenna covers 450-900 MHz. Unique forward coverage pattern increases signal gain up to 5 dB. Supplied with mounting hardware for wall or mic stand, and 10' of low loss coaxial cable. Measures 9-1/2"L x 11" H, painted matte black.	1.5	405.00
F.01U.118.467		ALP-600	ALP-600, Bi-directional log periodic antenna covers 520-760Mhz. Unique side-to-side coverage pattern increases signal gain up to 1.6dB. Includes mounting hardware and 10' (3 meters) coaxial cable. Measures 17"L x 12"H, painted black with TNC connector.	2.5	859.00
F.01U.118.469		ALP-600B	ALP-600B, Bracket kit for ALP-600 antenna	2.0	286.00
F.01U.144.728		ALP-700	ALP-700, Bi-directional log periodic antenna covers 470-760 Mhz. Unique side-to-side and front-to-back coverage pattern increases signal gain up to 1.8 dBd. Includes mounting hardware, clamp and 10' (3 meters) coaxial cable. Painted black with TNC connector. Measures 16.6" (274.6mm)L x 10.8" (422mm)H.	2.5	852.00
F.01U.117.869		ANT-FP	Flatpanel antenna	1.7	219.00
F.01U.117.868		ANT-FPM	Swivel mount for flatpanel	1.1	65.30
F.01U.118.493		APS1 COMB_SPLT	APS-1, Antenna Combiner/Splitter for two to one input/output.	0.5	311.00
F.01U.117.879		ASP-1	Height adjustable steel subwoofer stand, 36 - 60 inches, 80 lbs. maximum weight capacity, black powdercoat finish	3.5	34.70
F.01U.317.892		ASP-58	Adjustable loudspeaker pole with M20 thread. For use with EKX and ETX subwoofers. Maximum height 57.5 inches. Maximum weight 100 lbs.	6.0	109.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.166.124		BC-102	BC-102, Two up battery charger for SR-50, SR-400 and PST-170	1.0	193.00
F.01U.149.225		BC800NM	BC800NM, Single bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 with US power cord and one BP-800NM battery pack.	3.0	427.00
F.01U.149.227		BC800NM4	BC800NM4, 4 bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 with US power cord and 4 BP-800NM battery packs.	11.0	1,595.00
F.01U.149.528		BLC	BLC, BTR-80N Base Station Link Cable.	0.5	12.46
F.01U.391.565	F.01U.118.829	BOP-1000	19" blank mounting frame - REQUIRED FOR MOUNTING MODEL #TW-7W, #XP-US-PG, and #XP-4PGM.	1.0	65.80
F.01U.391.516	F.01U.118.514	BOP220	I/O Breakout panel for use with the SAP 1626.	3.0	821.00
F.01U.149.581		BP-240	BP-240 Battery Pack for TR-240	0.4	94.20
F.01U.146.596		BP2-CLIP	Flat, Fixed Beltclip with screw for RE-2/FMR-500 Bodypacks	1.0	12.43
F.01U.110.789		BP2-CLIP SWIVEL	Cell Phone type swivel clip with mounting stud and screw for BPU-2/WT-500	0.0	12.43
F.01U.306.189		BP-300-C	Bodypack for R300 Wireless System - C Band	1.1	127.00
F.01U.118.528		BP325 BLACK	2 channel binaural (stereo), programmable beltack w/call light, individual talk/listen and volume controls, 3 pin m/f XLR loop thru and separate dynamic, or carbon mic. NO ELECTRET MIC Uses either stereo or mono headset. BLACK	1.5	624.00
F.01U.118.527		BP-325 GRAY	2 channel binaural (stereo), programmable beltack w/call light, individual talk/listen and volume controls, 3 pin m/f XLR loop thru and separate dynamic, or carbon mic. NO ELECTRET MIC Uses either stereo or mono headset. GRAY	1.5	624.00
F.01U.327.756		BP4000 A4M	Single Channel Universal Belt Pack, A4M Headset Jack	1.1	361.00
F.01U.316.794		BP4000A4F	Single Channel Universal Belt Pack, A4F Headset Jack	1.1	361.00
F.01U.316.793		BP4000A5F	Single Channel Universal Belt Pack, A5F Headset Jack	1.1	361.00
F.01U.316.796		BP5000A4F	Dual Channel Universal Belt Pack, A4F Headset Jack	1.1	481.00
F.01U.316.795		BP5000A5F	Dual Channel Universal Belt Pack, A5F Headset Jack	1.1	481.00
F.01U.327.757		BP6000 A4M	Dual Channel Universal Belt Pack, A4M Headset Jack	1.1	481.00
F.01U.118.307		BP-700	BP-700, Alkaline battery holder, TR-1/ 700/ 800/ 825/ 80N/ RKP-4.	0.5	60.70
F.01U.139.547		BP800NM	BP800NM, NMH battery pack for TR1/ 700/ 800/ 825/ 80N/ RKP-4.	6.0	141.00
F.01U.118.473		BPA-1	BPA-1, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 425-488 MHz, Violet.	0.5	45.90
F.01U.118.474		BPA-2	BPA-2, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 488-556 MHz, Black.	0.5	45.90
F.01U.118.475		BPA-3	1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 556-636 MHz, Yellow.	0.5	45.90
F.01U.118.476		BPA-4	1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 636-726 MHz, Green.	0.5	45.90

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.477		BPA-5	BPA-5, 1/4 wave belt pack antenna for TR-1/700/800/825/80N/RKP-4, 726-826 MHz, Red.	0.5	45.90
F.01U.168.800		BPBC-300	Bodypack Battery Cover for BP-300	0.0	15.82
F.01U.168.797		BPC-300	Beltclip for BP-300 Bodypack	0.0	11.30
F.01U.110.758		BSL-1	BSL-1, Spare battery sled for TR200/300.	0.5	32.20
F.01U.118.135		BT-1	BT-1, Replacement Eartip For ET-1 Eartip (Bag Of 25)	0.5	63.90
F.01U.117.906		BT-2	BT-2, Small Earcones For Use With ET-4 (Bag of Five)	0.5	27.60
F.01U.117.907		BT-3	BT-3, Medium Earcones For Use With ET-4 (Bag of Five)	0.5	27.60
F.01U.117.908		BT-4	BT-4, Large Earcones For Use With ET-4 (Bag of Five)	0.5	27.60
F.01U.169.593		BTR-240,A4F-NA	BTR-240 Base Station, A4F Headset Jack	7.7	4,077.00
F.01U.168.686		BTR-240,A4M-NA	BTR-240 Base Station, A4M Headset Jack	7.7	4,077.00
F.01U.365.168		BTR-30N-A10 A4F	UHF/VHF base station 2ch band A-10	11.5	4,943.00
F.01U.365.167		BTR-30N-A10 A4M	UHF/VHF base station 2ch band A-10	11.5	4,943.00
F.01U.365.169		BTR-30N-A10 A5M	UHF/VHF base station 2ch band A-10	11.5	4,943.00
F.01U.365.177		BTR-30N-A13 A4F	UHF/VHF base station 2ch band A-13	11.5	4,943.00
F.01U.365.176		BTR-30N-A13 A4M	UHF/VHF base station 2ch band A-13	11.5	4,943.00
F.01U.365.178		BTR-30N-A13 A5F	UHF/VHF base station 2ch band A-13	11.5	4,943.00
F.01U.365.186		BTR-30N-B10 A4F	UHF/VHF base station 2ch band B-10	11.5	4,943.00
F.01U.365.185		BTR-30N-B10 A4M	UHF/VHF base station 2ch band B-10	11.5	4,943.00
F.01U.365.187		BTR-30N-B10 A5F	UHF/VHF base station 2ch band B-10	11.5	4,943.00
F.01U.365.195		BTR-30N-B13 A4F	UHF/VHF base station 2ch band B-13	11.5	4,943.00
F.01U.365.194		BTR-30N-B13 A4M	UHF/VHF base station 2ch band B-13	11.5	4,943.00
F.01U.365.196		BTR-30N-B13 A5F	UHF/VHF base station 2ch band B-13	11.5	4,943.00
F.01U.365.204		BTR-30N-C10 A4F	UHF/VHF base station 2ch band C-10	11.5	4,943.00
F.01U.365.203		BTR-30N-C10 A4M	UHF/VHF base station 2ch band C-10	11.5	4,943.00
F.01U.365.205		BTR-30N-C10 A5F	UHF/VHF base station 2ch band C-10	11.5	4,943.00
F.01U.365.213		BTR-30N-C13 A4F	UHF/VHF base station 2ch band C-13	11.5	4,943.00
F.01U.365.212		BTR-30N-C13 A4M	UHF/VHF base station 2ch band C-13	11.5	4,943.00
F.01U.365.214		BTR-30N-C13 A5F	UHF/VHF base station 2ch band C-13	11.5	4,943.00
F.01U.365.222		BTR-30N-F10 A4F	UHF/VHF base station 2ch band F-10	11.5	4,943.00
F.01U.365.221		BTR-30N-F10 A4M	UHF/VHF base station 2ch band F-10	11.5	4,943.00
F.01U.365.223		BTR-30N-F10 A5F	UHF/VHF base station 2ch band F-10	11.5	4,943.00
F.01U.365.231		BTR-30N-F13 A4F	UHF/VHF base station 2ch band F-13	11.5	4,943.00
F.01U.365.230		BTR-30N-F13 A4M	UHF/VHF base station 2ch band F-13	11.5	4,943.00
F.01U.365.232		BTR-30N-F13 A5F	UHF/VHF base station 2ch band F-13	11.5	4,943.00
F.01U.365.240		BTR-30N-H10 A4F	UHF/VHF base station 2ch band H-10	11.5	4,943.00
F.01U.365.239		BTR-30N-H10 A4M	UHF/VHF base station 2ch band H-10	11.5	4,943.00
F.01U.365.241		BTR-30N-H10 A5F	UHF/VHF base station 2ch band H-10	11.5	4,943.00
F.01U.365.249		BTR-30N-H13 A4F	UHF/VHF base station 2ch band H-13	11.5	4,943.00
F.01U.365.248		BTR-30N-H13 A4M	UHF/VHF base station 2ch band H-13	11.5	4,943.00
F.01U.365.250		BTR-30N-H13 A5F	UHF/VHF base station 2ch band H-13	11.5	4,943.00
F.01U.126.857		BTR-800 B3	BTR-800 Base Station, A4M Headset Jack, B3 BAND	11.5	6,224.00
F.01U.145.767		BTR-800-A3	BTR-800 Base Station, A4M Headset Jack, A3 BAND	11.5	6,224.00
F.01U.145.769		BTR-800-A3R	BTR-800 Base Station RTS, A4F Headset Jack, A3 BAND	11.5	6,224.00
F.01U.145.771		BTR-800-A3R5	BTR-800 Base Station RTS, A5F Headset Jack, A3 BAND	11.5	6,224.00
F.01U.145.779		BTR-800-B3R	BTR-800 Base Station RTS, A4F Headset Jack, B3 BAND	11.5	6,224.00
F.01U.145.781		BTR-800-B3R5	BTR-800 Base Station RTS, A5F Headset Jack, B3 BAND	11.5	6,224.00
F.01U.145.795		BTR-800-C3	BTR-800 Base Station, A4M Headset Jack, C3 BAND	11.5	6,224.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.145.797		BTR-800-C3R	BTR-800 Base Station RTS, A4F Headset Jack, C3 BAND	11.5	6,224.00
F.01U.145.799		BTR-800-C3R5	BTR-800 Base Station RTS, A5F Headset Jack, C3 BAND	11.5	6,224.00
F.01U.145.815		BTR-800-E88	BTR-800 Base Station, A4M Headset Jack, E88 BAND	11.5	6,224.00
F.01U.118.290		BTR-800-E88R	BTR-800 Base Station RTS, A4F Headset Jack, E88 BAND	11.5	6,224.00
F.01U.145.817		BTR-800E88R5	BTR-800 Base Station RTS, A5F Headset Jack, E88 BAND	11.5	6,224.00
F.01U.145.830		BTR-800-F3	BTR-800 Base Station, A4M Headset Jack, F3 BAND	11.5	6,224.00
F.01U.145.832		BTR-800-F3R	BTR-800 Base Station RTS, A4F Headset Jack, F3 BAND	11.5	6,224.00
F.01U.145.834		BTR-800-F3R5	BTR-800 Base Station RTS, A5F Headset Jack, F3 BAND	11.5	6,224.00
F.01U.359.388		BTR-800-FD	UHF base station 2ch band FD, 4M headset	11.5	6,224.00
F.01U.359.389		BTR-800-FDR	UHF base station 2ch band FD, 4F headset	11.5	6,224.00
F.01U.359.390		BTR-800-FDR5	UHF base station 2ch band FD, 5F headset	11.5	6,224.00
F.01U.359.394		BTR-800-FE	UHF base station 2ch band FE, 4M headset	11.5	6,224.00
F.01U.359.395		BTR-800-FER	UHF base station 2ch band FE, 4F headset	11.5	6,224.00
F.01U.359.396		BTR-800-FER5	UHF base station 2ch band FE, 5F headset	11.5	6,224.00
F.01U.145.854		BTR-800-H3	BTR-800 Base Station, A4M Headset Jack, H3 BAND	11.5	6,224.00
F.01U.145.856		BTR-800-H3R	BTR-800 Base Station RTS, A4F Headset Jack, H3 BAND	11.5	6,224.00
F.01U.145.858		BTR-800-H3R5	BTR-800 Base Station RTS, A5F Headset Jack, H3 BAND	11.5	6,224.00
F.01U.359.329		BTR-800-HE	UHF base station 2ch band HE, 4M headset	11.5	6,224.00
F.01U.359.330		BTR-800-HER	UHF base station 2ch band HE, 4F headset	11.5	6,224.00
F.01U.359.331		BTR-800-HER5	UHF base station 2ch band HE, 5F headset	11.5	6,224.00
F.01U.137.810		BTR-80N-A3	BTR-80N Base Station, A4M Headset Jack, A3 BAND	11.0	6,812.00
F.01U.137.811		BTR-80N-A3R	BTR-80N Base Station RTS, A4F Headset Jack, A3 BAND	11.0	6,812.00
F.01U.137.812		BTR-80N-A3R5	BTR-80N Base Station RTS, A5F Headset Jack, A3 BAND	11.0	6,812.00
F.01U.137.822		BTR-80N-B3	BTR-80N Base Station, A4M Headset Jack, B3 BAND	11.0	6,812.00
F.01U.137.823		BTR-80N-B3R	BTR-80N Base Station RTS, A4F Headset Jack, B3 BAND	11.0	6,812.00
F.01U.137.824		BTR-80N-B3R5	BTR-80N Base Station RTS, A5F Headset Jack, B3 BAND	11.0	6,812.00
F.01U.137.831		BTR-80N-C3	BTR-80N Base Station, A4M Headset Jack, C3 BAND	11.0	6,812.00
F.01U.137.832		BTR-80N-C3R	BTR-80N Base Station RTS, A4F Headset Jack, C3 BAND	11.0	6,812.00
F.01U.137.833		BTR-80N-C3R5	BTR-80N Base Station RTS, A5F Headset Jack, C3 BAND	11.0	6,812.00
F.01U.137.780		BTR-80N-F3	BTR-80N Base Station, A4M Headset Jack, F3 BAND	11.0	6,812.00
F.01U.137.781		BTR-80N-F3R	BTR-80N Base Station RTS, A4F Headset Jack, F3 BAND	11.0	6,812.00
F.01U.137.782		BTR-80N-F3R5	BTR-80N Base Station RTS, A5F Headset Jack, F3 BAND	11.0	6,812.00
F.01U.359.391		BTR-80N-FD	UHF base station 2ch band FD, 4M headset	11.0	6,812.00
F.01U.359.392		BTR-80N-FDR	UHF base station 2ch band FD, 4F headset	11.0	6,812.00
F.01U.359.393		BTR-80N-FDR5	UHF base station 2ch band FD, 5F headset	11.0	6,812.00
F.01U.359.397		BTR-80N-FE	UHF base station 2ch band FE, 4M headset	11.0	6,812.00
F.01U.359.327		BTR-80N-FER	UHF base station 2ch band FE, 4F headset	11.0	6,812.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.359.328		BTR-80N-FER5	UHF base station 2ch band FE, 5F headset	11.0	6,812.00
F.01U.137.795		BTR-80N-H3	BTR-80N Base Station, A4M Headset Jack, H3 BAND	11.0	6,812.00
F.01U.137.796		BTR-80N-H3R	BTR-80N Base Station RTS, A4F Headset Jack, H3 BAND	11.0	6,812.00
F.01U.137.797		BTR-80N-H3R5	BTR-80N Base Station RTS, A5F Headset Jack, H3 BAND	11.0	6,812.00
F.01U.359.332		BTR-80N-HE	UHF base station 2ch band HE, 4M headset	11.0	6,812.00
F.01U.359.333		BTR-80N-HER	UHF base station 2ch band HE, 4F headset	11.0	6,812.00
F.01U.359.334		BTR-80N-HER5	UHF base station 2ch band HE, 5F headset	11.0	6,812.00
F.01U.314.183		C1300FDI-US	DSP power amplifier 2x650W, install. With FIR drive, Phoenix connectors.	34.6	1,005.00
F.01U.314.187		C1800FDI-US	DSP power amplifier 2x950W, install. With FIR drive, Phoenix connectors.	39.7	1,277.00
F.01U.120.928		C2	C2, Foam Ear Cushion for PH81 & PH85 Full Cushion Headsets (1) Gray	0.5	15.86
F.01U.314.191		C2800FDI-US	DSP power amplifier 2x1400W, install. With FIR drive, Phoenix connectors.	41.9	1,609.00
F.01U.329.131		C3	Ear Cushion, Black for PH 1 and PH 2	0.2	15.86
F.01U.314.195		C3600FDI-US	DSP power amplifier 2x1800W, install. With FIR drive, Phoenix connectors.	46.3	1,933.00
F.01U.117.982		C-4	C-4, Ear Cushion, Moleskin, For PH100/PH200.	0.5	18.10
F.01U.109.819		C-8	C-8, Ear Cushion, leather style, For PH44/PH88.	0.5	9.67
F.01U.120.577		C800NM	C800NM, Single bay cradle NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 (without power supply, battery pack, or cradle dock).	1.0	108.00
F.01U.295.625		C-9	C-9, Ear Cushion, leather style, For HR series	0.5	35.10
F.01U.350.728		CA 6FSC-6MNT	Cable 6pin F SWC to 6pin M NTX	0.5	82.70
F.01U.350.727		CA 6MSC-6FNT	Cable 6pin M SWC to 6pin F NTX	0.5	82.70
F.01U.143.102		CA-13-33	Break out cable - one XLR3F to three XLR3M.	1.0	103.00
F.01U.118.117		CA-23-16	Adapter cable - two XLR3F to one XLR6M.	1.0	126.00
F.01U.350.729		CA-23-16S	Cable adaptor 6pin SWC M to two 3pin Female	0.8	126.00
F.01U.149.532		CAN-T	CAN-T, BTR-80N Can Bus 120 ohm Termination.	0.5	38.20
F.01U.117.804		CB1	ZX1 Carrying Bag. Includes shoulder strap and accessory pockets - Two can be combined for carrying two speakers at once.	4.0	138.00
F.01U.117.680		CB5-B	Array rigging kit for two ZX3 or ZX5 loudspeakers, black	2.0	295.00
F.01U.117.681		CB5-W	Array rigging kit for two ZX3 or ZX5 loudspeakers, white	2.0	295.00
F.01U.120.578		CB800NM4	CB800NM4, 4 bay NMH charger for TR-1/ 700/ 800/ 825/ 80N/ RKP-4 (without power supply, battery packs, or cradles).	3.0	973.00
F.01U.117.909		CC-1	CC-1, Cushion Cover Sock (Black) For Full Cushion Headset (1).	0.5	11.92
F.01U.391.573	F.01U.118.907	CCB-1	Interfaces a single channel of Telex balanced to ClearCom unbalanced intercom, audio and light signal.	1.5	305.00
F.01U.145.213		CCS-12	Cushion covers for SEB-1 and DEB-2 (pkg/12)	0.6	9.04
F.01U.298.806		CCSD-CU	CCS 1000 D Control Unit, powers up to 80 discussion devices, depending on extension cable lengths and configuration	7.1	1,678.00
F.01U.298.789		CCSD-CURD	CCS 1000 D Control Unit with Recorder, powers up to 80 discussion devices, depending on cable lengths and configuration	7.5	2,274.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.299.031		CCSD-DL	CCS 1000 D Discussion Device, includes fixed long microphone and 2 meter attached cable	2.2	616.00
F.01U.299.030		CCSD-DS	CCS 1000 D Discussion Device, includes fixed short microphone and 2 meter attached cable	2.2	585.00
F.01U.307.207		CCSD-EXU	CCS 1000 D Extension Unit, powers up to 85 additional discussion devices, depending on cable lengths and configuration	13.2	1,473.00
F.01U.336.016		CCSD-TC2	CCS 1000 D Transport Case, 6 devices & control unit	14.5	551.00
F.01U.320.333		CCSD-TCD	CCS 1000 D Transport Case, 10 devices	14.4	551.00
F.01U.117.416		CCT-2	CCT-2, Telethin® Cord (Gray), 5' (1.5M) Coil, Telethin® Cord (Gray) with 1/4" Straight Connector	1.0	39.70
F.01U.117.417		CCX-2	CCX-2, Telethin® Cord (Gray), 5' (1.5M) Coil, Telethin® Cord (Gray) with Right Angle Miniature Connector	1.0	41.90
F.01U.283.497		CDG	CDG, KIT, ACCESSORY, DUAL GLAND NUT COVER, EVA, EVC, EVF, AND EVH	1.0	68.70
F.01U.283.495		CDNL4	CDNL4, KIT, ACCESSORY, DUAL NL4 COVER, EVA, EVC, EVF, AND EVH	1.0	68.70
F.01U.118.418		CES-1	CES-1 Complete Earset - Includes RTV-04,CMT-2,ET-4. 125 Ohm, 5' (1.5M) Cord, 1/4" Plug.	1.0	97.00
F.01U.118.419		CES-2	CES-2 Complete Earset - Includes RTV-04,CMT-98, ET-4. 125 Ohm, 5' (1.5M) Cord, 1/8" Plug.	1.0	97.00
F.01U.168.552		CHG-240, NA	CHG-240 4 Bay Battery Charger for BP-240 Batteries	6.6	875.00
F.01U.391.534	F.01U.118.683	CIA-1000 (FRONT)	Call light indicator with FRONT mounted red flashing light. Channel select control, line and loop connectors. Spring clamp terminals for relay output. 1RU by 1/2 rack wide. BLACK	2.5	489.00
F.01U.391.533	F.01U.118.680	CIA-1000 (TOP)	Call light indicator with TOP mounted red flashing light. Channel select control, line and loop connectors. Spring clamp terminals for relay output. 1RU by 1/2 rack wide. BLACK	2.5	489.00
F.01U.110.763		CL-2	CL-2, Replacement clip/door for TR200/300 - complete.	0.5	40.20
F.01U.391.508	F.01U.118.503	CM300L A4F	2 Channel console mount user station with separate dynamic or carbon mic input, silent channel select switching. Solid metal front with open back for console mount. Uses MCP-3 rack kit. (A4F)	2.5	858.00
F.01U.391.509	F.01U.118.504	CM300L A5F	2 Channel console mount user station with separate dynamic or carbon mic input, silent channel select switching. Solid metal front with open back for console mount. Uses MCP-3 rack kit. (A5F)	2.5	1,043.00
F.01U.118.023		CMT-2	CMT-2, Telethin® Cord (Gray), 5' (1.5M) with 1/4" Straight Connector	1.0	37.50
F.01U.118.024		CMT-92	CMT-92, Telethin® Cord (Gray), 5' (1.5M) with Right-Angle Miniature Connector	1.0	36.40
F.01U.118.026		CMT-95	CMT-95, Telethin® Cord (Gray), 5' (1.5M) 2.5mm or .097 inch diameter (sub-miniature) connector	1.0	36.40
F.01U.118.025		CMT-98	CMT-98, Telethin® Cord (Gray), 5' (1.5M) with Straight Miniature Connector	1.0	36.40



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.961		COBREFLEX IIB	Folded sectoral horn to match ID60 drivers; also fits 1828, 1829, 7110XC, and ID30 drivers, 80° x 60°, weather resistant, integral mounting bracket, gray	7.0	195.00
F.01U.385.745		CP-MXE	Professional connector panel for MXE series	4.9	1,290.00
F.01U.101.295		CPS4.10 120V	CPS4.10 4-Channel Power Amplifier, 4 x 1000W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	26.0	4,017.00
F.01U.101.298		CPS4.5 120V	CPS4.5 4-Channel Power Amplifier, 4 x 500W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	26.0	3,185.00
F.01U.101.291		CPS8.5 120V	CPS8.5 8-Channel Power Amplifier, 8 x 500W into 2, or 4 Ohms, or 70V/100V Direct Drive, 2U, ready for RCM-810 IRIS-Net Remote Control Module, In/Outputs Phoenix Type, 120V	32.0	4,576.00
F.01U.117.952		CPSM	Shock mount for RE90P, PC/XLR, & PC Plus	0.2	49.90
F.01U.168.794		CRA-A	Antenna for R300 Receiver Band A	0.1	50.80
F.01U.168.795		CRA-B	Antenna for R300 Receiver Band B	0.2	50.80
F.01U.283.496		CSG	CSG, KIT, ACCESSORY, SINGLE GLAND NUT COVER, EVA, EVC, EVF, AND EVH	1.0	51.10
F.01U.149.530		CTC	CTC, BTR-80N Can Bus Termination Cable.	0.5	50.10
F.01U.118.166		CXU-100	100' 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	5.5	480.00
F.01U.118.102		CXU-2	CXU-2, 2' 50 ohm low loss coaxial cable, TNC M connector.	0.5	29.30
F.01U.118.163		CXU-25	25' 50 ohm low loss coaxial cable, TNC M connector.	1.0	122.00
F.01U.118.164		CXU-50	50' 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	3.5	314.00
F.01U.118.165		CXU-75	75' 50 ohm low loss semi-flexible coaxial cable, TNC M connector.	5.5	406.00
F.01U.363.443		DBP 4F	IP 4 ch wired beltpack 4F headset - OMNEO beltpack	1.0	996.00
F.01U.363.442		DBP 4M	IP 4 ch wired beltpack 4M headset - OMNEO beltpack	1.0	996.00
F.01U.363.444		DBP 5F	IP 4 ch wired beltpack 5F headset - OMNEO beltpack	1.0	996.00
F.01U.259.015		DC-BAG-600CMS	Carrying bag for CMS 600-3		163.00
F.01U.259.014		DC-BAG-600PM	Carrying bag for PowerMate 600-3		169.00
F.01U.218.735		DC-CMS1000-3-MIG	6 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface		2,642.00
F.01U.218.736		DC-CMS1600-3-MIG	12 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface		3,373.00
F.01U.218.782		DC-CMS2200-3-MIG	18 Mic/Line + 4 Mic/Stereo Line Channels, 6 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface		3,934.00
F.01U.276.404		DC-CMS600-3-MIG	4 Mic/Line + 2 Mic/Stereo Line Channels + 2 Stereo Line Channels, 2 x AUX, Dual 24 bit Stereo Effects, USB-Audio Interface		1,911.00
F.01U.169.707		DC-LID1000	Lid for CMS 1000-3 or PowerMate 1000-3		247.00
F.01U.169.708		DC-LID1600	Lid for CMS 1600-3 or PowerMate 1600-3		265.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.172.637		DCN-CCU2	Central control unit (for wired and wireless systems)	19.9	6,230.00
F.01U.172.638		DCN-CCUB2	Central control unit, basic (for wired systems only)	19.9	4,796.00
F.01U.063.744		DCN-DDI	Dual delegate interface	1.6	929.00
F.01U.011.610		DCN-DISCLM	Cable clamp, (25 pieces)	0.1	59.90
F.01U.135.363		DCN-EPS-UL	Extension power supply, dark case, UL/CSA	22.2	2,484.00
F.01U.007.238		DCN-FBP	Flush blank panel, long (10 pieces)	4.8	380.00
F.01U.078.140		DCN-FBP-D	Flush blank panel, long, dark (10 pieces)	0.5	380.00
F.01U.026.699		DCN-FBPS	Flush blank panel, small (10 pieces)	0.4	249.00
F.01U.078.141		DCN-FBPS-D	Flush blank panel, small, dark (10 pieces)	0.3	249.00
F.01U.026.707		DCN-FCCCU	Flight case for two central control units	22.1	1,262.00
F.01U.510.216		DCN-FCOUP	Flush coupling (50 pieces)	1.5	153.00
F.01U.134.992		DCN-FCS	Flush channel selector	0.8	548.00
F.01U.135.010		DCN-FCS-D	Flush channel selector, dark	0.6	548.00
F.01U.510.212		DCN-FEC	Flush end cap (50 pieces)	0.4	318.00
F.01U.078.142		DCN-FEC-D	Flush end cap, dark (50 pieces)	0.3	318.00
F.01U.064.048		DCN-FET	Flush extraction tools	0.4	249.00
F.01U.135.365		DCN-FHH	Handheld microphone	0.9	422.00
F.01U.135.366		DCN-FHH-C	Handheld microphone, coiled cable	0.9	422.00
F.01U.134.996		DCN-FLSP	Flush loudspeaker panel	0.6	120.00
F.01U.135.014		DCN-FLSP-D	Flush loudspeaker panel, dark	0.5	120.00
F.01U.134.993		DCN-FMIC	Flush microphone connection panel	0.2	70.90
F.01U.134.994		DCN-FMICB	Flush microphone control panel	0.2	81.90
F.01U.135.012		DCN-FMICB-D	Flush microphone control panel, dark	0.2	81.90
F.01U.135.011		DCN-FMIC-D	Flush microphone connection panel, dark	0.3	70.90
F.01U.134.995		DCN-FPRIOB	Flush priority panel	0.2	345.00
F.01U.135.013		DCN-FPRIOB-D	Flush priority panel, dark	0.2	345.00
F.01U.008.856		DCN-FPT	Flush positioning tools (2 sets)	0.2	25.60
F.01U.134.998		DCN-FV	Flush voting panel	0.4	254.00
F.01U.134.997		DCN-FVCRD	Flush voting and card panel	0.4	507.00
F.01U.135.015		DCN-FVCRD-D	Flush voting and card panel, dark	0.4	507.00
F.01U.135.016		DCN-FV-D	Flush voting panel, dark	0.3	254.00
F.01U.134.999		DCN-FVU	Flush voting unit	0.7	507.00
F.01U.135.017		DCN-FVU-D	Flush voting unit, dark	0.7	507.00
F.01U.289.628		DCNM-1SMA	1-year DICIENTIS software maintenance agreement	n/a	Call for Price
F.01U.289.629		DCNM-2SMA	2-year DICIENTIS software maintenance agreement	n/a	Call for Price
F.01U.289.630		DCNM-5SMA	5-year DICIENTIS software maintenance agreement	n/a	Call for Price
F.01U.308.936		DCNM-APS2	DICIENTIS Audio Powering Switch - second generation (for DICIENTIS Conference System, including DICIENTIS multimedia)	22.0	2,730.00
F.01U.332.138		DCNM-CB02-I	DICIENTIS System Network Cable 2m	0.5	62.40
F.01U.332.019		DCNM-CB05-I	DICIENTIS System Network Cable 5m	0.5	86.70
F.01U.332.020		DCNM-CB10-I	DICIENTIS System Network Cable 10m	1.4	147.00
F.01U.332.022		DCNM-CB250-I	DICIENTIS System Installation Cable 250m	37.1	2,248.00
F.01U.332.021		DCNM-CB25-I	DICIENTIS System Network Cable 25m	3.4	249.00
F.01U.300.133		DCNM-CBCON	DICIENTIS System Connectors (50pcs) for custom length cables or repairing DCNM-CBxx-I Cables	2.6	636.00
F.01U.335.531		DCNM-CBCPLR	Dicentis Cable Coupler (6 Pack)	0.6	317.00
F.01U.274.860		DCNM-CBTK	DICIENTIS Cable Toolkit	4.2	4,865.00
F.01U.313.726		DCNM-D	DICIENTIS Discussion Device, (sold without microphone)	2.8	631.00
F.01U.313.729		DCNM-DE	DICIENTIS Discussion Device with 4.3" touch screen (sold without microphone)	3.1	1,065.00
F.01U.295.774		DCNM-DEMO	DICIENTIS software for product demonstration; future seat licenses are included for 6 seats	n/a	908.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.313.728		DCNM-DSL	DICENTIS Discussion device with language selector (sold without microphone)	3.0	747.00
F.01U.313.727		DCNM-DVT	DICENTIS Discussion device with voting (sold without microphone)	2.9	728.00
F.01U.383.836		DCNM-FBD	Flush base device	n/a	648.00
F.01U.393.972		DCNM-FBPS	Flush blank panel slim (10 pieces)	n/a	144.00
F.01U.393.973		DCNM-FBPW	Flush blank panel wide (10 Pieces)	n/a	222.00
F.01U.291.793		DCNM-FCMMD	Flight Case for 6 Multimedia Devices (does not fit DICENTIS or DICENTIS Wireless devices)	30.1	1,315.00
F.01U.365.155		DCNM-FEC	Flush end cap	0.6	212.00
F.01U.376.649		DCNM-FET	Flush extraction tools	0.7	130.00
F.01U.383.840		DCNM-FLSP	Flush loudspeaker panel	n/a	96.00
F.01U.383.837		DCNM-FMCP	Flush microphone connection panel	n/a	93.60
F.01U.383.838		DCNM-FMICB	Flush microphone button panel	n/a	84.00
F.01U.383.839		DCNM-FPRIOB	Flush priority button panel	n/a	213.60
F.01U.393.974		DCNM-FPT	Flush positioning tool	n/a	24.00
F.01U.364.203		DCNM-FSL	Flush language selector	0.5	411.00
F.01U.269.132		DCNM-HDMIC	DICENTIS Highly Directive Microphone	0.3	318.00
F.01U.066.789		DCN-MICL	Pluggable microphone, long (packaged 2 pieces, priced as each)	0.3	274.00
F.01U.077.942		DCN-MICL-D	Pluggable microphone, long, dark (packaged 2 pieces, priced as each)	0.3	274.00
F.01U.066.788		DCN-MICS	Pluggable microphone, short (packaged 2 pieces, priced as each)	0.3	267.00
F.01U.077.941		DCN-MICS-D	Pluggable microphone, short, dark (packaged 2 pieces, priced as each)	0.3	267.00
F.01U.314.659		DCNM-IDESK	DISCENTIS Interpreter desk (sold without mic) - ISO 20109:2017 Compliant		3,165.00
F.01U.357.936		DCNM-IDESKINT	On-air & telephone interface kit for DCNM-IDESK	0.2	91.40
F.01U.326.553		DCNM-IDESKVID	DISCENTIS Interpreter desk with HDMI video output (sold without mic) - ISO 20109:2017 Compliant		3,730.00
F.01U.287.755		DCNM-LCC	DICENTIS Camera Control Software; one license optional per system	n/a	1,362.00
F.01U.354.449		DCNM-LDANTE	DICENTIS Simultaneous Interpretation Dante license / per channel		140.00
F.01U.393.477		DCNM-LIMS	DICENTIS Interpreting multiple sources license	n/a	3,027.00
F.01U.345.402		DCNM-LIPM	DICENTIS Simultaneous Interpretation Software		3,178.00
F.01U.287.752		DCNM-LMPM	DICENTIS Meeting Prep & Management Software; one license optional per system	n/a	3,123.00
F.01U.287.756		DCNM-LMS	DICENTIS Media Sharing Software; one license optional per system	n/a	908.00
F.01U.287.754		DCNM-LPD	DICENTIS Participant Database Software; one license optional per system	n/a	1,499.00
F.01U.310.246		DCNM-LSDU	DICENTIS Dual Use at Seat License; one license optional per device	n/a	127.00
F.01U.300.533		DCNM-LSID	DICENTIS Identification at Seat	n/a	140.00
F.01U.300.534		DCNM-LSSL	DICENTIS Select Language at Seat	n/a	140.00
F.01U.300.532		DCNM-LSVT	DICENTIS Voting at Seat	n/a	140.00
F.01U.287.751		DCNM-LSYS	DICENTIS System Server Software <b>(REQUIRED for all systems)</b>	n/a	1,908.00
F.01U.308.595		DCNM-LVPM	DICENTIS Voting Preparation and Management; one license optional per system	n/a	3,178.00
F.01U.288.447		DCNM-MICL	DICENTIS Long Stem Microphone	0.6	227.00
F.01U.288.448		DCNM-MICS	DICENTIS Short Stem Microphone	0.5	202.00
F.01U.392.960		DCNM-MICSL	Microphone screw lock long stem	n/a	165.60
F.01U.392.959		DCNM-MICSLS	Microphone screw lock short stem	n/a	152.40

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.322.488		DCNM-MMD2	DICENTIS Multimedia Device, 2nd generation - this version is required for NFC identification feature (sold without mic) Replaces (DCNM-MMD F.01U.269.131)	5.3	2,315.00
F.01U.283.299		DCNM-MMDSP	Anti-reflection screen protector for Multimedia Device (25 pcs)	0.7	481.00
F.01U.274.859		DCNM-NCH	DICENTIS multimedia Name Card Holder (25 pcs)	3.7	166.00
F.01U.308.937		DCNM-PS2	DICENTIS Powering Switch - second generation (for DICENTIS Conference System, including DICENTIS multimedia)	21.2	1,989.00
F.01U.295.776		DCNM-RENTAL	DICENTIS software for rental dealers; future seat licenses included for 225 seats	n/a	9,729.00
F.01U.393.572		DCNM-SERVER2	Windows Server pre-installed and configured Windows Server OS, DICENTIS software and DHCP server <b>(License sold separately)</b> . Successor of F.01U.364.222	8.1	3,969.00
F.01U.335.596		DCNM-TC	Dicentis Transport case for 10x DCNM-xD - The transport case fits 10 x (Wired) Discussion Devices, 10 x short or long stem microphones, 10 x high directive microphones and contains a cable compartment (Does not fit multimedia)	24.3	1,651.00
F.01U.328.089		DCNM-TCIDESK	Dicentis Transport case for 2x DCNM-IDESK		1,243.00
F.01U.299.021		DCNM-WAP	DICENTIS Wireless Access Point	4.5	3,974.00
F.01U.298.809		DCNM-WCH05	DICENTIS Charger for 5 Batteries	8.0	1,257.00
F.01U.298.719		DCNM-WD	DICENTIS Wireless Device (mic/battery sold separately)	2.0	1,076.00
F.01U.298.744		DCNM-WDE	DICENTIS Wireless Device Extended (mic/battery sold separately)	2.2	1,437.00
F.01U.298.790		DCNM-WLIION	DICENTIS Battery Pack	1.1	379.00
F.01U.336.014		DCNM-WTCD	Dicentis transport case fits 10 x Wireless Discussion Devices, 10 x short or long stem microphones, 10 x high directive microphones, 1x WAP, 1x PSU, and 2 x chargers	24.3	1,572.00
F.01U.138.785		DCN-SWAPI-E	Conference Software API, E-code	n/a	757.00
F.01U.138.786		DCN-SWAT-E	Conference Software Attendance & Access, E-code	n/a	2,286.00
F.01U.133.167		DCN-SWDB-E	Conference Software Delegate Database, E-code	n/a	2,411.00
F.01U.133.166		DCN-SW-E	Conference Software Main Module, E-code	n/a	3,174.00
F.01U.138.787		DCN-SWID-E	Conference Software ID Card Encoding, E-code	n/a	1,647.00
F.01U.138.788		DCN-SWIND-E	Conference Software Individual Channels, E-code	n/a	2,221.00
F.01U.247.525		DCN-SWMD-E	Conference Software Message Distribution, E-code	n/a	1,519.00
F.01U.133.168		DCN-SWMM-E	Conference Software Microphone Management, E-code	n/a	1,139.00
F.01U.133.169		DCN-SWMP-E	Conference Software Multi PC, E-code	n/a	2,922.00
F.01U.133.170		DCN-SWPV-E	Conference Software Parliamentary Voting, E-code	n/a	3,809.00
F.01U.166.488		DCN-SWSACC-E	Stand-Alone Automatic Camera Control Software, E-code	n/a	1,075.00
F.01U.247.524		DCN-SWSI-E	Conference Software Simultaneous Interpretation, E-code	n/a	1,903.00
F.01U.138.789		DCN-SWSMD-E	Conference Software Streaming Meeting Data, E-code	n/a	2,286.00
F.01U.133.171		DCN-SWSMV-E	Synoptic microphone and voting-control software, E-code	n/a	2,411.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.305.145		DCN-TCO	DCN Transport Case for 10 Units	29.7	1,227.00
F.01U.131.113		DC-PM1000-3-UNIV	Power Mixer, 6 Mic/Line + 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt; incl. Lid-1000		3,654.00
F.01U.131.114		DC-PM1600-3-UNIV	Power Mixer, 12 Mic/Line + 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt; incl. Lid-1600		4,216.00
F.01U.131.115		DC-PM2200-3-UNIV	Power Mixer, 18 Mic/Line + 4 Mic/Stereo Line Channels, 6xAUX, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000 Watt;		5,059.00
F.01U.263.562		DC-PM600-3-MIG	Power Mixer, 4 Mic/Line + 4 Mic/Stereo Line Channels, 3xAux, Dual 24 bit Stereo Effects, USB Audio Interface, Power Amplifier 2x 1000W; incl Lid;		2,529.00
F.01U.161.506		DC-RMK1000-3	Rackmount Kit for PowerMate 1000-3		78.80
F.01U.169.471		DC-RMK1000CMS	Rackmount Kit for CMS1000-3 (coloured)		95.60
F.01U.135.402		DC-RMK15	Rear Rackmount Kit - Advised when L-series rack will be taken out on road. Kit includes Left & Right mounting ears. 1 kit per amp.		80.70
F.01U.214.881		DC-RMK-CMS-3	19" Rackmountkit for CMS 600-3		73.10
F.01U.214.880		DC-RMK-PM600-3	19" Rackmount Kit for PowerMate 600-3		56.30
F.01U.145.211		DEB-2	Dual earbud with cord.	0.5	21.50
F.01U.167.781		DRC-1	DRC-1, Drum rim clamp for PL35 Tom/snare microphone	0.4	28.20
F.01U.316.556		DRC-2	DRC-2, Drum rim clamp for ND44, optional for ND46, and ND66	1.0	32.80
F.01U.391.556	F.01U.118.817	DSI 2008	Digital System to System Interface adapter - 2 channels of RTS TW to 4 wire conversion or 1 channel of RTS TW to 2 wire conversion (replaces SSA-424 & SSA-424A).	6.0	1,820.00
F.01U.391.603	F.01U.148.247	DSI 2008-CALL	Digital System to System Interface adapter - 2 channels of RTS TW to 4 wire conversion or 1 channel of RTS TW to 2 wire conversion (replaces SSA-424 & SSA-424A) - WITH CALL LIGHT	6.0	2,040.00
F.01U.283.548		EBK-1	Eyebolt kit of three 3/8-16 forged shoulder bolts	1.0	64.50
F.01U.327.889		EBK1-M10-3PACK	Forged M10 Eyebolt kit set of 3 ELX200	0.9	116.00
F.01U.283.546		EBK-3	Forged M8 eye bolt kit (set of 3)	0.7	72.70
F.01U.301.455		EBK-M10-3PACK	EBK-M10, FORGED M10 EYEBOLT KIT SET OF 3, for EVC	0.9	125.00
F.01U.346.745		EBK-M10-4PACK	EBK-M10-4PACK Eyebolt Kit for EVC Sub	1.2	138.00
F.01U.303.364		EKX-12	EKX-12 Passive 12" 2-Way Speaker	47.2	1,037.00
F.01U.303.391		EKX-12-CVR	Padded cover for EKX-12 and 12P, EV Logo	1.5	90.00
F.01U.303.368		EKX-12P-US	EKX-12P Powered 12" 2-Way Speaker	50.4	1,439.00
F.01U.303.365		EKX-15	EKX-15 Passive 15" 2-Way Speaker	62.2	1,217.00
F.01U.303.392		EKX-15-CVR	Padded cover for EKX-15 and 15P, EV Logo	1.8	108.00
F.01U.303.370		EKX-15P-US	EKX-15P Powered 15" 2-Way Speaker	65.0	1,619.00
F.01U.303.366		EKX-15S	EKX-15S Passive 15" Subwoofer	69.0	1,306.00
F.01U.303.393		EKX-15S-CVR	Padded cover for EKX-15S and 15SP, EV Logo	1.8	108.00
F.01U.303.387		EKX-15SP-US	EKX-15SP Powered 15" Subwoofer	71.8	1,799.00
F.01U.303.367		EKX-18S	EKX-18S Passive 18" Subwoofer	88.4	1,666.00
F.01U.303.394		EKX-18S-CVR	Padded cover for EKX-18S and 18SP, EV Logo	2.4	126.00
F.01U.303.389		EKX-18SP-US	EKX-18SP Powered 18" Subwoofer	90.9	2,159.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.303.395		EKX-BRKT12	WALL MOUNT BRACKET FOR EKX-12/12P, BLK	11.8	412.00
F.01U.303.396		EKX-BRKT15	WALL MOUNT BRACKET FOR EKX-15/15P, BLK	12.5	428.00
F.01U.307.178		EKX-TCA	EKX-TCA TRUSS ADAPTOR for EKX 12"/15" F/R, BLK	8.5	353.00
F.01U.170.823		ELX112	12" Two- Way Passive Loudspeaker	40.0	631.00
F.01U.261.387		ELX112-CVR	Padded Cover for ELX112/P - EV Logo	2.0	109.00
F.01U.170.820		ELX112P-120V	Powered Loudspeaker	42.5	1,243.00
F.01U.170.824		ELX115	15" Two-Way Passive Loudspeaker	51.5	819.00
F.01U.261.388		ELX115-CVR	Padded Cover for ELX115/P - EV Logo	2.0	131.00
F.01U.170.821		ELX115P-120V	Powered Loudspeaker	54.0	1,432.00
F.01U.170.825		ELX118	18" Passive Subwoofer	75.5	1,020.00
F.01U.261.389		ELX118-CVR	Padded Cover for ELX118/P - EV Logo	2.0	153.00
F.01U.170.822		ELX118P-120V	Powered Subwoofer	78.0	1,622.00
F.01U.326.055		ELX200-10	10" 2-Way passive speaker	33.7	745.00
F.01U.326.065		ELX200-10-CVR	Padded cover for ELX200-10, 10P	1.2	87.50
F.01U.326.039		ELX200-10P-US	10" 2-way powered speaker, US cord	34.4	1,136.00
F.01U.361.351		ELX200-10P-W	10" 2-way powered speaker, white	34.4	1,135.00
F.01U.361.346		ELX200-10-W	10" 2-way passive speaker, white	33.7	751.00
F.01U.326.056		ELX200-12	12" 2-Way passive speaker	37.7	833.00
F.01U.326.066		ELX200-12-CVR	Padded cover for ELX200-12, 12P	1.7	87.50
F.01U.326.040		ELX200-12P-US	12" 2-Way powered speaker, US cord	39.1	1,223.00
F.01U.361.352		ELX200-12P-W	12" 2-way powered speaker, white	39.1	1,224.00
F.01U.351.460		ELX200-12S	12" passive subwoofer	44.6	1,095.00
F.01U.326.068		ELX200-12S-CVR	Padded cover for ELX200-12S, 12SP	1.2	105.00
F.01U.351.452		ELX200-12SP-US	12" powered subwoofer, US cord	49.2	1,390.00
F.01U.361.349		ELX200-12SP-W	12" powered subwoofer, white	49.2	1,305.00
F.01U.361.344		ELX200-12S-W	12" passive subwoofer, white	44.6	1,101.00
F.01U.361.347		ELX200-12-W	12" 2-way passive speaker, white	37.7	838.00
F.01U.326.057		ELX200-15	15" 2-Way passive speaker	47.2	1,008.00
F.01U.326.067		ELX200-15-CVR	Padded cover for ELX200-15, 15P	2.0	105.00
F.01U.326.041		ELX200-15P-US	15" 2-Way powered speaker, US cord	48.1	1,398.00
F.01U.361.353		ELX200-15P-W	15" 2-way powered speaker, white	48.1	1,399.00
F.01U.361.348		ELX200-15-W	15" 2-way passive speaker, white	47.2	1,013.00
F.01U.351.461		ELX200-18S	18" passive subwoofer	67.3	1,183.00
F.01U.326.069		ELX200-18S-CVR	Padded cover for ELX200-18S, 18SP	1.9	123.00
F.01U.351.453		ELX200-18SP-US	18" powered subwoofer, US cord	73.0	1,652.00
F.01U.361.350		ELX200-18SP-W	18" powered subwoofer, white	73.0	1,569.00
F.01U.361.345		ELX200-18S-W	18" passive subwoofer, white	67.3	1,188.00
F.01U.326.072		ELX200-BRKT	Wall mount bracket, ELX200 2-way models	5.8	149.00
F.01U.361.514		ELX200-BRKT-W	Wall mount bracket, ELX200 2-way, white	7.3	212.00
F.01U.170.826		ELX215	Dual 15" Two-Way Passive Loudspeaker	97.0	1,209.00
F.01U.261.219		ELX215-CVR	Padded Cover for ELX215/P - EV Logo	2.0	197.00
F.01U.391.540	F.01U.118.724	EMS-4001	4 Ch expansion station with 2.0 amp power supply. Balanced/unbalanced operation, separate channel program input (DB-9F) and level controls, and 4 RCA speaker output jacks. Connects directly to master station or another expansion station (up to 22 channels total). 1RU.	15.5	1,802.00
F.01U.118.032		EMV-2	EMV-2 Complete Earset - Includes RTV-04,CMT-2,AEF-3. 125 Ohm, 5' (1.5M) Cord, 1/4" Plug	1.0	49.70
F.01U.145.215		ES-1	Single Side Ear Speaker with Flexible Loop	0.1	16.96

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.391.529	F.01U.118.613	ES-4000A	4 Ch expansion station with level controls, balanced/unbalanced operations, separate channel program input (DB9F), intercom channel connection (DB-15F) and (4) RCA speaker output jacks(one per channel).1/2 rack wide by 1 high. Requires connection to US2002 (cable included) and separate power supply. Includes 3' 15pin cable for connection to PS-4001. 1/2 rack wide by 1 high.	5.0	1,049.00
F.01U.163.624		ET-1B	ET-1, Eartip, Clear Colored Tip With Metal Plug	0.5	12.13
F.01U.118.133		ET-2	ET-2, Coiled Acoustic Eartube With Clothing Clip For Use With Earmold Or Eartip	0.5	36.40
F.01U.118.132		ET-3	ET-3, Straight Acoustic Eartube With Clothing Clip For Use With Earmold Or Eartip	0.5	36.40
F.01U.118.134		ET-4	ET-4, Coiled Acoustic Eartube With Clothing Clip For Use With Earcones (Includes 1 Each - S, M, & L Earcones)	0.5	36.40
F.01U.297.634		ETX-10P-CVR	PADDED COVER FOR ETX-10P, EV LOGO	2.0	73.40
F.01U.302.280		ETX-10P-US	ETX-10P 2-WAY POWERED LOUDSPEAKER, BLK, US	51.0	2,136.00
F.01U.297.635		ETX-12P-CVR	PADDED COVER FOR ETX-12P, EV LOGO	2.0	91.80
F.01U.302.281		ETX-12P-US	ETX-12P 2-WAY POWERED LOUDSPEAKER, BLK, US	60.0	2,316.00
F.01U.297.636		ETX-15P-CVR	PADDED COVER FOR ETX-15P, EV LOGO	2.0	110.00
F.01U.302.282		ETX-15P-US	ETX-15P 2-WAY POWERED LOUDSPEAKER, BLK, US	32.0	2,585.00
F.01U.297.638		ETX-15SP-CVR	PADDED COVER FOR ETX-15SP, EV LOGO	2.0	110.00
F.01U.302.284		ETX-15SP-US	ETX-15SP POWERED SUBWOOFER, BLK, US	104.0	2,608.00
F.01U.297.639		ETX-18SP-CVR	PADDED COVER FOR ETX-18SP, EV LOGO	2.0	129.00
F.01U.302.285		ETX-18SP-US	ETX-18SP POWERED SUBWOOFER, BLK, US	130.0	2,788.00
F.01U.297.637		ETX-35P-CVR	PADDED COVER FOR ETX-35P, EV LOGO	2.4	165.00
F.01U.302.283		ETX-35P-US	ETX-35P 3-WAY POWERED LOUDSPEAKER, BLK, US	43.0	2,945.00
F.01U.288.220		ETX-BRKT10	WALL MOUNT BRACKET FOR ETX-10P, BLK	11.0	400.00
F.01U.300.023		ETX-BRKT12	WALL MOUNT BRACKET FOR ETX-12P, BLK	11.9	422.00
F.01U.300.024		ETX-BRKT15	WALL MOUNT BRACKET FOR ETX-15P, BLK	12.6	439.00
F.01U.288.226		ETX-BRKT35	ARRAY BRACKET FOR ETX-35P, BLK	8.8	400.00
F.01U.300.022		ETX-TCA-L	TRUSS ADAPTOR FOR ETX-12P, 15P, 35P, BLK	7.5	361.00
F.01U.300.021		ETX-TCA-S	TRUSS ADAPTOR FOR ETX-10P, BLK	6.6	301.00
F.01U.329.277		EVC-1082-00B	8" speaker, 100x100 indoor, black. Note - ships without rigging hardware	28.0	1,109.00
F.01U.329.279		EVC-1082-00PIB	8" speaker, 100x100 weatherized, black. Note - ships without rigging hardware	28.0	1,504.00
F.01U.329.280		EVC-1082-00PIW	8" speaker, 100x100 weatherized, white. Note - ships without rigging hardware	28.0	1,504.00
F.01U.329.278		EVC-1082-00W	8" speaker, 100x100 indoor, white. Note - ships without rigging hardware	28.0	1,109.00
F.01U.329.268		EVC-1082-96B	8" speaker, 90x60 indoor, black. Note - ships without rigging hardware	28.0	1,109.00
F.01U.329.275		EVC-1082-96PIB	8" speaker, 90x60 weatherized, black. Note - ships without rigging hardware	28.0	1,504.00
F.01U.329.276		EVC-1082-96PIW	8" speaker, 90x60 weatherized, white. Note - ships without rigging hardware	28.0	1,504.00
F.01U.329.274		EVC-1082-96W	8" speaker, 90x60 indoor, white. Note - ships without rigging hardware	28.0	1,109.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.329.281		EVC-1122-64B	12" speaker, 60x45 indoor, black. Note - ships without rigging hardware	50.0	1,256.00
F.01U.329.283		EVC-1122-64PIB	12" speaker, 60x45 weatherized, black. Note - ships without rigging hardware	50.0	1,714.00
F.01U.329.284		EVC-1122-64PIW	12" speaker, 60x45 weatherized, white. Note - ships without rigging hardware	50.0	1,714.00
F.01U.329.282		EVC-1122-64W	12" speaker, 60x45 indoor, white. Note - ships without rigging hardware	50.0	1,256.00
F.01U.329.285		EVC-1122-95B	12" speaker, 90x55 indoor, black. Note - ships without rigging hardware	50.0	1,256.00
F.01U.329.287		EVC-1122-95PIB	12" speaker, 90x55 weatherized, black. Note - ships without rigging hardware	50.0	1,714.00
F.01U.329.288		EVC-1122-95PIW	12" speaker, 90x55 weatherized, white. Note - ships without rigging hardware	50.0	1,714.00
F.01U.329.286		EVC-1122-95W	12" speaker, 90x55 indoor, white. Note - ships without rigging hardware	50.0	1,256.00
F.01U.329.289		EVC-1122-VIB	12" speaker, vari-intense indoor, designed to efficiently and evenly cover rectangular coverage areas with both music and speech, black. Note - ships without rigging hardware	50.0	1,521.00
F.01U.329.290		EVC-1122-VIW	12" speaker, vari-intense indoor, designed to efficiently and evenly cover rectangular coverage areas with both music and speech, white. Note - ships without rigging hardware	50.0	1,521.00
F.01U.329.291		EVC-1152-64B	15" speaker, 60x45 indoor, black. Note - ships without rigging hardware	61.0	1,368.00
F.01U.329.293		EVC-1152-64PIB	15" speaker, 60x45 weatherized, black. Note - ships without rigging hardware	61.0	1,861.00
F.01U.329.294		EVC-1152-64PIW	15" speaker, 60x45 weatherized, white. Note - ships without rigging hardware	61.0	1,861.00
F.01U.329.292		EVC-1152-64W	15" speaker, 60x45 indoor, white. Note - ships without rigging hardware	61.0	1,368.00
F.01U.329.295		EVC-1152-95B	15" speaker, 90x55 indoor, black. Note - ships without rigging hardware	61.0	1,368.00
F.01U.329.297		EVC-1152-95PIB	15" speaker, 90x55 weatherized, black. Note - ships without rigging hardware	61.0	1,861.00
F.01U.329.299		EVC-1152-95PIW	15" speaker, 90x55 weatherized, white. Note - ships without rigging hardware	61.0	1,861.00
F.01U.329.296		EVC-1152-95W	15" speaker, 90x55 indoor, white. Note - ships without rigging hardware	61.0	1,368.00
F.01U.329.302		EVC-1181S-B	18" subwoofer indoor, black. Note - ships without rigging hardware	80.5	1,457.00
F.01U.329.304		EVC-1181S-PIB	18" subwoofer weatherized, black. Note - ships without rigging hardware	80.5	1,979.00
F.01U.329.305		EVC-1181S-PIW	18" subwoofer weatherized, white. Note - ships without rigging hardware	80.5	1,979.00
F.01U.329.303		EVC-1181S-W	18" subwoofer indoor, white. Note - ships without rigging hardware	80.5	1,457.00
F.01U.330.655		EVC-UB1-BLK	U-Bracket EVC 8" black	7.8	197.00
F.01U.330.656		EVC-UB1-WHT	U-Bracket EVC 8" white	7.8	197.00
F.01U.330.657		EVC-UB2-BLK	U-Bracket EVC 12",15" black	12.1	255.00
F.01U.330.658		EVC-UB2-WHT	U-Bracket EVC 12",15" white	12.1	255.00
F.01U.346.640		EVC-UB3-BLK	U-bracket for EVC-1122/VI, black	12.1	226.00
F.01U.346.744		EVC-UB3-WHT	U-bracket for EVC-1122/VI, white	12.1	226.00
F.01U.330.653		EVC-WB-BLK	Wall bracket EVC 8",12",15" black	12.1	373.00
F.01U.330.654		EVC-WB-WHT	Wall bracket EVC 8",12",15" white	12.1	373.00
F.01U.272.546		EVF-1121S-BLK	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, BLACK	68.0	1,789.00
F.01U.139.623		EVF-1121S-FGB	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, FIBERGLASS, BLACK	68.0	3,004.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.139.624		EVF-1121S-FGW	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, FIBERGLASS, WHITE	68.0	3,004.00
F.01U.272.548		EVF-1121S-PIB	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, PI-WEATHERIZED, BLACK	68.0	2,522.00
F.01U.272.549		EVF-1121S-PIW	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, PI-WEATHERIZED, WHITE	68.0	2,522.00
F.01U.272.547		EVF-1121S-WHT	SINGLE 12IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, WHITE	68.0	1,789.00
F.01U.272.606		EVF-1122D/126-BLK	EVF-1122D 120 X 60 EVCOAT BLACK	75.8	2,810.00
F.01U.272.933		EVF-1122D/126-FGB	EVF-1122D 120 X 60 FIBERGLASSWEATHERIZED	75.8	4,026.00
F.01U.272.934		EVF-1122D/126-FGW	EVF-1122D 120 X 60 FIBERGLASSWEATHERIZED	75.8	4,026.00
F.01U.272.608		EVF-1122D/126-PIB	EVF-1122D 120 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.609		EVF-1122D/126PIW	EVF-1122D 120 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.607		EVF-1122D/126-WHT	EVF-1122D 120 X 60 EVCOAT WHITE	75.8	2,810.00
F.01U.272.586		EVF-1122D/64-BLK	EVF-1122D 60° X 40°, EVCOAT, BLACK	75.8	2,810.00
F.01U.272.923		EVF-1122D/64-FGB	EVF-1122D 60° X 40°, FIBERGLASS, BLACK	75.8	4,026.00
F.01U.272.924		EVF-1122D/64-FGW	EVF-1122D 60° X 40°, FIBERGLASS, WHITE	75.8	4,026.00
F.01U.272.588		EVF-1122D/64-PIB	EVF-1122D 60° X 40°, EVCOAT, PI- WEATHERIZED, BLACK	75.8	3,542.00
F.01U.272.589		EVF-1122D/64-PIW	EVF-1122D 60° X 40°, EVCOAT, PI- WEATHERIZED, WHITE	75.8	3,542.00
F.01U.272.587		EVF-1122D/64-WHT	EVF-1122D 60° X 40°, EVCOAT, WHITE	75.8	2,810.00
F.01U.272.590		EVF-1122D/66-BLK	EVF-1122D 60 X 60 EVCOAT BLACK	75.8	2,810.00
F.01U.272.925		EVF-1122D/66-FGB	EVF-1122D 60 X 60 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.926		EVF-1122D/66-FGW	EVF-1122D 60 X 60 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.592		EVF-1122D/66-PIB	EVF-1122D 60 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.593		EVF-1122D/66-PIW	EVF-1122D 60 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.591		EVF-1122D/66-WHT	EVF-1122D 60 X 60 EVCOAT WHITE	75.8	2,810.00
F.01U.272.594		EVF-1122D/94-BLK	EVF-1122D 90 X 40 EVCOAT BLACK	75.8	2,810.00
F.01U.272.928		EVF-1122D/94-FBW	EVF-1122D 90 X 40 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.927		EVF-1122D/94-FGB	EVF-1122D 90 X 40 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.596		EVF-1122D/94-PIB	EVF-1122D 90 X 40 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.597		EVF-1122D/94-PIW	EVF-1122D 90 X 40 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.595		EVF-1122D/94-WHT	EVF-1122D 90 X 40 EVCOAT WHITE	75.8	2,810.00
F.01U.272.598		EVF-1122D/96-BLK	EVF-1122D 90 X 60 EVCOAT BLACK	75.8	2,810.00
F.01U.272.929		EVF-1122D/96-FGB	EVF-1122D 90 X 60 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.930		EVF-1122D/96-FGW	EVF-1122D 90 X 60 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.600		EVF-1122D/96-PIB	EVF-1122D 90 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.601		EVF-1122D/96-PIW	EVF-1122D 90 X 60 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.599		EVF-1122D/96-WHT	EVF-1122D 90 X 60 EVCOAT WHITE	75.8	2,810.00
F.01U.272.602		EVF-1122D/99-BLK	EVF-1122D 90 X 90 EVCOAT BLACK	75.8	2,810.00
F.01U.272.931		EVF-1122D/99-FGB	EVF-1122D 90 X 90 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.932		EVF-1122D/99-FGW	EVF-1122D 90 X 90 FIBERGLASS WEATHERIZED	75.8	4,026.00
F.01U.272.604		EVF-1122D/99-PIB	EVF-1122D 90 X 90 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.605		EVF-1122D/99-PIW	EVF-1122D 90 X 90 EVCOAT WEATHERIZED	75.8	3,542.00
F.01U.272.603		EVF-1122D/99-WHT	EVF-1122D 90 X 90 EVCOAT WHITE	75.8	2,810.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.272.514		EVF-1122S/126-BLK	120° X 60°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.921		EVF-1122S/126-FGB	120° X 60°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.922		EVF-1122S/126-FGW	120° X 60°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.516		EVF-1122S/126-PIB	120° X 60°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.517		EVF-1122S/126-PIW	120° X 60°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.515		EVF-1122S/126-WHT	120° X 60°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.494		EVF-1122S/64-BLK	60° X 40°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.911		EVF-1122S/64-FGB	60° X 40°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.912		EVF-1122S/64-FGW	60° X 40°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.496		EVF-1122S/64-PIB	60° X 40°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.497		EVF-1122S/64-PIW	60° X 40°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.495		EVF-1122S/64-WHT	60° X 40°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.498		EVF-1122S/66-BLK	60° X 60°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.913		EVF-1122S/66-FGB	60° X 60°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.914		EVF-1122S/66-FGW	60° X 60°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.500		EVF-1122S/66-PIB	60° X 60°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.501		EVF-1122S/66-PIW	60° X 60°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.499		EVF-1122S/66-WHT	60° X 60°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.502		EVF-1122S/94-BLK	90° X 40°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.915		EVF-1122S/94-FGB	90° X 40°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.916		EVF-1122S/94-FGW	90° X 40°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.504		EVF-1122S/94-PIB	90° X 40°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.505		EVF-1122S/94-PIW	90° X 40°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.503		EVF-1122S/94-WHT	90° X 40°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.506		EVF-1122S/96-BLK	90° X 60°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.917		EVF-1122S/96-FGB	90° X 60°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.918		EVF-1122S/96-FGW	90° X 60°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.508		EVF-1122S/96-PIB	90° X 60°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.509		EVF-1122S/96-PIW	90° X 60°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.507		EVF-1122S/96-WHT	90° X 60°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.510		EVF-1122S/99-BLK	90° X 90°, EVCOAT, BLACK	73.4	2,196.00
F.01U.272.919		EVF-1122S/99-FGB	90° X 90°, FIBERGLASS, BLACK	73.4	3,414.00
F.01U.272.920		EVF-1122S/99-FGW	90° X 90°, FIBERGLASS, WHITE	73.4	3,414.00
F.01U.272.512		EVF-1122S/99-PIB	90° X 90°, EVCOAT, PI-WEATHERIZED, BLACK	73.4	2,928.00
F.01U.272.513		EVF-1122S/99-PIW	90° X 90°, EVCOAT, PI-WEATHERIZED, WHITE	73.4	2,928.00
F.01U.272.511		EVF-1122S/99-WHT	90° X 90°, EVCOAT, WHITE	73.4	2,196.00
F.01U.272.550		EVF-1151S-BLK	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, BLACK	72.9	1,927.00
F.01U.139.625		EVF-1151S-FGB	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, FIBERGLASS, BLACK	72.9	3,144.00
F.01U.139.626		EVF-1151S-FGW	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, FIBERGLASS, WHITE	72.9	3,144.00
F.01U.272.552		EVF-1151S-PIB	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT PI-WEATHERIZED, BLACK	72.9	2,660.00
F.01U.272.553		EVF-1151S-PIW	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT PI-WEATHERIZED, WHITE	72.9	2,660.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.272.551		EVF-1151S-WHT	SINGLE 15IN, 400 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, WHITE	72.9	1,927.00
F.01U.272.562		EVF-1152D/43-BLK	EVF-1152D 40 x 30 EVCOAT BLACK	86.0	3,041.00
F.01U.272.949		EVF-1152D/43-FGB	EVF-1152D 40 x 30 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.950		EVF-1152D/43-FGW	EVF-1152D 40 x 30 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.564		EVF-1152D/43-PIB	EVF-1152D 40 x 30 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.565		EVF-1152D/43-PIW	EVF-1152D 40 x 30 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.563		EVF-1152D/43-WHT	EVF-1152D 40 x 30 EVCOAT WHITE	86.0	3,041.00
F.01U.272.566		EVF-1152D/64-BLK	EVF-1152D 60 X 40 EVCOAT BLACK	86.0	3,041.00
F.01U.272.951		EVF-1152D/64-FGB	EVF-1152D 60 X 40 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.952		EVF-1152D/64-FGW	EVF-1152D 60 X 40 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.568		EVF-1152D/64-PIB	EVF-1152D 60 X 40 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.569		EVF-1152D/64-PIW	EVF-1152D 60 X 40 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.567		EVF-1152D/64-WHT	EVF-1152D 60 X 40 EVCOAT WHITE	86.0	3,041.00
F.01U.272.570		EVF-1152D/66-BLK	EVF-1152D 60 X 60 EVCOAT BLACK	86.0	3,041.00
F.01U.272.953		EVF-1152D/66-FGB	EVF-1152D 60 X 60 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.954		EVF-1152D/66-FGW	EVF-1152D 60 X 60 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.572		EVF-1152D/66-PIB	EVF-1152D 60 X 60 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.573		EVF-1152D/66-PIW	EVF-1152D 60 X 60 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.571		EVF-1152D/66-WHT	EVF-1152D 60 X 60 EVCOAT WHITE	86.0	3,041.00
F.01U.272.574		EVF-1152D/94-BLK	EVF-1152D 90 X 40 EVCOAT BLACK	86.0	3,041.00
F.01U.272.955		EVF-1152D/94-FGB	EVF-1152D 90 X 40 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.956		EVF-1152D/94-FGW	EVF-1152D 90 X 40 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.576		EVF-1152D/94-PIB	EVF-1152D 90 X 40 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.577		EVF-1152D/94-PIW	EVF-1152D 90 X 40 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.575		EVF-1152D/94-WHT	EVF-1152D 90 X 40 EVCOAT WHITE	86.0	3,041.00
F.01U.272.578		EVF-1152D/96-BLK	EVF-1152D 90 X 60 EVCOAT BLACK	86.0	3,041.00
F.01U.272.957		EVF-1152D/96-FGB	EVF-1152D 90 X 60 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.958		EVF-1152D/96-FGW	EVF-1152D 90 X 60 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.580		EVF-1152D/96-PIB	EVF-1152D 90 X 60 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.581		EVF-1152D/96-PIW	EVF-1152D 90 X 60 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.579		EVF-1152D/96-WHT	EVF-1152D 90 X 60 EVCOAT WHITE	86.0	3,041.00
F.01U.272.582		EVF-1152D/99-BLK	EVF-1152D 90 X 90 EVCOAT BLACK	86.0	3,041.00
F.01U.272.959		EVF-1152D/99-FGB	EVF-1152D 90 X 90 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.960		EVF-1152D/99-FGW	EVF-1152D 90 X 90 FIBERGLASS WEATHERIZED	86.0	4,235.00
F.01U.272.584		EVF-1152D/99-PIB	EVF-1152D 90 X 90 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.585		EVF-1152D/99-PIW	EVF-1152D 90 X 90 EVCOAT WEATHERIZED	86.0	3,751.00
F.01U.272.583		EVF-1152D/99-WHT	EVF-1152D 90 X 90 EVCOAT WHITE	86.0	3,041.00
F.01U.272.518		EVF-1152S/43-BLK	45° X 30°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.937		EVF-1152S/43-FGB	45° X 30°, FIBERGLASS, BLACK	81.2	3,507.00
F.01U.272.938		EVF-1152S/43-FGW	45° X 30°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.520		EVF-1152S/43-PIB	45° X 30°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.521		EVF-1152S/43-PIW	45° X 30°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.519		EVF-1152S/43-WHT	45° X 30°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.522		EVF-1152S/64-BLK	60° X 40°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.939		EVF-1152S/64-FGB	60° X 40°, FIBERGLASS, BLACK	81.2	3,507.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.272.940		EVF-1152S/64-FGW	60° X 40°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.524		EVF-1152S/64-PIB	60° X 40°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.525		EVF-1152S/64-PIW	60° X 40°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.523		EVF-1152S/64-WHT	60° X 40°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.526		EVF-1152S/66-BLK	60° X 60°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.941		EVF-1152S/66-FGB	60° X 60°, FIBERGLASS, BLACK	81.2	3,507.00
F.01U.272.942		EVF-1152S/66-FGW	60° X 60°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.528		EVF-1152S/66-PIB	60° X 60°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.529		EVF-1152S/66-PIW	60° X 60°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.527		EVF-1152S/66-WHT	60° X 60°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.530		EVF-1152S/94-BLK	90° X 40°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.943		EVF-1152S/94-FGB	90° X 40°, FIBERGLASS, BLACK	81.2	3,507.00
F.01U.272.944		EVF-1152S/94-FGW	90° X 40°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.532		EVF-1152S/94-PIB	90° X 40°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.533		EVF-1152S/94-PIW	90° X 40°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.531		EVF-1152S/94-WHT	90° X 40°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.534		EVF-1152S/96-BLK	90° X 60°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.945		EVF-1152S/96-FGB	90° X 60°, FIBERGLASS, BLACK	81.2	3,507.00
F.01U.272.946		EVF-1152S/96-FGW	90° X 60°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.536		EVF-1152S/96-PIB	90° X 60°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.537		EVF-1152S/96-PIW	90° X 60°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.535		EVF-1152S/96-WHT	90° X 60°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.538		EVF-1152S/99-BLK	90° X 90°, EVCOAT, BLACK	81.2	2,339.00
F.01U.272.947		EVF-1152S/99-FGB	90° X 90°, FIBERGLASS, BLACK	81.2	3,507.00
F.01U.272.948		EVF-1152S/99-FGW	90° X 90°, FIBERGLASS, WHITE	81.2	3,507.00
F.01U.272.540		EVF-1152S/99-PIB	90° X 90°, EVCOAT, PI-WEATHERIZED, BLACK	81.2	3,025.00
F.01U.272.541		EVF-1152S/99-PIW	90° X 90°, EVCOAT, PI-WEATHERIZED, WHITE	81.2	3,025.00
F.01U.272.539		EVF-1152S/99-WHT	90° X 90°, EVCOAT, WHITE	81.2	2,339.00
F.01U.272.554		EVF-1181S-BLK	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	115.0	2,065.00
F.01U.139.627		EVF-1181S-FGB	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, FIBERGLASS, BLACK, EXTERNAL CROSSOVER REQUIRED	115.0	3,327.00
F.01U.139.628		EVF-1181S-FGW	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, FIBERGLASS, WHITE, EXTERNAL CROSSOVER REQUIRED	115.0	3,327.00
F.01U.272.556		EVF-1181S-PIB	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, BLACK, EXTERNAL CROSSOVER REQUIRED	115.0	2,813.00
F.01U.272.557		EVF-1181S-PIW	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, WHITE, EXTERNAL CROSSOVER REQUIRED	115.0	2,813.00
F.01U.272.555		EVF-1181S-WHT	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, EVCOAT, WHITE, EXTERNAL CROSSOVER REQUIRED	115.0	2,065.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.272.542		EVF-2121S-BLK	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	92.7	2,293.00
F.01U.150.117		EVF-2121S-FGW	DUAL 12IN, 800 WATT LF SYSTEM, FIBERGLASS, WHITE, EXTERNAL CROSSOVER REQUIRED	92.7	3,507.00
F.01U.272.544		EVF-2121S-PIB	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT PI-WEATHERIZED, BLACK, EXTERNAL CROSSOVER REQUIRED	92.7	3,025.00
F.01U.272.545		EVF-2121S-PIW	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT PI-WEATHERIZED, WHITE, EXTERNAL CROSSOVER REQUIRED	92.7	3,025.00
F.01U.272.543		EVF-2121S-WHT	DUAL 12IN, 800 WATT LF SYSTEM, EVCOAT, WHITE, EXTERNAL CROSSOVER REQUIRED	92.7	2,293.00
F.01U.272.558		EVF-2151D-BLK	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, EVCOAT, BLACK, EXTERNAL CROSSOVER REQUIRED	130.5	2,666.00
F.01U.272.935		EVF-2151D-FGB	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, FIBERGLASS, BLACK, EXTERNAL CROSSOVER REQUIRED	130.5	3,878.00
F.01U.272.936		EVF-2151D-FGW	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, FIBERGLASS, WHITE, EXTERNAL CROSSOVER REQUIRED	130.5	3,878.00
F.01U.272.560		EVF-2151D-PIB	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, BLACK, EXTERNAL CROSSOVER REQUIRED	130.5	3,360.00
F.01U.272.561		EVF-2151D-PIW	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, EVCOAT PI-WEATHERIZED, WHITE, EXTERNAL CROSSOVER REQUIRED	130.5	3,360.00
F.01U.272.559		EVF-2151D-WHT	DUAL 15IN, 1000 WATT SUBWOOFER SYSTEM, EVCOAT, WHITE, EXTERNAL CROSSOVER REQUIRED	130.5	2,666.00
F.01U.283.510		EVF-UB-BLK	EVF-UB-BLK, U-BRACKET FOR EVF SERIES LOUDSPEAKERS, BLACK	13.8	366.00
F.01U.283.511		EVF-UB-WHT	EVF-UB-WHT, U-BRACKET FOR EVF SERIES LOUDSPEAKERS, WHITE	13.8	366.00
F.01U.169.063		EVI-AC	EV INNOVATION ACCESS CARD	1.0	41.60
F.01U.117.528		EVID 4.2	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system (sold and priced per pair)	19.0	404.00
F.01U.117.530		EVID 4.2T	Two-way twin 4" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (sold and priced per pair)	19.0	428.00
F.01U.117.531		EVID 4.2TW	Same as model EVID 4.2t but white cabinet (sold and priced per pair)	19.0	428.00
F.01U.117.529		EVID 4.2W	Same as model EVID 4.2 but white cabinet (sold and priced per pair)	19.0	404.00
F.01U.117.532		EVID 6.2	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Black cabinet. Includes mounting system (sold and priced per pair)	27.0	635.00
F.01U.117.534		EVID 6.2T	Two-way twin 6" woofer and 1" horn loaded 100 x 90 tweeter. Internal 70/100-volt line transformer. Black cabinet. Includes mounting system. (sold and priced per pair)	27.0	658.00
F.01U.117.535		EVID 6.2TW	Same as model EVID 6.2t but white cabinet (sold and priced per pair)	27.0	658.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.117.533		EVID 6.2W	Same as model EVID 6.2 but white cabinet (sold and priced per pair)	27.0	635.00
F.01U.117.589		EVID C10.1	10" High performance subwoofer - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 60, 30, 15, 7.5, and 3.75 watts (sold and priced per pair)	34.0	591.00
F.01U.117.807		EVID C12.2	EVID C12.2, Integrated 12" Ceiling Mounted Speaker System - complete with can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 64, 32, 16, 8, and 4 watts (SOLD INDIVIDUALLY)	38.5	651.00
F.01U.117.585		EVID C4.2	4" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	14.0	322.00
F.01U.117.587		EVID C8.2	8" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	24.0	446.00
F.01U.117.588		EVID C8.2HC	8" Waveguide Coupled (patent pending) coaxial speaker with horn loaded Ti coated tweeter - ideal for high ceiling environments - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 60, 30, 15, 7.5, and 3.75 watts (sold and priced per pair)	30.0	624.00
F.01U.117.606		EVID C8.2LP	8" coaxial speaker with horn loaded Ti coated tweeter - complete with LOW PROFILE back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)	24.0	446.00
F.01U.306.272		EVID-2.1	Surface-mount satellite speaker system - Black (sold and priced per pair)	3.3	146.00
F.01U.306.273		EVID-2.1W	Surface-mount satellite speaker system - White (sold and priced per pair)	3.3	146.00
F.01U.306.271		EVID-40C	Ceiling-mount subwoofer - White finish, <b>limited quantities available</b>	29.3	496.00
F.01U.306.270		EVID-40S	Surface-mount subwoofer - Black cabinet	32.2	465.00
F.01U.306.712		EVID-40SW	Surface-mount subwoofer - White cabinet	32.8	465.00
F.01U.306.454		EVID-C2.1	Ceiling-mount satellite speaker system (sold and priced per pair), <b>limited quantities available</b>	5.0	175.00
F.01U.351.201		EVID-C4.2LP	4" Coaxial speaker with extreme low profile back can enclosure. Only 3.75" total mounting depth. 70v/100v or 8-Ohm operation (PAIR)		420.00
F.01U.310.180		EVID-C44	Ceiling-mount background music speaker package - ceiling-mount subwoofer and 4 ceiling-mount satellite speakers - White, <b>limited quantities available</b>	44.2	844.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.351.200		EVID-C6.2	6.5" Coaxial speaker with horn loaded Ti coated tweeter - complete with back can enclosure, tile rails, and mounting ring - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts (sold and priced per pair)		420.00
F.01U.306.274		EVID-P2.1	Pendant-mount satellite speaker system (sold and priced per pair), <b>limited quantities available</b>	4.7	205.00
F.01U.351.202		EVID-P6.2B	6.5" Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. Black		353.00
F.01U.351.203		EVID-P6.2W	6.5" Coaxial pendant speaker with horn loaded Ti coated tweeter - for 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. White		353.00
F.01U.306.455		EVID-PC6.2	Ultra high performance 6" two way ceiling mount loudspeaker system with concentric compression driver (sold and priced per pair)	37.3	831.00
F.01U.306.456		EVID-PC8.2	Ultra high performance 8" two way ceiling mount loudspeaker system with concentric compression driver (sold and priced per pair)	46.3	975.00
F.01U.332.744		EVID-S10.1DB	Subwoofer 2x10" cabinet black	46.0	843.00
F.01U.332.745		EVID-S10.1DW	Subwoofer 2x10" cabinet white	46.0	843.00
F.01U.332.746		EVID-S12.1B	Subwoofer 12" cabinet black	38.0	623.00
F.01U.332.747		EVID-S12.1W	Subwoofer 12" cabinet white	38.0	623.00
F.01U.332.730		EVID-S4.2B	Quick install Speaker 4" cabinet 8Ohm black. IP54. Sold only in pairs.	11.6	297.00
F.01U.332.732		EVID-S4.2TB	Quick install Speaker 4" cabinet 70/100V black. IP54. Sold only in pairs.	12.1	320.00
F.01U.332.733		EVID-S4.2TW	Quick install Speaker 4" cabinet 70/100V white. IP54. Sold only in pairs.	12.1	320.00
F.01U.332.731		EVID-S4.2W	Quick install Speaker 4" cabinet 8Ohm white. IP54. Sold only in pairs.	11.6	297.00
F.01U.310.178		EVID-S44	Wall-mount background music speaker system package - surface-mount subwoofer and 4 surface-mount satellite speakers - Black, <b>limited quantities available</b>	42.0	738.00
F.01U.310.179		EVID-S44W	Wall-mount background music speaker system package - surface-mount subwoofer and 4 surface-mount satellite speakers - White, <b>limited quantities available</b>	42.8	738.00
F.01U.332.734		EVID-S5.2B	Quick install Speaker 5" cabinet 8Ohm black. IP54. Sold only in pairs.	13.2	386.00
F.01U.332.736		EVID-S5.2TB	Quick install Speaker 5" cabinet 70/100V black. IP54. Sold only in pairs.	19.5	431.00
F.01U.332.737		EVID-S5.2TW	Quick install Speaker 5" cabinet 70/100V white. IP54. Sold only in pairs.	19.5	431.00
F.01U.332.735		EVID-S5.2W	Quick install Speaker 5" cabinet 8Ohm white. IP54. Sold only in pairs.	13.2	386.00
F.01U.332.738		EVID-S5.2XB	Quick install Speaker 5" cabinet 70/100V black. IP65. Sold only in pairs.	22.0	497.00
F.01U.332.739		EVID-S5.2XW	Quick install Speaker 5" cabinet 70/100V white. IP65. Sold only in pairs.	22.0	497.00
F.01U.332.740		EVID-S8.2B	Quick install Speaker 8" cabinet 8Ohm black. IP54. Sold only in pairs.	27.4	673.00
F.01U.332.742		EVID-S8.2TB	Quick install Speaker 8" cabinet 70/100V black. IP54. Sold only in pairs.	32.1	695.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.332.743		EVID-S8.2TW	Quick install Speaker 8" cabinet 70/100V white. IP54. Sold only in pairs.	32.1	695.00
F.01U.332.741		EVID-S8.2W	Quick install Speaker 8" cabinet 8Ohm white. IP54. Sold only in pairs.	27.4	673.00
F.01U.273.861		EVM12L8OHMBLLABEL	Zakk Wylde signature guitar speaker, 12-inch, 300-watt, 8 ohms	20.0	628.00
F.01U.273.862		EVM12L8OHMCLASSIC	12-inch, 200-watt premium guitar speaker, 8 ohms	20.0	533.00
F.01U.366.325		EVOLVE30M-CASE	Carrying case for EVOLVE 30M	11.1	348.00
F.01U.366.324		EVOLVE30M-SUBCVR	Soft cover for EVOLVE 30M sub	15.0	86.00
F.01U.366.319		EVOLVE30M-US	Portable column system, US, black	53.4	2,273.00
F.01U.366.322		EVOLVE30M-W	Portable column system, global, white	53.4	2,273.00
F.01U.335.110		EVOLVE50-CASE	Subwoofer padded case, with wheels and telescoping handle	12.8	355.00
F.01U.384.340		EVOLVE50M-SB-US	Column speaker sub US, black - MUST ORDER WITH EVOLVE50-TB	50.7	2,293.00
F.01U.384.342		EVOLVE50M-SW	Column speaker sub US and EU, white - MUST ORDER WITH EVOLVE50-TW	50.7	2,293.00
F.01U.335.108		EVOLVE50-PL-SB	Column speaker pole, short, black	1.3	176.00
F.01U.335.109		EVOLVE50-PL-SW	Column speaker pole, short, white	1.4	176.00
F.01U.335.091		EVOLVE50-SB-US	Column speaker sub US, black - MUST ORDER WITH EVOLVE50-TB	50.3	1,768.00
F.01U.336.241		EVOLVE50-SUBCVR	Subwoofer Cover	1.4	87.50
F.01U.335.100		EVOLVE50-SW	Column speaker sub US, white - MUST ORDER WITH EVOLVE50-TW	50.7	1,768.00
F.01U.335.090		EVOLVE50-TB	Column speaker array, pole, black - MUST ORDER WITH EVOLVE50-SB-US	19.2	1,206.00
F.01U.335.099		EVOLVE50-TW	Column speaker array, pole, white - MUST ORDER WITH EVOLVE50-SW-US	17.9	1,206.00
F.01U.216.249		EVU-1062/95-BLK	SINGLE 6.5-IN, TWO-WAY, BLACK	20.1	557.00
F.01U.216.250		EVU-1062/95-WHT	SINGLE 6.5-IN, TWO-WAY, WHITE	20.1	557.00
F.01U.216.253		EVU-1082/95-BLK	SINGLE 8-IN, TWO-WAY, BLACK	22.6	689.00
F.01U.216.254		EVU-1082/95-WHT	SINGLE 8-IN, TWO-WAY, WHITE	22.6	689.00
F.01U.216.251		EVU-2062/95-BLK	DUAL 6.5-IN, TWO-WAY, BLACK	31.2	820.00
F.01U.216.252		EVU-2062/95-WHT	DUAL 6.5-IN, TWO-WAY, WHITE	31.2	820.00
F.01U.216.255		EVU-2082/95-BLK	DUAL 8-IN, TWO-WAY, BLACK	35.2	951.00
F.01U.216.256		EVU-2082/95-WHT	DUAL 8-IN, TWO-WAY, WHITE	35.2	951.00
F.01U.216.258		EVU-CDNL4	DUAL NL4 CONNECTOR COVER PLATE FOR EVU SERIES ONLY	0.5	33.60
F.01U.216.257		EVU-TK60	70/100 VOLT TRANSFORMER KIT FOR EVU SERIES ONLY	2.2	66.00
F.01U.241.422		FA-BW-RS	FA-BW-RS, FA-BW, 1/2 Wave Flex Antenna, 710-880 MHZ	0.5	54.10
F.01U.241.421		FA-GW-RS	FA-GW, 1/2 Wave Flex Antenna, 610-710 MHZ	0.5	54.10
F.01U.241.420		FA-RW-RS	FA-RW-RS, FA-RW, 1/2 Wave Flex Antenna, 470-550 MHZ	0.5	54.10
F.01U.241.419		FA-YW-RS	FA-YW-RS, FA-YW, 1/2 Wave Flex Antenna, 525-610 MHZ	0.5	54.10
F.01U.120.596		FM4.2	FM4.2, Dual 4" Flush Mount In-Wall Speaker System, 8 OHM,/70v operation, (sold and priced per pair)	15.0	446.00
F.01U.120.597		FM6.2	FM6.2, Dual 6" Flush Mount In-Wall Speaker System, 8 OHM,/70v operation, (sold and priced per pair)	28.4	603.00
F.01U.391.604	F.01U.148.531	FPA375-4001	4000 Front Panel Adapter for MCP-90.	1.0	124.00
F.01U.272.483		FRI 2082-BLK	Dual 8-inch, two-way, low profile, passive, 100° x 100° full range loudspeaker, 200-watt, 93dB 1w@1m, terminal strip connections, U-mounting bracket included, black	52.0	1,187.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.272.744		FRI 2082-WHT	Dual 8-inch, two-way, low profile, passive, 100° x 100° full range loudspeaker, 200-watt, 93dB 1w@1m, terminal strip connections, U-mounting bracket included, white	52.0	1,187.00
F.01U.272.484		FRI 28LPM-BLK	Dual 8-inch, two-way, low profile, passive, 100° x 100° full range loudspeaker, 200-watt, 93dB 1w@1m, with non-skid rubber feet, Speakon® connectors, black (no bracket)	52.0	1,187.00
F.01U.118.942		HA-3-BLK	VSA-1 handle adapter for ZX3, black	4.0	122.00
F.01U.117.725		HA-5	VSA-1 handle adapter for ZX4 and ZX5, black	4.0	109.00
F.01U.117.727		HDC-5	Heavy duty stackable cover for ZX4 and ZX5, black	6.0	188.00
F.01U.376.896		HDP-IHDP	High-quality dynamic headphones - ISO 20109:2017 Compliant	0.6	137.00
F.01U.376.902		HDP-IHDS	High-quality dynamic headphones w/microphone - ISO 20109:2017 Compliant	0.6	145.00
F.01U.012.808		HDP-ILN	Induction-loop neckband	0.3	114.00
F.01U.132.714		HDP-LWN	Lightweight Neckband Headphone	0.1	37.90
F.01U.134.847		HDP-LWNEP	Earpads for Neckband Headphone (50 pairs)	0.2	88.00
F.01U.012.753		HDP-LWSP	Solid earpads for LLB 3443/00 (50 pairs)	2.6	351.00
F.01U.118.889		HE-15	HE-15, 15' Headset Extension Cable - A4M/F.	1.0	93.60
F.01U.132.254		HE-30	HE-30, 30' Headset Extension Cable - A4M/F.	1.0	124.00
F.01U.118.485		HED-1	Ultra lightweight headphone	0.1	15.82
F.01U.118.014		HED-2	Collapsible lightweight headphone.	0.5	21.50
F.01U.391.588	F.01U.144.416	HGA-1	1/2 wave dipole gain antenna	n/a	135.00
F.01U.168.799		HHBC-300	Handheld battery cover for HT-300	0.0	15.82
F.01U.120.414		HM2	EV headworn unidirectional condenser vocal mic with TA4F connector for R100, RE-2, RE-1 and any Telex Wireless	1.0	168.00
F.01U.168.804		HM3	Omni-Directional Headworn Mic	0.1	95.80
F.01U.120.415		HM7	Headworn condenser cardioid mic with TA4F wired for R100, RE-2, RE-1 and any Telex Wireless	1.0	230.00
F.01U.169.866		HOL-240	HOL-240, Holster for TR-240	0.3	63.60
F.01U.117.468		HR-1 A4F	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A4F Connector	1.5	301.00
F.01U.117.470		HR-1 A4M	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A4M Connector	1.5	301.00
F.01U.117.471		HR-1 A5M	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, A5M Connector	1.5	301.00
F.01U.117.467		HR-1 PT	HR1, Single-Sided Full Cushion Medium Weight Noise Reduction Headset, Pigtail Termination	1.5	284.00
F.01U.117.460		HR-2 A4F	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A4F Connector	1.5	329.00
F.01U.117.462		HR-2 A4M	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A4M Connector	1.5	329.00
F.01U.123.321		HR-2 A5F	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A5F Connector	1.5	329.00
F.01U.117.463		HR-2 A5M	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, A5M Connector	1.5	329.00
F.01U.117.464		HR-2 PT	HR2, Dual-Sided Full Cushion Medium Weight Noise Reduction Headset, Pigtail Termination	1.5	314.00
F.01U.283.502		HRK-1B	BLACK HORIZONTAL RIGGING KIT FOR EVF	29.9	1,062.00
F.01U.283.503		HRK-1W	WHITE HORIZONTAL RIGGING KIT FOR EVF	29.9	1,062.00
F.01U.283.504		HRK-2B	BLACK HORIZONTAL RIGGING KIT FOR EVF TO SUB	31.2	1,137.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.283.505		HRK-2W	WHITE HORIZONTAL RIGGING KIT FOR EVF TO SUB	31.2	1,137.00
F.01U.283.498		HRK-3B	BLACK HORIZONTAL RIGGING KIT FOR EVH	33.5	1,211.00
F.01U.283.499		HRK-3W	WHITE HORIZONTAL RIGGING KIT FOR EVH	33.5	1,211.00
F.01U.118.509		HS-6000	Telephone style PTT handset with metal hanger bracket, 200 ohm impedance, 4' (1.2M) coiled cord, and A4M connector	1.5	234.00
F.01U.146.623		HS-6000M	HS-6000M, Telephone style PTT handset with metal hanger bracket (white), 200 ohm, 4' (1.2M) coiled cord, A4M connector.	1.5	240.00
F.01U.118.902		HS-6A (BLACK)	HS-6A (BLACK), Telephone Style PTT Handset With Metal Hanger Bracket, 200 Ohm Impedence, 4' (1.2M) Coiled Cord, A4F Connector	1.5	221.00
F.01U.118.901		HS-6A (WHITE)	HS-6A (WHITE), Telephone Style PTT Handset With Metal Hanger Bracket, 200 Ohm Impedence, 4' (1.2M) Coiled Cord, A4F Connector	1.5	221.00
F.01U.306.188		HT-300-C	Handheld PL22 in box	1.1	144.00
F.01U.391.535	F.01U.118.698	IC-6SX	Passive source assign panel for channel assignment of up to 6 intercom channels to 12 positions - 3pin XLR.	5.5	1,261.00
F.01U.391.587	F.01U.143.303	ICW-6	Window mountable full duplex security intercom system w/VOX. May be used in headset or mic/speaker mode. Requires either optional headset or boom mic for proper operation. Uses PH-88IC3/PH-44-IC3 or PH-88IC3-QD/PH-44-IC3-QD headset or MCP-90 1/4" panel mount boom mic.	1.7	855.00
F.01U.105.440		ID60DT	60-watt driver for reentrant horns, weather resistant, dual 1-inch screw-on exit, 60-watt 25/70.7-volt transformer (60-, 30-, 15-, 7.5-, 3.25- and 1.88-watt taps)	8.0	386.00
F.01U.118.562		IFB-1000	1 Ch listen only IFB portable belt pack, 1/4" jack for earphone.	1.0	301.00
F.01U.118.564		IFB-325	Portable single channel IFB Beltpack w/ 1/4" Jack.	1.2	316.00
F.01U.026.906		INT-FCRAD	Flight case for Integrus radiator	20.1	1,180.00
F.01U.026.905		INT-FCRX	Flight case for 100 receivers	20.9	1,241.00
F.01U.080.436		INT-TX04-US	Digital 4-channel transmitter with optical link (US)	27.2	6,349.00
F.01U.080.439		INT-TX08-US	Digital 8-channel transmitter with optical link (US)	18.8	8,815.00
F.01U.080.440		INT-TX16-US	Digital 16-channel transmitter with optical link (US)	19.2	12,598.00
F.01U.080.441		INT-TX32-US	Digital 32-channel transmitter with optical link (US)	19.3	22,224.00
F.01U.344.855		IP-10D-CB	Crossover input 10" subwoofer black	5.3	150.00
F.01U.344.856		IP-10D-CW	Crossover input 10" subwoofer white	5.3	150.00
F.01U.344.853		IP-10D-TB	250W Transformer input panel for 10" subwoofer. Black.	12.6	203.00
F.01U.344.854		IP-10D-TW	250W Transformer input panel for 10" subwoofer. White.	12.5	203.00
F.01U.329.712		IPX10:4	DSP power amplifier 4x2500W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	37.9	7,939.00
F.01U.329.715		IPX10:8	DSP power amplifier 8x1250W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	42.1	9,075.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.329.718		IPX20:4	DSP power amplifier 4x5000W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	45.2	11,235.00
F.01U.329.709		IPX5:4	DSP power amplifier 4x1250W with OMNEO/Dante & FIR drive, install. Ships with 32A powerCON power connector.	36.4	6,236.00
F.01U.391.572	F.01U.118.900	JB-2	3-pin/6-pin junction box.	1.5	323.00
F.01U.312.384		L1300FD-US	DSP power amplifier 2x650W. With FIR drive, XLR/NL4 connectors.	34.6	917.00
F.01U.312.389		L1800FD-US	DSP power amplifier 2x950W. With FIR drive, XLR/NL4 connectors.	39.7	1,159.00
F.01U.312.394		L2800FD-US	DSP power amplifier 2x1400W. With FIR drive, XLR/NL4 connectors.	41.9	1,468.00
F.01U.312.399		L3600FD-US	DSP power amplifier 2x1800W. With FIR drive, XLR/NL4 connectors.	46.3	1,759.00
F.01U.141.638		LA1-UM20E-1	20 watt metal column loudspeaker	8.4	290.00
F.01U.141.639		LA1-UM40E-1	40 watt metal column loudspeaker	11.9	508.00
F.01U.354.642		LA3-VARI-B	VARI BASE UNIT - ***call for availability***		7,558.00
F.01U.354.643		LA3-VARI-BH	VARI BASE UNIT HF - ***call for availability***		7,899.00
F.01U.354.644		LA3-VARI-E	VARI EXTENSION UNIT - ***call for availability***		5,922.00
F.01U.331.730		LB20-PC15-4D	Quick install Speaker 4" cabinet 70/100V black. IP54. (packaged and priced in pairs)	10.2	328.00
F.01U.331.731		LB20-PC15-4L	Quick install Speaker 4" cabinet 70/100V white. IP54.(packaged and priced in pairs)	10.2	328.00
F.01U.331.734		LB20-PC30-5D	Quick install Speaker 5" cabinet 70/100V black. IP54. (packaged and priced in pairs)	17.4	441.00
F.01U.331.735		LB20-PC30-5L	Quick install Speaker 5" cabinet 70/100V white. IP54. (packaged and priced in pairs)	17.4	441.00
F.01U.331.728		LB20-PC40-4D	Quick install Speaker 4" cabinet 8Ohm black. IP54. (packaged and priced in pairs)	8.6	306.00
F.01U.331.729		LB20-PC40-4L	Quick install Speaker 4" cabinet 8Ohm white. IP54. (packaged and priced in pairs)	8.6	306.00
F.01U.331.740		LB20-PC60-8D	Quick install Speaker 8" cabinet 70/100V black. IP54. (packaged and priced in pairs)	31.9	712.00
F.01U.331.741		LB20-PC60-8L	Quick install Speaker 8" cabinet 70/100V white. IP54. (packaged and priced in pairs)	31.9	712.00
F.01U.331.736		LB20-PC60EW-5D	<u>Extreme Conditions IP65</u> install Speaker 5" cabinet 70/100V black. (packaged and priced in pairs)	16.8	508.00
F.01U.331.737		LB20-PC60EW-5L	<u>Extreme Conditions IP65</u> install Speaker 5" cabinet 70/100V white. (packaged and priced in pairs)	16.8	508.00
F.01U.331.732		LB20-PC75-5D	Quick install Speaker 5" cabinet 8Ohm black. IP54. (packaged and priced in pairs)	14.8	396.00
F.01U.331.733		LB20-PC75-5L	Quick install Speaker 5" cabinet 8Ohm white. IP54.(packaged and priced in pairs)	14.8	396.00
F.01U.331.738		LB20-PC90-8D	Quick install Speaker 8" cabinet 8Ohm black. IP54. (packaged and priced in pairs)	28.3	689.00
F.01U.331.739		LB20-PC90-8L	Quick install Speaker 8" cabinet 8Ohm white. IP54. (packaged and priced in pairs)	28.3	689.00
F.01U.331.742		LB20-SW400-D	Subwoofer 2x10" cabinet black, IP54 (IP65 port covers included)	46.2	864.00
F.01U.331.743		LB20-SW400-L	Subwoofer 2x10" cabinet white, IP54 (IP65 port covers included)	46.2	864.00
F.01U.283.990		LB2-UC15-D1	15 watt premium sound, ABS cabinet loudspeaker, black	4.2	84.00
F.01U.283.991		LB2-UC15-L1	15 watt premium sound, ABS cabinet loudspeaker, white	4.2	84.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.283.992		LB2-UC30-D1	30 watt premium sound, ABS cabinet loudspeaker, black	5.3	126.00
F.01U.283.993		LB2-UC30-L1	30 watt premium sound, ABS cabinet loudspeaker, white	5.3	126.00
F.01U.308.254		LB6-SW100-D	Subwoofer 12" cabinet black	31.5	652.00
F.01U.308.255		LB6-SW100-L	Subwoofer 12" cabinet white	31.5	652.00
F.01U.329.933		LB7-UC06E	Surface Mount Speaker 6W	2.8	66.20
F.01U.329.934		LB7-UC06V	Surface Mount Speaker 6W with Volume Control	2.9	69.50
F.01U.329.935		LB7-UC06VR	Surface Mount Speaker 6W with Volume Override	3.0	73.90
F.01U.507.006		LBB1949/00	Gooseneck condenser microphone	1.2	210.00
F.01U.080.427		LBB1965/00-US	Plena message manager	12.0	1,750.00
F.01U.141.642		LBB3306/00	Installation cable, 100 m, LBB 3322/04	18.5	778.00
F.01U.141.641		LBB3306/05	Extension cable, 5 m, LBB 3222/04	1.1	200.00
F.01U.141.640		LBB3306/20	Extension cable, 20 m, LBB 3222/04	4.1	329.00
F.01U.508.301		LBB3414/00	Mounting bracket for LLB 3441, 3412, 4511 and 4512	4.9	242.00
F.01U.508.900		LBB3442/00	Single earphone	0.8	35.00
F.01U.508.901		LBB3443/00	Lightweight stereo headphones	2.6	36.10
F.01U.009.041		LBB3443/10	Lightweight stereo headphones, durable cable	2.5	41.20
F.01U.508.897		LBB3443/50	Foam earpads for LBB 3443/00 (50 pairs)	0.6	137.00
F.01U.078.903		LBB4114/00	DCN trunk splitter	0.9	532.00
F.01U.078.904		LBB4115/00	DCN tap-off unit	0.9	532.00
F.01U.507.781		LBB4116/00	Bulk installation cable, 100 m	14.8	697.00
F.01U.507.782		LBB4116/02	Extension cable assembly, 2 m	0.4	71.10
F.01U.507.783		LBB4116/05	Extension cable assembly, 5 m	0.8	117.00
F.01U.507.784		LBB4116/10	Extension cable assembly, 10 m	1.6	151.00
F.01U.507.785		LBB4116/15	Extension cable assembly, 15 m	2.3	175.00
F.01U.507.787		LBB4116/20	Extension cable assembly, 20 m	3.0	194.00
F.01U.507.788		LBB4116/25	Extension cable assembly, 25 m	3.7	234.00
F.01U.507.791		LBB4117/00	Cable-locking clamps (25 pieces)	0.4	454.00
F.01U.135.032		LBB4118/00	DCN termination plug	0.1	32.60
F.01U.142.207		LBB4119/00	Installation connectors (25 pairs)	1.3	389.00
F.01U.133.186		LBB4187/00-E	Open interface software, E-code	n/a	773.00
F.01U.506.862		LBB4416/00	Network Cable 100 Meter	14.6	1,580.00
F.01U.506.870		LBB4416/01	Network cable assembly, optical fiber, 0.5 m	0.2	87.50
F.01U.506.873		LBB4416/02	Network cable assembly, optical fiber, 2 m	0.4	98.60
F.01U.506.875		LBB4416/05	Network cable assembly, optical fiber, 5 m	0.8	149.00
F.01U.506.877		LBB4416/10	Network cable assembly, optical fiber, 10 m	1.6	225.00
F.01U.506.878		LBB4416/20	Network cable assembly, optical fiber, 20 m	3.0	374.00
F.01U.360.786		LBB4416/40	Network cable assembly, optical fiber, 40 m		576.00
F.01U.506.881		LBB4417/00	Set of network connectors (20 pieces)	0.6	340.00
F.01U.506.884		LBB4418/00	Cable/connector toolkit	8.6	3,634.00
F.01U.007.274		LBB4418/50	Spare cutting tool (2 pieces)	1.0	1,022.00
F.01U.029.447		LBB4428/00	Power Amplifier 8X60W (US - not for sale in Canada)	40.0	6,338.00
F.01U.083.924		LBB4428/00-US	Power Amplifier, 8 X 60W (US - not for sale in Canada)	40.0	6,338.00
F.01U.126.295		LBB4430/00	Call Station Basic	3.4	1,090.00
F.01U.126.296		LBB4432/00	Call Station Keypad	1.6	547.00
F.01U.506.912		LBB4436/00	Set Of Key Covers (10 pieces, lot priced)	0.1	91.10
F.01U.513.883		LBB4440/00	Supervision Control Board	0.4	228.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.513.868		LBB4441/00	Loudspeaker Supervision Board	0.2	364.00
F.01U.074.440		LBB4442/00	Line Supervision Set	0.4	340.00
F.01U.513.884		LBB4443/00	End Of Line Supervision Board	0.2	340.00
F.01U.513.855		LBB4446/00	Set of Supervision Brackets (10 pieces, lot priced)	0.5	81.20
F.01U.080.938		LBB4511/00-US	Integrus Radiator Medium Power (US) (Requires RG-59 cable)	23.9	4,598.00
F.01U.080.447		LBB4512/00-US	Integrus Radiator High Power (US) (Requires RG-59 cable)	29.4	6,918.00
F.01U.508.294		LBB4540/04	Integrus pocket receiver, 4 channel	0.3	386.00
4.998.599.036		LBB4540/08	Integrus pocket receiver, 8 channel	0.3	426.00
4.998.599.037		LBB4540/32	Integrus pocket receiver, 32 channel	0.3	489.00
F.01U.073.977		LBB4550/10	Integrus NiMH battery pack (set of 10 pcs)	1.1	352.00
F.01U.080.448		LBB4560/00-US	Integrus Charging Case for 56 Rx (US)	37.3	4,722.00
F.01U.080.449		LBB4560/50-US	Integrus Charging Cabinet 56 Rx (US)	28.3	4,521.00
F.01U.507.004		LBB9080/00	Handheld Dynamic microphone (Push-To-Talk)	1.0	64.20
F.01U.506.917		LBB9081/00	Emergency Hand-Held Microphone (Push-To-Talk)	0.6	63.10
F.01U.007.592		LBB9082/00	Emergency Gooseneck Microphone	0.7	134.00
F.01U.507.007		LBB9099/10	Handheld Dynamic microphone (with lockable 5-pin DIN connector)	1.5	183.00
F.01U.507.008		LBB9600/20	Handheld condenser microphone (with 3-pin, male and female XLR connectors)	2.3	210.00
F.01U.507.016		LBC1208/40	10M.2-C MIC CABL XLR/XLR	2.0	90.20
F.01U.507.017		LBC1215/01	Quick-release microphone clamp	0.2	32.10
F.01U.507.018		LBC1221/01	Microphone floor stand	5.8	114.00
F.01U.507.019		LBC1226/01	Adjustable boom	1.9	64.20
F.01U.007.613		LBC1227/01	Heavy Microphone Table Stand	3.0	48.20
F.01U.505.935		LBC1256/00	EVAC Connection Adapter (100PCS)	11.9	436.00
F.01U.162.979		LBC1259/01	Universal loudspeaker floor stand	13.1	256.00
F.01U.079.808		LBC1434/10-US	Program selector, (US), (*shipped in quantities of 6 pieces, priced as each)	2.0	55.50
F.01U.507.009		LBC2900/15	Handheld Dynamic microphone (with stereo jack plug)	1.6	70.40
F.01U.507.010		LBC2900/20	Handheld Dynamic microphone (with XLR male plug)	1.8	70.40
F.01U.007.651		LBC3080/01	Metal fire dome for LHM0606 (red)	1.1	28.50
F.01U.165.177		LBC3080/11	Metal fire dome for LHM0606 (white)	1.1	28.50
F.01U.063.049		LBC3403/16	Horn 10" without driver	7.8	179.00
F.01U.063.050		LBC3404/16	Horn 15" without driver	9.4	204.00
F.01U.063.051		LBC3405/16	Horn 20" without driver	11.2	218.00
F.01U.063.052		LBC3406/16	Horn 8x15" without driver	9.2	204.00
F.01U.076.945		LBC3481/12-US	Horn Loudspeaker 15/10W	3.5	133.00
F.01U.076.942		LBC3482/00-US	25W/14" Horn Loudspeaker, EVAC	9.0	186.00
F.01U.076.943		LBC3483/00-US	35W/20" Horn Loudspeaker, EVAC	11.0	226.00
F.01U.076.944		LBC3484/00-US	50W/20" Horn Loudspeaker, EVAC	14.0	268.00
F.01U.076.946		LBC3491/12-US	Horn Loudspeaker 15/10W	4.0	153.00
F.01U.076.947		LBC3492/12-US	Horn Loudspeaker 30/20W	7.0	192.00
F.01U.076.948		LBC3493/12-US	Horn Loudspeaker 45/30W	8.0	226.00
F.01U.076.920		LBC3951/11-US	Ceiling loudspeaker, 6 watt, IP x4, (*packaged and priced individually) - ***while supplies last***	1.6	39.60
F.01U.076.936		LBN9000/00-US	Driver unit 22.5/15W for LBC340x/16	2.9	153.00
F.01U.076.937		LBN9001/00-US	Driver unit 45/30W for LBC340x/16	5.3	270.00
F.01U.076.938		LBN9003/00-US	Driver unit 75/50W for LBC340x/16	3.9	412.00
F.01U.075.451		LC1-CBB	Back box	0.5	9.92



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.075.453		LC1-CMR	Mounting ring	0.7	12.34
F.01U.075.452		LC1-CSMB	Surface mounting box	1.6	23.50
F.01U.075.450		LC1-MFD	Metal fire dome for LC1 series loudspeakers	2.5	39.60
F.01U.075.454		LC1-MMSB	Mounting support bracket for LC1 series loudspeakers	1.0	8.54
F.01U.079.216		LC1-MSK	Metal suspension kit	0.4	23.50
F.01U.075.620		LC1-PIB	Pilot tone indication circuit board (*shipped in quantities of 6 pieces, priced as each)	0.1	123.00
F.01U.075.448		LC1-UM06E8	6" Ceiling loudspeaker, 6 watt, metal grille, round, EVAC compliant	2.8	72.90
F.01U.075.427		LC1-UM12E8	6" coaxial ceiling loudspeaker, 12 watt, metal grille, round, EVAC compliant	2.9	102.00
F.01U.075.449		LC1-UM24E8	6" coaxial ceiling loudspeaker, 24 watt, metal grille, round, EVAC compliant	3.9	148.00
F.01U.262.655		LC1-WC06E8	4" Ceiling loudspeaker, 6 watt, composite grille, round, EVAC compliant; swimming pool application with LC1 accessories	2.5	63.00
F.01U.075.422		LC1-WM06E8	4" Ceiling loudspeaker, 6 watt, metal grille, round, EVAC compliant	2.8	61.70
F.01U.079.383		LC2-PC30G6-4	Premium ceiling loudspeaker, 30 watt, 4" coax - includes grille, back can enclosure, tile bridge, and mounting ring. For 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. EVAC compliant (packaged and priced as a pair)	6.0	333.00
F.01U.079.384		LC2-PC30G6-8	Premium ceiling loudspeaker 30 watt, 8" coax - includes grille, back can enclosure, tile bridge, and mounting ring. For 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. EVAC compliant (packaged and priced as a pair)	11.0	442.00
F.01U.079.385		LC2-PC30G6-8L	Premium ceiling loudspeaker 30 watt, 8" coax low profile - includes grille, back can enclosure, tile bridge, and mounting ring. For 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. EVAC compliant (packaged and priced as a pair)	11.0	442.00
F.01U.079.387		LC2-PC60G6-10	Premium ceiling loudspeaker 60 watt, 10" subwoofer - includes grille, back can enclosure, tile bridge, and mounting ring. For 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. EVAC compliant (packaged and priced as a pair)	15.5	590.00
F.01U.079.386		LC2-PC60G6-8H	Premium ceiling loudspeaker 60 watt, 8" Waveguide Coupled (patent pending) coax speaker ideal for high ceiling environments - includes grille, back can enclosure, tile bridge, and mounting ring. For 70v/100v or 8-ohm operation. Taps at 30, 15, 7.5, 3.75, and 1.88 watts. EVAC compliant (packaged and priced as a pair)	13.2	590.00
F.01U.217.143		LC4-CBB	ABS Back Box for LC4 Series loudspeakers; total mounting depth less than 3.75"	0.6	19.71
F.01U.217.144		LC4-MFD	Metal Fire Dome for LC4 Series Loudspeakers	2.5	39.60
F.01U.217.140		LC4-UC06E	Premium ceiling wide angle loudspeaker, 6 watt, EVAC compliant	2.5	168.00
F.01U.217.141		LC4-UC12E	Premium ceiling wide angle loudspeaker, 12 watt, EVAC compliant	2.6	191.00
F.01U.217.142		LC4-UC24E	Premium ceiling wide angle loudspeaker, 24 watt, EVAC compliant	2.7	232.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.282.354		LC5-CBB	ABS back box for LC5-WC06E4 loudspeaker; combination is rated at IP 44	0.1	5.53
F.01U.282.353		LC5-WC06E4	Ceiling speaker, 6 watt, with wide coverage angle. Intended for low ceiling applications in low-noise areas. (82 dB SPL at 1 W/m) Integrated leaf springs facilitate installation in a 3" circular cut-out. ABS grille & frame are styled to visually complement recessed lighting fixtures. Suitable for environments with high humidity, salt, or chlorine levels when used with optional LC5-CBB back box. (packaged in packs of six and priced per speaker)	0.9	34.80
F.01U.169.386		LH1-UC30E	Music Horn Loudspeaker 30W	11.0	277.00
F.01U.304.394		LH2-UC06	The Compact Horn Loudspeaker LH2-UC06 is specifically designed for marine applications and other industrial environments. Units are resistant to water and dust (IP 67), as well as the corrosive effects of seawater and most industrial atmospheres. The loudspeaker is supplied with a 1 m color-coded 6-core cable to select the required power tap without opening the unit during installation. 105 dB max SPL at 6 Watts (rated input)	2.9	112.00
F.01U.304.395		LH2-UC15E	Specifically designed for excellent sound reproduction in marine applications and other industrial environments. Units are water- and dust-protected (IP 67), and resistant to the corrosive effects of seawater and most industrial atmospheres. The horn is made from a UV-stable, glass reinforced polyester (GRP). This material is fire, corrosion, and chemical resistant as well as thermally stable, making it ideal for even the harshest environments. Supplied with a stainless steel mounting bracket. 120 dB max SPL. Replaces LBC3428/00.	5.8	234.00
F.01U.307.552		LH-300-DM-A4F	LH-300, SINGLE SIDE, DYNAMIC MIC, A4F	0.9	218.00
F.01U.307.553		LH-300-DM-A4M	LH-300, SINGLE SIDE, DYNAMIC MIC, A4M	0.9	218.00
F.01U.307.554		LH-300-DM-A5M	LH-300, SINGLE SIDE, DYNAMIC MIC, A5M	0.9	218.00
F.01U.307.556		LH-300-DM-IC6	Single side headset, quick connect IC6	0.8	225.00
F.01U.307.557		LH-300-DM-PT	LH-300, SINGLE SIDE, DYNAMIC MIC, PT	0.9	207.00
F.01U.307.555		LH-300-EM-I3.5	LH-300, SINGLE SIDE, DYNAMIC MIC, 3.5	0.9	218.00
F.01U.307.544		LH-302-DM-A4F	LH-302, DOUBLE SIDE, DYNAMIC MIC, A4F	0.9	226.00
F.01U.307.545		LH-302-DM-A4M	LH-302, DOUBLE SIDE, DYNAMIC MIC, A4M	0.9	226.00
F.01U.307.546		LH-302-DM-A5F	LH-302, DOUBLE SIDE, DYNAMIC MIC, A5F	0.9	226.00
F.01U.307.547		LH-302-DM-A5M	LH-302, DOUBLE SIDE, DYNAMIC MIC, A5M	0.9	226.00
F.01U.307.549		LH-302-DM-IC6	Double side headset, quick connect IC6	0.8	230.00
F.01U.307.550		LH-302, DOUBLE SIDE, DYNAMIC MIC, PT	LH-302, DOUBLE SIDE, DYNAMIC MIC, PT	0.9	215.00
F.01U.307.548		LH-302-EM-I3.5	LH-302, DOUBLE SIDE, DYNAMIC MIC, 3.5	0.9	226.00
F.01U.307.551		LH-302L-6.3	LH-302, DOUBLE SIDE, LISTEN ONLY, 6.3	0.9	138.00
F.01U.318.944		LH3-UC25XL	EX. Flameproof horn, long-flare version; Replaces LBC3438/00, LBC3438/01	6.0	809.00
F.01U.318.943		LH3-UC25XS	EX. Flameproof horn, short-flare version; Replaces LBC3437/00, LBC3438/00, LBC3438/01	6.0	641.00
F.01U.313.570		LH-CC	LH SERIES CLOTHING CLIP	0.2	7.31
F.01U.313.568		LH-EC1	LH SERIES FOAM EAR CUSHION 2PK	0.2	6.75
F.01U.313.569		LH-EC2	LH SERIES SUPPLE EAR CUSHION 2 PK	0.2	22.50
F.01U.313.572		LH-HBP	LH SERIES HEADBAND PAD	0.2	11.25

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.313.573		LH-HC	LH SERIES HYGIENE COVER 10 PK	0.2	33.70
F.01U.076.919		LHM0606/00-US	6" Ceiling loudspeaker, 6 watt, 70.7V, metal grille, round, 3 mounting holes (priced individually and sold in 10 packs). Please order 10 pieces of this model in place of F.01U.286.877 LHM0606/00-US10.	1.2	22.40
F.01U.513.891		LHM0606/10	6" Ceiling loudspeaker, 6 watt, 100V, circular metal grille with 2 spring clamps, white RAL 9010. 100V only, no 70V version available. Priced and sold individually.	1.4	25.90
F.01U.313.571		LH-SC	LH SERIES CARRYING CASE	0.3	24.70
F.01U.313.564		LH-WS	LH SERIES WINDSCREEN 2PK	0.2	11.25
F.01U.026.014		LM1-CB	Carrier bag for two LBC1259 loudspeaker floor stands	3.2	71.80
F.01U.215.019		LM1-MSB-1	Metal Suspension Bracket Adaptor Set for Hemi-Directional Loudspeaker	5.2	203.00
F.01U.075.845		LM1-TB	Tile bridge and C-ring for LC1 series loudspeakers (packaged and priced in pairs)	2.1	54.40
F.01U.143.138		LM2-BB	Back Box for LBC3951/11-US, LHM0606 and LC1-UM series. (10 pcs)	27.2	128.00
F.01U.143.135		LM2-PMR	Plaster Mounting Ring for LBC3951/11-US, LHM0606 and LC1-UM series. Does not fit LC1-WM/WC series (10 pcs)	12.1	180.00
F.01U.143.137		LM2-TB	Tile Bridge for LC1 Range, LBC3951/11-US, LHM0606 and LC1-UM series. (10 pcs)	21.3	90.20
F.01U.391.605	F.01U.155.706	LMS-325	5 watt modular amplified loudspeaker can be used to monitor 1 or 2 channels. Volume control, external balance control, 3pin XLR input and separate program input jacks. 1RU by 1/2 rack wide.	4.5	684.00
F.01U.076.922		LP1-BC10E-1-US	10 watt bi-directional sound projector, EVAC compliant	6.8	180.00
F.01U.076.923		LP1-UC10E-1-US	10 watt uni-directional sound projector, EVAC compliant	6.8	160.00
F.01U.076.924		LP1-UC20E-1-US	20 watt uni-directional sound projector, EVAC compliant	6.8	203.00
F.01U.167.870		LS1-OC100E-1	Hemi-directional Loudspeaker 100W; single speaker covers up to 6,500 square feet	85.0	2,218.00
F.01U.353.132		LS1-UC10U	10 watt pendant sphere loudspeaker, UL1480 ed.6 certified (Sold and priced in pairs)	16.0	331.00
F.01U.076.925		LS1-UC20E-1-US	20 watt pendant sphere loudspeaker, (While supplies last - successor part number is LS1-UC10U)	6.8	180.00
F.01U.118.058		MAC-2	XLR to TA4 adapter cord	1.0	53.60
F.01U.118.492		MAC-G3	Guitar Cord featuring George L's cable for RE-2/FMR-500	1.0	55.70
F.01U.283.490		MB-100-LB	Mounting eyebolt kit for SX100/SX300		47.10
F.01U.118.105		MB200	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, black	8.5	109.00
F.01U.107.790		MB200W	Wall/ceiling U-bracket kit for Sb122, Sb122PI, Sx100 and Sx300, white	8.5	156.00
F.01U.118.107		MB-300	Horizontal array kit for side-by-side arraying of two Sb121, Sb121a, Sb122PI, Sx100+ or Sx300 (use a second Mb300 to array three systems; the Mb300 requires one Mb200 U-bracket kit per speaker system), black	9.5	118.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.109		MB300W	Horizontal array kit for side-by-side arraying of two Sb121, Sb121a, Sb122PI, Sx100+ or Sx300 (use a second Mb300 to array three systems; the Mb300 requires one Mb200 U-bracket kit per speaker system), white	9.5	118.00
F.01U.118.940		MB3-B	Wall/ceiling mounting bracket kit for ZX3, black	4.0	229.00
F.01U.118.941		MB3-W	Wall/ceiling mounting bracket kit for ZX3, white	4.0	229.00
F.01U.117.682		MB5-B	Wall/ceiling mounting bracket kit for ZX4 and ZX5, black	4.0	299.00
F.01U.117.683		MB5-W	Wall/ceiling mounting bracket kit for ZX4 and ZX5, white	4.0	299.00
F.01U.146.629		MCE325 A4F	2 or 4 channel user programmable modular user station w/call signaling, dual action mic switch, individual volume controls. With hardware and software based programming it can be used as 2-wire, 4-wire or both and features simple IFB capability. A4F headset jack. 1/4" gooseneck mic connector. 1RU by 1/2 rack wide.	5.0	1,389.00
F.01U.146.627		MCE-325 A5F	2 or 4 channel user programmable modular user station w/call signaling, dual action mic switch, individual volume controls. With hardware and software based programming it can be used as 2-wire, 4-wire or both and features simple IFB capability. A6F headset connector uses A5M headset connector. 1/4" gooseneck mic connector. 1RU by 1/2 rack wide.	5.0	1,389.00
F.01U.391.560	F.01U.118.821	MCP1	Dual rack mount kit (two main components side by side). For use with SSA324, SSA324#U, DSI2008 and DSI2008-CALL and RTS TW components. (Not for use with Audiocom components)	1.5	190.00
F.01U.391.561	F.01U.118.822	MCP2	Single rack mount kit. For use with SSA324, SSA324#U, DSI2008 and DSI2008-CALL and RTS TW components. (Not for use with Audiocom components)	1.5	190.00
F.01U.391.562	F.01U.118.823	MCP3	Console mount kit.	1.5	285.00
F.01U.118.824		MCP4	Tandem mount kit.	1.5	92.30
F.01U.391.563	F.01U.118.826	MCP7	Hand-held Dynamic microphone w/6pin connector	1.0	122.00
F.01U.391.575	F.01U.120.438	MCP-90-0	Flushmount gooseneck mic with electret mic element.	1.2	211.00
F.01U.391.576	F.01U.120.439	MCP-90-12	Gooseneck mic with electret mic element, 12 inch length (30.5cm).	1.2	248.00
F.01U.391.577	F.01U.120.440	MCP-90-18	Gooseneck mic with electret mic element, 18 inch length (45.7cm).	1.2	269.00
F.01U.391.578	F.01U.120.442	MCP-90-8	Gooseneck mic with electret mic element, 8 inch length (20.3cm).	1.2	242.00
F.01U.391.520	F.01U.118.524	MCS-325	5 watt passive modular loudspeaker without volume control. 1RU by 1/2 rack wide.	3.5	290.00
F.01U.143.100		ME-100	100' (30.5m) High flex cable with XLR-3 M/F connectors.	4.2	135.00
F.01U.143.101		ME-100/2	100' (30.5m) Super flex 2 channel cable w/XLR-6 M/F connectors.	5.1	443.00
F.01U.148.674		ME-2	2' (.61m) High flex cable with XLR-3 M/F connectors.	0.4	34.40
F.01U.148.676		ME-2/2	2' (.61m) Super flex 2 channel cable w/XLR-6 M/F connectors.	0.4	63.90

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.903		ME-25	25' (7.6m) High flex cable with XLR-3 M/F connectors.	1.0	66.50
F.01U.118.905		ME-25/2	25' (7.6m) Super flex 2 channel cable w/XLR-6 M/F connectors.	1.5	163.00
F.01U.118.904		ME-50	50' (15.2m) High flex cable with XLR-3 M/F connectors.	3.1	102.00
F.01U.118.906		ME-50/2	50' (15.2m) Super flex 2 channel cable w/XLR-6 M/F connectors.	2.7	246.00
F.01U.144.090		ME-6	6' (1.83m) High flex cable with XLR-3 M/F connectors.	1.5	41.50
F.01U.148.679		ME-6/2	6' (1.83m) Super flex 2 channel cable s/XLR-6 M/F connectors.	0.5	82.00
F.01U.360.527		MFX-12MC-B	12" multi-use coax monitor, black	46.6	2,586.00
F.01U.360.528		MFX-12MC-W	12" multi-use coax monitor, white	46.8	2,586.00
F.01U.360.529		MFX-15MC-B	12" multi-use coax monitor, black	56.2	2,924.00
F.01U.360.530		MFX-15MC-W	15" multi-use coax monitor, white	56.3	2,924.00
F.01U.365.355		MFX-CVR-12MC	Soft cover for MFX-12MC	2.2	99.00
F.01U.365.356		MFX-CVR-15MC	Soft cover for MFX-15MC	2.6	116.00
F.01U.365.351		MFX-RB-B	Rigging bar, MFX, black	3.5	221.00
F.01U.365.352		MFX-UB420-B	U bracket for MFX-12MC, 420mm, blk	6.8	358.00
F.01U.365.353		MFX-UB500-B	U bracket for MFX-12MC and MFX-15MC, 500mm	8.2	386.00
F.01U.365.354		MFX-UB600-B	U bracket for MFX-15MC, 600mm, blk	7.9	386.00
F.01U.144.818		MH-920	Shock mounted mic clip with gooseneck for RE920Tx, also compatible with RE92L and RE92Tx microphones.	0.2	74.60
F.01U.149.020		MIS8C	10-watt paging projector, 100° x 100°, weather resistant, flush mount, 8 ohms, gray	3.0	159.00
F.01U.149.024		MM2F	25-watt paging projector, 82° x 82°, submergence proof, flush mount, 16 ohms, gray	6.0	566.00
F.01U.117.803		MP1-B	Single Mounting Plate for ZX1. Includes spacers and detachable hang points.	5.0	145.00
F.01U.391.591	F.01U.145.107	MP785	Dynamic, 3 Zone, Low Z, Gooseneck paging mic	1.9	392.00
F.01U.391.522	F.01U.118.526	MRT327 A4F	2 channel modular user station w/call signaling, dual action mic switch, volume control, 3pin XLR loop through connectors, A4F headset jack. 1/4" gooseneck mic connector. 1RU by 1/2 rack wide.	4.0	690.00
F.01U.391.521	F.01U.118.525	MRT327 A5F	2 channel modular user station w/call signaling, dual action mic switch, volume control, 3pin XLR loop through connectors, A6F headset connector uses A5M headset connector. 1/4" gooseneck mic connector. 1RU by 1/2 rack wide.	4.0	690.00
F.01U.391.551	F.01U.118.755	MS-2002	2 Ch user/main station with 2.0 amp power supply with speaker. External balanced/unbalanced selector switch, dynamic mic headset jack, gooseneck mic jack, separate channel program input (DB-9F) and channel connectors (one XLR3M/F per channel plus XLR6) PA output and (2) RCA speaker output jacks. 1RU.	9.0	1,504.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.391.552	F.01U.118.777	MS4002	4 Ch user/main station with 4.0 amp power supply with speaker. External balanced/unbalanced selector switch, auto detect mic headset jack, gooseneck mic jack, separate channel program input (DB-9F) and channel connectors (one XLR3M/F per channel) PA output and (4) RCA speaker output jacks. 1RU.	15.5	2,045.00
F.01U.168.798		MSA-300	Mic stand adapter for HT-300 Handheld	0.1	22.60
F.01U.335.530		MXE5	DSP Matrix Mix Engine 24 x 24 performance audio matrix offers both routing and mixing functionalities. Serves as a communications hub for all IP-based peripherals and provides comprehensive supervision of all system-wide commands.	17.9	3,190.00
F.01U.391.505	F.01U.117.949	NC450A-6PIN	PTT Hand Mic, Noise Cancelling with A6M connector	1.0	169.00
F.01U.391.504	F.01U.117.947	NC450D	Dynamic, Normally open, Low Z, handheld paging mic	0.7	177.00
F.01U.117.897		NC-6FC	Neutrik 6-pin female connector (black).	0.5	33.10
F.01U.314.725		ND44	ND44, supercardioid dynamic drum/instrument mic	1.0	146.00
F.01U.314.726		ND46	ND46, supercardioid dynamic instrument mic	1.0	179.00
F.01U.314.727		ND66	ND66, cardioid condenser instrument mic	1.0	225.00
F.01U.315.065		ND68	ND68, supercardioid kick drum mic	1.0	225.00
F.01U.314.721		ND76	ND76, cardioid dynamic vocal mic	1.0	146.00
F.01U.346.238		ND76-RC3	Wireless head with ND76 capsule	0.6	143.00
F.01U.314.722		ND76S	ND76S, cardioid dynamic vocal mic w/switch	1.0	157.00
F.01U.314.723		ND86	ND86, supercardioid dynamic vocal mic	1.0	179.00
F.01U.346.239		ND86-RC3	Wireless head with ND86 capsule	0.6	177.00
F.01U.314.724		ND96	ND96, supercardioid dynamic vocal mic	1.0	225.00
F.01U.346.240		ND96-RC3	Wireless head with ND96 capsule	0.6	222.00
F.01U.118.160		NL-4S	Inductive neckloop	0.1	137.00
F.01U.120.447		OLM10	Omnidirectional lavalier condenser mic with TA4F wired for R100, RE-2 and RE-1 and any Telex wireless	1.0	66.20
F.01U.308.176		OM-1	OMNEO card for Dante Audio Transport	0.9	1,030.00
F.01U.278.503		OM-MM FIBER	Multi mode fiber module Omneo OMI	1.3	180.00
F.01U.311.136		OMN-ARNIE	ARNI E OMNEO Interface	3.3	8,561.00
F.01U.311.135		OMN-ARNIS	ARNI S OMNEO Interface	3.4	5,019.00
F.01U.385.330		OMS ADVANCED 4F	Main station Advanced 4ch A4M headset. 40 OMN	7.0	7,303.00
F.01U.385.329		OMS ADVANCED 4M	Main station Advanced 4ch A4M headset. 40 OMN	7.0	7,303.00
F.01U.385.331		OMS ADVANCED 5F	Main station Advanced 4ch A4M headset. 40 OMN	7.0	7,303.00
F.01U.363.396		OMS ANALOG 4F	Main station 4ch A4F headset. 4 ports of analog 2	7.0	1,680.00
F.01U.363.395		OMS ANALOG 4M	Main station 4ch A4M headset. 4 ports of analog 2	7.0	1,680.00
F.01U.363.397		OMS ANALOG 5F	Main station 4ch A5F headset. 4 ports of analog 2	7.0	1,680.00
F.01U.363.399		OMS BASIC 4F	Main station Basic 4ch A4F headset. 20 wired OM	7.0	3,628.00
F.01U.363.398		OMS BASIC 4M	Main station Basic 4ch A4M headset. 20 wired OM	7.0	3,628.00
F.01U.363.400		OMS BASIC 5F	Main station Basic 4ch A5F headset. 20 wired OM	7.0	3,628.00
F.01U.384.602		OMS INTERMED 4F	Main station Intermed 4ch A4F headset. 20 OMN	7.0	5,723.00
F.01U.384.601		OMS INTERMED 4M	Main station Intermed 4ch A4M headset. 20 OMN	7.0	5,723.00
F.01U.384.603		OMS INTERMED 5F	Main station Intermed 4ch A5F headset. 20 OMN	7.0	5,723.00
F.01U.385.327		OMS PLUS 4F	Main station Analog Plus 4ch A4F headset. 4 port	7.0	2,835.00
F.01U.385.326		OMS PLUS 4M	Main station Analog Plus 4ch A4M headset. 4 port	7.0	2,835.00
F.01U.385.328		OMS PLUS 5F	Main station Analog Plus 4ch A5F headset. 4 port	7.0	2,835.00
F.01U.384.777		OMS_A TO ADV	SW Upgrade Analog to Advanced - Product MAC	n/a	5,623.00
F.01U.384.774		OMS_A TO AP	SW Upgrade Analog to Analog Plus - Product MAC	n/a	1,155.00
F.01U.384.776		OMS_A TO INT	SW Upgrade Analog to Intermediate - Product MA	n/a	4,043.00
F.01U.384.780		OMS_AP TO ADV	SW Upgrade Analog Plus to Advanced - Product M	n/a	4,468.00
F.01U.384.779		OMS_AP TO INT	SW Upgrade Analog Plus to Intermediate - Produc	n/a	2,888.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.384.782		OMS_BAS TO ADV	SW Upgrade Basic to Advanced - Product MAC ID n/a		3,675.00
F.01U.384.781		OMS_BAS TO INT	SW Upgrade Basic to Intermediate - Product MAC n/a		2,095.00
F.01U.384.783		OMS_INT TO ADV	SW Upgrade Intermediate to Advanced - Product n/a		1,580.00
F.01U.351.837		OM-SM SFP ODIN	SFP Single Mode, 15 km, 2.67 Gbit/s	0.1	717.00
F.01U.145.219		P1-C	P1-C, Replacement power supply cable for RKP-4B, BTR-1 power supply, USA.	0.5	19.30
F.01U.120.172		PA 1250T 120V	Single Channel Class AB Commercial Power Amplifier, 1 x 270 watts at 70V/100V only, Compact 2RU Chassis, 100/120 vac operation	39.0	769.00
F.01U.120.174		PA 2250T 120V	Dual Channel Class AB Commercial Power Amplifier, 2 x 270 watts at 4 ohms, 70V/100V or Low Impedance Operation, Compact 2RU Chassis, 110/120 vac operation	54.0	1,045.00
F.01U.120.173		PA 2400T 120V	Dual Channel Class AB Commercial Power Amplifier, 2 x 430 watts at 4 ohms, 2 x 400 watts at 70V/100, 70.100V or Low Impedance Operation, Compact 2RU Chassis, 110/120 vac operation	60.0	1,327.00
F.01U.120.175		PA 2450L 120V	Dual Channel Class AB Commercial Power Amplifier, 2 x 450 watts at 4 ohms, Compact 2RU Chassis, 110/120 vac operation	39.0	873.00
F.01U.120.176		PA 4150L 120V	Four Channel Class AB Commercial Power Amplifier, 4 x 160 watts at 4 ohms, Compact 2RU Chassis, 110/120 vac operation	42.0	1,017.00
F.01U.120.449		PA430	30-watt constant-directivity paging projector, 60° x 40°, weather resistant, integral swivel bracket, 8 ohms, tan	4.0	167.00
F.01U.120.450		PA430T	30-watt constant-directivity paging projector, 60° x 40°, weather resistant, integral swivel bracket, 30-watt 25/70.7/100-volt transformer (30-, 15-, 7.5-, 3.7- and 1.9-watt taps), tan	5.0	202.00
F.01U.148.743		PAS-2NA	Replacement 120V/15VDC switching power supply	1.0	31.20
F.01U.120.587		PC BOUNDARY	Wired boundary multi-pattern condenser mic. Mic on/off switch, mic status LED.	1.0	374.00
F.01U.120.570		PC BOUNDARY SAT	Wireless boundary multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-V, RE-2, RE-1, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.)	1.0	545.00
F.01U.117.665		PC DESKTOP-12	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 12-inch gooseneck	2.2	480.00
F.01U.117.666		PC DESKTOP-18	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 18-inch gooseneck	2.2	480.00
F.01U.117.664		PC DESKTOP-5	Freestanding gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. 5-inch gooseneck	2.2	480.00
F.01U.117.615		PC PLUS-12	Multi-pattern gooseneck microphone with mic switch and universal base, 12-inch gooseneck	1.2	453.00
F.01U.117.614		PC PLUS-18	Multi-pattern gooseneck microphone with mic switch and universal base, 18-inch gooseneck	1.2	453.00
F.01U.117.660		PC PLUS-5	Multi-pattern gooseneck microphone with mic switch and universal base, 5-inch gooseneck	1.0	453.00
F.01U.117.650		PC SATELLITE-12	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 12-inch gooseneck	2.0	545.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.117.651		PC SATELLITE-18	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 18-inch gooseneck	2.0	545.00
F.01U.117.649		PC SATELLITE-5	Freestanding wireless gooseneck multi-pattern condenser mic. Mic on/off switch, mic status LED. (Works only with EV RE-1 or RE-2, and Telex FMR-1000, FMR-500 or Safe-1000 wireless systems.) 5-inch gooseneck	2.0	545.00
F.01U.117.617		PC-12/FL	Multi-pattern gooseneck microphone with flange mount, 12-inch gooseneck	1.0	468.00
F.01U.117.619		PC-12/XLR	Multi-pattern gooseneck microphone with XLR base, 12-inch gooseneck	1.0	380.00
F.01U.117.616		PC-18/FL	Multi-pattern gooseneck microphone with flange mount, 18-inch gooseneck	1.0	468.00
F.01U.117.618		PC-18/XLR	Multi-pattern gooseneck microphone with XLR base, 18-inch gooseneck	1.0	380.00
F.01U.349.975		PCO32A30-US	Powercord, powerCon 32 to NEMA L5-30 mains connector, 2m	1.3	129.00
F.01U.117.972		PC-USA	PC-USA, USA Power Cord for BTR-800/ 700/ 80N and BC800NM Battery Charger.	0.5	18.74
F.01U.118.086		PH-1 A4F	PH-1, Single-Sided Full Cushion Medium Weight Headset, A4F Connector	1.5	278.00
F.01U.118.089		PH-1 A4M	PH-1, Single-Sided Full Cushion Medium Weight Headset, A4M Connector	1.5	278.00
F.01U.118.090		PH-1 A5M	PH-1, Single-Sided Full Cushion Medium Weight Headset, A5M Connector	1.5	278.00
F.01U.118.091		PH-1 PT	PH-1, Single-Sided Full Cushion Medium Weight Headset, Pigtail Termination	1.5	244.00
F.01U.118.142		PH-16 A4F	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A4F Connector	2.0	466.00
F.01U.118.143		PH-16 A4M	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A4M Connector	2.0	466.00
F.01U.140.429		PH-16 A5M	PH-16, Dual-Sided Full Cushion Hearing Protection Headset, A5M Connector	1.6	466.00
F.01U.118.078		PH-2 A4F	PH-2, Dual-Sided Full Cushion Medium Weight Headset, A4F Connector	1.5	329.00
F.01U.118.080		PH-2 A4M	PH-2, Dual-Sided Full Cushion Medium Weight Headset, A4M Connector	1.5	329.00
F.01U.118.083		PH-2 PT	PH-2, Dual-Sided Full Cushion Medium Weight Headset, Pigtail Termination	1.5	294.00
F.01U.145.329		PH-21	Headworn, unidirectional Telex condenser mic with TA4 connector	0.8	205.00
F.01U.118.081		PH-3 A5F	PH-3, Dual-Sided Binaural Full Cushion Medium Weight Headset, A5F Connector	1.5	313.00
F.01U.118.082		PH-3 A5M	PH-3, Dual-Sided Binaural Full Cushion Medium Weight Headset, A5M Connector	1.5	313.00
F.01U.117.497		PH-44	PH-44, Dual-Sided Lightweight Headset, 6' (18M) Cord, A4F Connector	1.0	238.00
F.01U.117.499		PH-44A5	PH-44, Dual-Sided Lightweight Headset, 6' (18M) Cord, A5F Connector	1.0	238.00
F.01U.117.496		PH-44-IC3	PH-44, Dual-Sided Lightweight Headset, 9' (27M) Cord with 1/8" Split Feed - for use with Models #IC-W3 and #IC-W6	1.0	250.00
F.01U.117.501		PH-44PT	PH-44, Dual-Sided Lightweight Headset, 6' (18M) Cord, Pigtail Termination	1.0	227.00
F.01U.117.498		PH-44R	PH-44, Dual-Sided Lightweight Headset, 6' (18M) Cord, A4M Connector	1.0	238.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.117.500		PH-44R5	PH-44, Dual-Sided Lightweight Headset, 6' (18M) Cord, A5M Connector	1.0	238.00
F.01U.144.577		PH-44R6-GPI	Double side headset, PTT, 6' (18M) Cord A6M Connector	0.8	358.00
F.01U.117.489		PH-88	PH-88, Single-Sided Lightweight Headset, 6' (18M) Cord, A4F Connector	1.0	230.00
F.01U.117.492		PH-88E	PH-88, Single-Sided Lightweight Headset, 12' (36M) Coiled Cord, A4F Connector	1.0	265.00
F.01U.117.493		PH88E-R	PH-88, Single-Sided Lightweight Headset, 12' (36M) Coiled Cord, A4M Connector	1.0	265.00
F.01U.144.073		PH-88ER6	Single side headset, coiled, PTT, 6' (18M) Cord A6M Connector	0.6	347.00
F.01U.117.494		PH-88-IC3	PH-88, Single-Sided Lightweight Headset, 9' (27M) Cord with 1/8" Split Feed - for use with Models #IC-W3 and #IC-W6	1.0	237.00
F.01U.144.482		PH-88-IC3-QD	PH-88, Single-Sided Lightweight Headset, 9' (27M) Cord with 1/8" Split Feed - QUICK DISCONNECT - for use with Models #IC-W3 and #IC-W6	1.0	250.00
F.01U.117.490		PH-88R	PH-88, Single-Sided Lightweight Headset, 6' (18M) cord, A4M Connector	1.0	230.00
F.01U.117.491		PH-88R5	PH-88, Single-Sided Lightweight Headset, 6' (18M) Cord, A5M Connector	1.0	230.00
F.01U.144.579		PH-88R6-AAB	Single side headset, PTT, 6' (18M) Cord A6M Connector	1.5	339.00
F.01U.117.652		PH8S	Single-sided w/flexible dynamic boom mic, 150 Ohm earphone, 6' (1.8M) Cord, and .350 mini Connector for use with SONY camera only. (replaces Sony DR-100).	1.0	227.00
F.01U.120.619		PL33	PL33, Kick drum microphone, Dynamic, Supercardioid	1.5	127.00
F.01U.167.782		PL35	PL35, Tom/snare microphone, Dynamic, Supercardioid, Integrated swivel and clamp	1.2	101.00
F.01U.120.621		PL37	PL37, Overhead microphone, Condenser, Cardioid	1.1	101.00
F.01U.120.617		PL80A	PL80a, Vocal microphone, Dynamic, Supercardioid, Ultra low noise	1.3	123.00
F.01U.120.618		PL80C	PL80c, Vocal microphone, Dynamic, Supercardioid, Ultra low noise / CLASSIC FINISH	1.3	123.00
F.01U.066.938		PLE-10M2-EU	Plena Mixer	13.9	759.00
F.01U.066.940		PLE-1CS	All-call, call station	2.5	184.00
F.01U.066.845		PLE-1MA030-US	30 watt mixer amplifier	13.0	435.00
F.01U.066.844		PLE-1MA060-US	60 watt mixer amplifier	20.0	541.00
F.01U.066.846		PLE-1MA120-US	120 watt mixer amplifier	24.0	676.00
F.01U.213.775		PLE-1ME060-US	60 watt economy mixer amplifier	19.0	379.00
F.01U.213.778		PLE-1ME120-US	120 watt economy mixer amplifier	23.0	471.00
F.01U.213.781		PLE-1ME240-US	240 watt economy mixer amplifier	27.0	649.00
F.01U.066.944		PLE-1P120-US	120 watt amplifier	25.0	649.00
F.01U.066.945		PLE-1P240-US	240 watt amplifier	29.0	1,015.00
F.01U.066.941		PLE-2CS	2-zone, call station	2.5	317.00
F.01U.066.848		PLE-2MA120-US	2-channel, 120 watt mixer amplifier	25.0	854.00
F.01U.066.937		PLE-2MA240-US	2-channel, 240 watt mixer amplifier	29.0	1,274.00
F.01U.074.862		PLE-WP3S2Z-US	Wall panel	1.0	105.00
F.01U.292.965		PLM-4P125-US	4x120 watt Amplifier; 4 inputs with DSP; PC or iOS control	39.7	2,188.00
F.01U.292.964		PLM-4P220-US	4x220 watt amplifier; 4 inputs with DSP; PC or iOS control	44.1	2,834.00
F.01U.269.007		PLM-8CS	Call station for Plena Matrix systems	2.6	1,127.00
F.01U.293.225		PLM-8M8-US	8-Zone Digital Matrix Mixer; PC or iOS Control	15.8	2,188.00
F.01U.269.008		PLM-WCP	Wall panel for Plena Matrix systems	0.5	411.00
F.01U.012.731		PLN-1EOL	Plena end-of-line board (6 boards in pack)	0.5	331.00
F.01U.080.372		PLN-6TMW-US	Plena weekly timer	11.0	1,696.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.358.131		PRA-PSM24	24V Power Supply		212.00
F.01U.358.130		PRA-PSM48	48V Power Supply	2.5	222.00
F.01U.074.442		PRS-16MCI	Multi-channel interface	18.0	3,007.00
F.01U.064.686		PRS-1AIP1	IP Audio Interface (used for SIP phone paging) - with North America Powercord	1.2	1,856.00
F.01U.010.341		PRS-1B500	Basic Amplifier, 1 X 500W	31.0	2,486.00
F.01U.083.925		PRS-1B500-US	Basic Amplifier, 1 X 500W (US)	31.0	2,486.00
F.01U.065.237		PRS-1P500	Power Amplifier 1 X 500W	35.0	4,474.00
F.01U.127.395		PRS-1P500-US	Power Amplifier, 1 X 500W (US); successor to LBB4421	35.0	4,474.00
F.01U.010.342		PRS-2B250	Basic Amplifier, 2 X 250W	34.0	3,162.00
F.01U.083.926		PRS-2B250-US	Basic Amplifier, 2 X 250W (US)	34.0	3,162.00
F.01U.065.240		PRS-2P250	Power Amplifier 2 X 250W	38.0	5,310.00
F.01U.127.396		PRS-2P250-US	Power Amplifier, 2 X 250W (US); successor to LBB4422	38.0	5,310.00
F.01U.290.344		PRS-4AEX4	Audio Expander	17.3	3,235.00
F.01U.012.834		PRS-4B125	Basic Amplifier, 4 X 125W	35.0	3,614.00
F.01U.083.927		PRS-4B125-US	Basic Amplifier, 4 X 125W (US)	35.0	3,614.00
F.01U.303.397		PRS-4OMI4	OMNEO Interface	16.5	4,586.00
F.01U.065.241		PRS-4P125	Power Amplifier 4 X 125W	42.0	5,829.00
F.01U.127.397		PRS-4P125-US	Power Amplifier, 4 X 125W (US); successor to LBB4424	42.0	5,829.00
F.01U.083.928		PRS-8B060-US	Basic Amplifier, 8 X 60W (US)	36.0	3,842.00
F.01U.126.287		PRS-CRF	Call Stacker	2.0	2,672.00
F.01U.133.190		PRS-CSC-E	PC Call Station Client, E-Code	n/a	597.00
F.01U.126.292		PRS-CSI	Call Station Interface	2.1	1,226.00
F.01U.214.861		PRS-CSKPM	Call Station Keypad Module (replaces LBB4434/00)	1.8	327.00
F.01U.214.860		PRS-CSM	Call Station Module (replaces LBB4433/00)	1.8	814.00
F.01U.126.285		PRS-CSNKP	Numeric Keypad	2.0	890.00
F.01U.126.293		PRS-CSR	Call Station Remote	3.4	1,070.00
F.01U.214.862		PRS-CSRSM	Remote Call Station Module (replaces PRS- CSRK)	1.8	814.00
F.01U.126.288		PRS-FIN	Fiber interface	1.2	1,114.00
F.01U.126.289		PRS-FINNA	Fiber interface, non-addressable	1.2	1,114.00
F.01U.126.290		PRS-FINS	Fiber interface, single mode	1.2	1,672.00
F.01U.249.771		PRS-NCO3	Network Controller (Incl. PRS-SW)	20.8	7,500.00
F.01U.284.981		PRS-NCO3-US	Network Controller (Incl. PRS-SW) (US)	20.8	7,500.00
F.01U.126.291		PRS-NSP	Network splitter	1.2	1,114.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.127.025		PRS-SWCS	PC Call Server	1.0	1,193.00
F.01U.133.191		PRS-SWCSL-E	PC Call Server NCO License, E-Code	n/a	597.00
F.01U.133.192		PRS-TIC-E	PC Telephone Interface Client (Need PRS-SWCS), E-Code	n/a	479.00
F.01U.391.553	F.01U.118.802	PS-20	1.8 amp per channel in 2ch mode power supply for 25 stations,. Features 2 and 4 channel operation, monitoring, 2ch program input, audio linking and 3-mode of operation: RTS 2ch, RTS 4ch and Clear-Com mode. 110-240v 1RU by 1/2 rack wide. UL/CE approved.	5.0	1,048.00
F.01U.391.536	F.01U.118.705	PS-2001L	2 Ch 2.0 amp switching power supply with channel combine/isolate switch, balanced and unbalanced operation and (2) XLR-3M channel connectors (one per channel). 1/2 rack wide by 1 high.	5.0	734.00
F.01U.391.538	F.01U.118.710	PS-4001	4 Ch 2.0 amp switching power supply with auto load distribution fault detect for each channel (4) XLR-3M channel connectors, (1) D-15 connector for use with ES-4000A. Balanced/unbalanced operation. 1/2 rack wide by 1 high.	5.5	1,155.00
F.01U.149.223		PS800NM	PS800NM, Power supply for Single bay NMH charger	2.0	59.60
F.01U.120.579		PS800NM4	PS800NM4, Power supply for 4 bay NMH charger.	3.0	151.00
F.01U.145.137		PS-L	Wall pack transformer for US/ES/WM/SS user stations NOTE: PS-L WILL NOT POWER STATION EQUIPMENT DOWNLINE.	1.0	35.70
F.01U.143.393		PSP-D00039	Spec PRS-NSP Master	0.2	2,562.00
F.01U.143.397		PSP-D00040	Spec NSP-NSP Slave	0.2	2,562.00
F.01U.366.871		PSP-D00091	10 Meter Kycon Power cable blunt cut		108.00
F.01U.118.402		PST-170	17-channel portable transmitter with E.D.R feature, auxiliary input, and OLM10 omnidirectional microphone, recharge contacts, runs on two AA batteries (sold separately)	1.0	674.00
F.01U.118.044		PT-400	PT-400, DPDT In Line Push To Talk Switch Kit W/Locking Feature.	0.5	83.10
F.01U.118.045		PT-400NL	PT-400NL, DPDT In-Line Push To Talk Switch Kit W/Non-Locking Feature.	0.5	83.10
F.01U.391.510	F.01U.118.505	PTT-A4M	PTT Hand Mic, Noise Cancelling with A4M connector	1.0	152.00
F.01U.391.582	F.01U.140.431	PTT-A5M	PTT Hand Mic, Noise Cancelling with A5M connector	1.0	152.00
F.01U.298.720		PVA-15CST	PAVIRO Matrix Call station	4.0	822.00
F.01U.322.533		PVA-15ECS	PAVIRO Call Station with Two Emergency Buttons and Key Switch installed at the factory	4.0	1,147.00
F.01U.312.985		PVA-1EB	PAVIRO Emergency Button	0.1	95.70
F.01U.312.984		PVA-1KS	PAVIRO Key Switch	0.1	156.00
F.01U.305.077		PVA-1WEOL	PAVIRO End-of-Line Slave Module	0.1	145.00
F.01U.298.723		PVA-20CSE	PAVIRO Matrix Call station extension	1.8	520.00
F.01U.298.641		PVA-2P500	PAVIRO Matrix Amplifier 2 x 500W	41.7	3,132.00
F.01U.298.639		PVA-4CR12	PAVIRO Matrix Controller	22.0	2,274.00
F.01U.298.640		PVA-4R24	PAVIRO Matrix Router	21.7	1,912.00
F.01U.298.726		PVA-CSK	PAVIRO Matrix Call station kit	1.7	1,185.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.372.529		PXM-12M-CVR	Padded cover for PXM-12MP	1.9	85.80
F.01U.362.554		PXM-12MP-US	700 Watt 12" powered coaxial monitor, 90° x 90°	34.3	1,398.00
F.01U.272.375		QRX-112/75-BLK	12-inch two-way, 75° x 50° asymmetrical HF with DH7, 300 watts, passive/biamp, flying, pole mount, black	64.0	2,057.00
F.01U.272.409		QRX-115/75-BLK	15-inch two-way, 75° x 50° asymmetrical HF with DH7, 400 watts, passive/biamp, flying, pole mount, black	71.0	2,116.00
F.01U.272.394		QRX-118S-BLK	600 watt 18-inch subwoofer with EVX-180B driver, rectangular box, non-slip feet bottom and side, pole mount on top, black	109.0	1,998.00
F.01U.272.389		QRX-153/75-BLK	15-inch 3-way, 75° x 50° asymmetrical HF with DH7, asymmetrical MF horn with 8-inch cone, biamp only, flying, black	105.0	2,820.00
F.01U.272.379		QRX-212/75-BLK	Dual 12-inch two-way, 75° x 50° asymmetrical HF with DH7, 600 watts, passive/biamp, flying, black	88.0	2,585.00
F.01U.272.399		QRX-218S-BLK	1200 watt dual 18-inch subwoofer with EVX-180B drivers, comes with rear-mounted pocket wheels and 30-inch pole, black	160.0	3,232.00
F.01U.272.400		QRX-218S-BLK W/RIG	1200-watt dual 18-inch subwoofer with EVX-180B drivers, flying, black. NOTE: SPECIAL ORDER - please call for manufacturing leadtime	160.0	3,644.00
F.01U.168.771		R300-E-B	Headworn System in case	4.9	340.00
F.01U.306.184		R300-E-C	Headworn System in case	4.9	340.00
F.01U.306.180		R300-HD-C	Handheld System PL22 in case	5.2	325.00
F.01U.306.182		R300-L-C	Uni-Lapel System in case	4.8	325.00
F.01U.306.186		R300-RX-C	Receiver only in case	4.4	223.00
F.01U.144.918		RA-3	RA-3, Omni Antenna (3db), with TNC reverse polarity connector	0.5	42.40
F.01U.144.919		RA-5	RA-5, Omni Antenna (5db), magnetic mount with TNC reverse polarity connector	0.5	54.10
F.01U.117.877		RA-5E	Omni Antenna Kit (5dB), magnetic mount with TNC reverse polarity plug connector, plus 1.5m (5 ft) coaxial cable and TNC reverse polarity coupler (jack to jack).	0.6	92.40
F.01U.117.871		RA-7	RA-7, Omni Antenna (7db), with TNC reverse polarity connector	0.5	83.60
F.01U.117.876		RA-7E	Omni Antenna Kit (7dB), with TNC reverse polarity plug connector, AB-24 antenna mount bracket and 4.6m (15 ft) coaxial cable.	1.0	83.60
F.01U.170.777		RCC-PL22	Dynamic Microphone for HT-300	0.3	96.10
F.01U.101.277		RCM-810	RCM-810 IRIS-Net Remote Control Retrofit Module for CPS Mk II and CPS Multichannel Amplifiers	2.0	448.00
F.01U.117.389		RE20	"Classic" Variable-D dynamic cardioid studio microphone	3.3	609.00
F.01U.388.793		RE20-BLACK	Variable-D announcers microphone, Black	3.3	609.00
F.01U.117.390		RE27N/D	N/DYM Variable-D® dynamic cardioid studio microphone	3.2	700.00
F.01U.120.616		RE320	Variable-D dynamic cardioid microphone for vocals and instruments with 2 position personality switch	3.3	337.00
F.01U.353.087		RE3-ACC-AASP	2-in x 8-out active antenna splitter, 470-960 MHz	8.2	585.00
F.01U.353.093		RE3-ACC-ALPA	Active log periodic antenna, 470-960 MHz	1.7	350.00
F.01U.353.089		RE3-ACC-BC2	Two slot battery charger	1.4	233.00
F.01U.353.085		RE3-ACC-CL3	Cardioid lavalier mic with TA4F	0.3	152.00
F.01U.353.097		RE3-ACC-CXU10	10 foot, 50 ohm BNC coax cable	0.3	57.80

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.353.102		RE3-ACC-CXU100	100 foot, 50 ohm low loss BNC coax cable	6.5	586.00
F.01U.353.098		RE3-ACC-CXU2	2 foot antenna coax cable (pair)	0.1	45.50
F.01U.353.096		RE3-ACC-CXU25	25 foot, 50 ohm low loss BNC coax cable	0.9	112.00
F.01U.353.095		RE3-ACC-CXU50	50 foot, 50 ohm low loss BNC coax cable	3.3	294.00
F.01U.353.101		RE3-ACC-CXU75	75 foot, 50 ohm low loss BNC coax cable	4.8	439.00
F.01U.353.099		RE3-ACC-CXUF	Rear to front mount antenna cable kit	0.2	57.80
F.01U.353.100		RE3-ACC-GC3	Instrument cable, 1/4 to TA4F	0.2	45.50
F.01U.353.103		RE3-ACC-HHTSA1	Stand adapter for RE3-HHT transmitter	0.2	33.90
F.01U.353.086		RE3-ACC-HW3	Headworn mic with TA4F	0.3	152.00
F.01U.353.084		RE3-ACC-OL3	Omnidirectional lavalier mic with TA4F	0.3	152.00
F.01U.353.088		RE3-ACC-PASP	1 x 2 passive antenna splitter kit, 10-1000 MHz	0.8	163.00
F.01U.374.699		RE3-ACC-PCA	Polar Choice adapter for RE3-BPT	0.1	24.20
F.01U.353.094		RE3-ACC-PLPA	Passive log periodic antenna, 470-960 MHz	1.9	292.00
F.01U.353.092		RE3-ACC-RFAMP	Active RF antenna booster, 470-960 MHz	0.6	152.00
F.01U.353.091		RE3-ACC-RMK1	Rack mount kit for single RE3 receiver	1.1	68.30
F.01U.353.090		RE3-ACC-RMK2	Rack mount kit for two RE3 receivers	0.7	68.30
F.01U.354.232		RE3-BPCL-5H	Bodypack set, cardioid mic 560-596 MHz	5.7	668.00
F.01U.354.231		RE3-BPCL-5L	Bodypack set, cardioid mic 488-524 MHz	5.7	668.00
F.01U.354.233		RE3-BPCL-6M	Bodypack set, cardioid mic 653-663 MHz	5.6	668.00
F.01U.354.259		RE3-BPGC-5H	Bodypack instrument set 560-596 MHz	5.6	557.00
F.01U.354.270		RE3-BPGC-5L	Bodypack instrument set 488-524 MHz	5.6	557.00
F.01U.354.258		RE3-BPGC-6M	Bodypack instrument set 653-663 MHz	5.4	557.00
F.01U.354.237		RE3-BPHW-5H	Bodypack set, headworn mic 560-596 MHz	5.7	668.00
F.01U.354.236		RE3-BPHW-5L	Bodypack set, headworn mic 488-524 MHz	5.7	668.00
F.01U.354.238		RE3-BPHW-6M	Bodypack set, headworn mic 653-663 MHz	5.6	668.00
F.01U.380.506		RE3-BPKRSB-5H	Bodypack set, for ref switch 560-596MHz	5.4	538.00
F.01U.380.505		RE3-BPKRSB-5L	Bodypack set, for ref switch 488-524MHz	5.4	538.00
F.01U.380.507		RE3-BPKRSB-6M	Bodypack set, for ref switch 653-663MHz	5.3	538.00
F.01U.353.065		RE3-BPNID-5H	Bodypack set, no input device 560-596 MHz	5.4	512.00
F.01U.353.064		RE3-BPNID-5L	Bodypack set, no input device 488-524 MHz	5.4	512.00
F.01U.353.066		RE3-BPNID-6M	Bodypack set, no input device 653-663 MHz	5.2	512.00
F.01U.354.227		RE3-BPOL-5H	Bodypack set, omni lavalier 560-596 MHz	5.7	668.00
F.01U.354.226		RE3-BPOL-5L	Bodypack set, omni lavalier 488-524 MHz	5.7	668.00
F.01U.354.228		RE3-BPOL-6M	Bodypack set, omni lavalier 653-663 MHz	5.6	668.00
F.01U.353.075		RE3-BPT-5H	Bodypack transmitter 560-596 MHz	0.5	278.00
F.01U.353.074		RE3-BPT-5L	Bodypack transmitter 488-524 MHz	0.5	278.00
F.01U.353.076		RE3-BPT-6M	Bodypack transmitter 653-663 MHz	0.5	278.00
F.01U.380.509		RE3-BPTRSB-5H	Bodypack TX, for ref switch 560-596MHz	0.5	292.00
F.01U.380.508		RE3-BPTRSB-5L	Bodypack TX, for ref switch 488-524MHz	0.5	292.00
F.01U.380.510		RE3-BPTRSB-6M	Bodypack TX, for ref switch 653-663MHz	0.5	292.00
F.01U.354.263		RE3-HHT420-5H	Handheld transmitter with RE420 head, 560-596 MHz	1.9	557.00
F.01U.354.264		RE3-HHT420-5L	Handheld transmitter with RE420 head, 488-524 MHz	1.9	557.00
F.01U.354.262		RE3-HHT420-6M	Handheld transmitter with RE420 head, 653-663 MHz	1.9	557.00
F.01U.354.266		RE3-HHT520-5H	Handheld transmitter with RE520 head, 560-596 MHz	1.9	557.00
F.01U.354.265		RE3-HHT520-5L	Handheld transmitter with RE520 head, 488-524 MHz	1.9	557.00
F.01U.354.267		RE3-HHT520-6M	Handheld transmitter with RE520 head, 653-663 MHz	1.9	557.00
F.01U.354.254		RE3-HHT76-5H	Handheld transmitter with ND76 head, 560-596 MHz	2.2	367.00
F.01U.354.255		RE3-HHT76-5L	Handheld transmitter with ND76 head, 488-524 MHz	2.2	367.00
F.01U.354.253		RE3-HHT76-6M	Handheld transmitter with ND76 head, 653-663 MHz	2.2	367.00
F.01U.354.249		RE3-HHT86-5H	Handheld transmitter with ND86 head, 560-596 MHz	2.2	400.00
F.01U.354.250		RE3-HHT86-5L	Handheld transmitter with ND86 head, 488-524 MHz	2.2	400.00
F.01U.354.248		RE3-HHT86-6M	Handheld transmitter with ND86 head, 653-663 MHz	2.2	400.00
F.01U.354.244		RE3-HHT96-5H	Handheld transmitter with ND96 head, 560-596 MHz	2.2	445.00
F.01U.354.245		RE3-HHT96-5L	Handheld transmitter with ND96 head, 488-524 MHz	2.2	445.00
F.01U.354.243		RE3-HHT96-6M	Handheld transmitter with ND96 head, 653-663 MHz	2.2	445.00
F.01U.354.200		RE3-ND76-5H	Handheld set with ND76 head 560-596 MHz	6.8	668.00
F.01U.354.199		RE3-ND76-5L	Handheld set with ND76 head 488-524 MHz	6.8	668.00
F.01U.354.201		RE3-ND76-6M	Handheld set with ND76 head 653-663 MHz	6.8	668.00
F.01U.354.205		RE3-ND86-5H	Handheld set with ND86 head 560-596 MHz	6.8	702.00
F.01U.354.204		RE3-ND86-5L	Handheld set with ND86 head 488-524 MHz	6.8	702.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.354.206		RE3-ND86-6M	Handheld set with ND86 head 653-663 MHz	6.8	702.00
F.01U.354.210		RE3-ND96-5H	Handheld set with ND96 head 560-596 MHz	6.8	723.00
F.01U.354.209		RE3-ND96-5L	Handheld set with ND96 head 488-524 MHz	6.8	723.00
F.01U.354.211		RE3-ND96-6M	Handheld set with ND96 head 653-663 MHz	6.8	723.00
F.01U.354.215		RE3-RE420-5H	Handheld set with RE420 head 560-596 MHz	6.6	837.00
F.01U.354.214		RE3-RE420-5L	Handheld set with RE420 head 488-524 MHz	6.7	837.00
F.01U.354.216		RE3-RE420-6M	Handheld set with RE420 head 653-663 MHz	6.7	837.00
F.01U.354.220		RE3-RE520-5H	Handheld set with RE520 head 560-596 MHz	6.7	837.00
F.01U.354.219		RE3-RE520-5L	Handheld set with RE520 head 488-524 MHz	6.7	837.00
F.01U.354.223		RE3-RE520-6M	Handheld set with RE520 head 653-663 MHz	6.7	837.00
F.01U.353.080		RE3-RX-5H	RE3 half rack space receiver 560-596 MHz	3.3	367.00
F.01U.353.079		RE3-RX-5L	RE3 half rack space receiver 488-524 MHz	3.3	367.00
F.01U.353.081		RE3-RX-6M	RE3 half rack space receiver 653-663 MHz	3.3	367.00
F.01U.346.236		RE420	Premium condenser cardioid vocal microphone	1.3	333.00
F.01U.346.241		RE420-RC3	Wireless head with RE420 capsule	0.6	333.00
F.01U.117.391		RE50/B	"Classic" dynamic omnidirectional interview microphone, black	1.7	229.00
F.01U.306.161		RE50L	RE50L, Omnidirectional broadcast interview microphone, black, 9.5" long	1.3	254.00
F.01U.117.392		RE50N/D-B	N/DYM® dynamic omnidirectional interview microphone, black	1.7	275.00
F.01U.306.162		RE50N/D-L	RE50N/D-L, Omnidirectional broadcast interview microphone w/neodmium element, black, 9.5" long	1.2	295.00
F.01U.346.237		RE520	Premium condenser supercardioid vocal microphone	1.3	333.00
F.01U.346.242		RE520-RC3	Wireless head with RE520 capsule	0.4	333.00
F.01U.391.492	F.01U.117.395	RE90B	Boundary condenser microphone, black	1.0	318.00
F.01U.391.493	F.01U.117.396	RE90BW	Boundary condenser microphone, white	1.0	318.00
F.01U.391.496	F.01U.117.403	RE90H	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, black	1.0	318.00
F.01U.391.497	F.01U.117.404	RE90HW	Hanging choir condenser with in-line preamp with XLR-type connector, 25-ft cable, white	1.0	318.00
F.01U.391.495	F.01U.117.401	RE90P-12	Gooseneck podium cardioid condenser microphone with XLR base, 12-inch gooseneck	1.0	318.00
F.01U.391.494	F.01U.117.400	RE90P-18	Gooseneck podium cardioid condenser microphone with XLR base, 18-inch gooseneck	1.0	318.00
F.01U.391.502	F.01U.117.728	RE920TX	Premium cardioid instrument mic with a custom shock mounting clip and TA4 connector	1.0	261.00
F.01U.391.500	F.01U.117.646	RE92H	Premium hanging choir cardioid condenser microphone with in-line preamp, XLR-type connector, 25ft cable. Black.	1.0	362.00
F.01U.391.501	F.01U.117.647	RE92HW	Premium hanging choir cardioid condenser microphone with in-line preamp, XLR-type connector, 25ft cable. White.	1.0	362.00
F.01U.391.498	F.01U.117.644	RE92L	Premium lapel microphone, cardioid.	0.5	341.00
F.01U.391.499	F.01U.117.645	RE92TX	Premium Cardioid Lapel Microphone with TA4F connector for R100, RE-2, RE-1 and any Telex wireless	1.0	288.00
F.01U.285.427		RE97-2TX-BEIGE	RE97-2TX Beige, Omni 2-Sided low Profile Headworn Microphone w/ Telex TA4F Connector	1.0	436.00
F.01U.149.502		RE97LTX-BEIGE	RE97LTX, Beige Mini Theatrical Omni Lapel Microphone	1.0	297.00
F.01U.149.504		RE97LTX-BLACK	RE97LTX, Black Mini Theatrical Omni Lapel Microphone	1.0	297.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.117.719		RE97TX-BEIGE	MiniMic Omnidirectional Low Profile Headworn microphone in light beige color with TA4F connector	1.0	436.00
F.01U.117.729		RE97TX-BLACK	MiniMic Omnidirectional Low Profile Headworn microphone in black color with TA4F connector	0.4	436.00
F.01U.391.568	F.01U.118.888	RM-14	Single rack mount for use with SS-2002RM ONLY.	1.0	94.50
F.01U.168.792		RM-300	Single Rack Mount Kit for R300 Receiver	0.6	35.50
F.01U.391.528	F.01U.118.569	RM325 A4F	2 channel binaural (stereo) programmable modular user station w/call signaling, dual action mic switch, individual volume controls. Program input and DB-15F aux connector for custom connections. 3pin XLR loop through connectors, A4F headset jack. No gooseneck option. 1RU by 1/2 rack wide.	4.0	692.00
F.01U.391.527	F.01U.118.568	RM-325 A5F	2 channel binaural (stereo) programmable modular user station w/call signaling, dual action mic switch, individual volume controls. Program input and DB-15F aux connector for custom connections. A6F headset connector uses a A5M headset connector. No gooseneck option. 1RU by 1/2 rack wide.	4.0	692.00
F.01U.117.708		RM-800	RM-800, Rack mount reinforcement for BTR-700/800.	1.5	72.20
F.01U.118.157		RM-D	Dual rack mount for 1/2 rack wireless components - ST-300, and TT-16.	2.0	89.40
F.01U.168.793		RMD-300	Dual Rack Mount Kit for R300 Receiver	0.4	50.80
F.01U.391.526	F.01U.118.553	RMK-D BLACK	Dual rack mount kit mounts 1/2 rack components in center of 19" rack. Includes all mounting hardware. For use with PS2001L, PS4001L, SPS2001, US2002, ES4000A, SPK2000.	0.5	103.00
F.01U.391.524	F.01U.118.551	RMK-S BLACK	Single rack mount kit mounts 1/2 rack components in center of 19" rack. Includes all mounting hardware. For use with PS2001L, PS4001L, SPS2001, US2002, ES4000A, SPK2000.	1.0	103.00
F.01U.391.525	F.01U.118.552	RMK-S GREY	Single rack mount kit for CIA-1000 only - includes all hardware. Grey color.	1.0	147.00
F.01U.118.156		RM-S	Single rack mount for 1/2 rack wireless components - ST-300, and TT-16.	2.0	71.20
F.01U.247.882		RPK-42-B	Rough in package for new construction. For use with the C4.2 speaker only. Includes junction box and flexible conduit to support pre wiring of the installation (PACKAGE OF 2)	12.0	173.00
F.01U.251.468		RPK-810-B	Rough in package for new construction. For use with the C8.2HC and C10.1 speaker only. Includes junction box and flexible conduit to support pre-wiring of the installation (PACKAGE OF 2)	14.8	173.00
F.01U.247.883		RPK-82-B	Rough in package for new construction. For use with the C4.2LP, C6.2, C8.2 and C8.2LP speakers only. Includes junction box and flexible conduit to support pre wiring of the installation (PACKAGE OF 2)	16.0	173.00
F.01U.117.873		RPT-10	RPT-10, 10 Foot Coax Cable with TNC Reverse Polarity Connector	1.5	85.60
F.01U.144.928		RPT-25	RPT-25, 25 Foot Coax Cable with TNC Reverse Polarity Connector	2.0	105.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.144.920		RPT-3	RPT-3, 3 Foot Coax Cable with TNC Reverse Polarity Connector	1.0	72.20
F.01U.144.927		RPT-5	RPT-5, 5 Foot Coax Cable with TNC Reverse Polarity Connector	1.0	76.20
F.01U.247.884		RR-42-B	Rough-in mounting plate for new construction for use with the EVID C4.2 (PACKAGE OF 4)	15.0	150.00
F.01U.247.881		RR-810-B	Rough-in mounting plate for new construction for use with the EVID C8.2HC and C10.1 (PACKAGE OF 4)	19.0	150.00
F.01U.247.880		RR-82-B	Rough-in mounting plate for new construction for use with the EVID C4.2LP, C6.2, C8.2 and C8.2LP (PACKAGE OF 4)	17.0	150.00
F.01U.321.578		RR-PC62-B	Rough-in mounting plate for new construction for use with the EVID PC6.2 (PACKAGE OF 4)	19.1	150.00
F.01U.321.579		RR-PC82-B	Rough-in mounting plate for new construction for use with the EVID PC8.2 (PACKAGE OF 4)	17.2	150.00
F.01U.145.335		RSB-2	Referee switch box for beltpack transmitters with a TA4 mic connector for use with WT-1000-REF, BPU2PRO-REF, REV-BP-REF, WTU-2 and REV-WT only.	1.0	473.00
F.01U.118.018		RTR-04	RTR-04, Telethin® Driver, 15 Ohm	0.5	31.00
F.01U.118.019		RTV-04	RTV-04, Telethin® Driver, 125 Ohm	0.5	33.10
F.01U.118.020		RTW-04	RTW-04, Telethin® Driver, 500 Ohm	0.5	29.80
F.01U.118.021		RTX-04	RTX-04, Telethin® Driver, 1000 Ohm	0.5	29.80
F.01U.118.022		RTY-04	RTY-04, Telethin® Driver, 2000 Ohm	0.5	29.80
F.01U.316.557		SAND-1	SAND-1, Stand adapter for ND46 and ND66, also fits ND44	1.0	22.60
F.01U.391.514	F.01U.118.510	SAP1626	Source assign panel for channel assignment - 12 TW circuits and 3 program.	13.0	6,091.00
F.01U.391.523	F.01U.118.535	SAP612	Source assign panel for channel assignment - 6ch to 12 TW positions.	5.0	1,262.00
F.01U.118.949		SAPL-1	SAPL-1, Microphone stand adapter for all PL and ND Series VOCAL microphones	0.3	21.50
F.01U.118.950		SAPL-2	SAPL-2, Microphone stand adapter for RE20, RE20-BLACK, RE27N/D, RE320, ND68 and PL33	0.3	51.70
F.01U.118.951		SAPL-3	SAPL-3, Isolating shock mount stand adapter for PL37 condenser microphone	0.3	21.50
F.01U.265.572		SB122	400-watt 12-inch high excursion subwoofer, low-pass filter, Neutrik Speakon® connectors, flying and stand mount, black polypropylene	33.0	641.00
F.01U.118.490		SBC-1	SBC-1, Swivel beltclip for TR-1/ 700/ 800/ 825/ 80N/ RKP-4.	0.5	28.50
F.01U.117.806		SC-ZX1	Slip Cover for ZX1 with drawstring	2.0	71.50
F.01U.118.945		SE-42	EVID FM 4.2 Surface Mount Enclosure Kit (sold and priced per pair)	3.8	79.90
F.01U.118.946		SE-62	EVID FM 6.2 Surface Mount Enclosure Kit (sold and priced per pair)	5.4	102.00
F.01U.118.013		SEB-1	Single earbud with cord.	0.5	14.70
F.01U.251.469		SFMC-300	Front Mount Antenna Cables for RM-300	0.2	43.10
F.01U.124.476		SM-2-A	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.146.400		SM-2-B	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.402		SM-2-C	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.404		SM-2-D	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.406		SM-2-E	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.408		SM-2-F	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.410		SM-2-G	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.412		SM-2-H	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.414		SM-2-I	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.146.416		SM-2-J	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.418		SM-2-K	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.420		SM-2-L	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.422		SM-2-M	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.118.405		SM-2-N	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.118.406		SM-2-O	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.424		SM-2-P	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.146.426		SM-2-Q	SoundMate Personal Listening System includes: one ST-300 17 Channel Base Transmitter, four SR-50 single channel receivers, four SEB-1 single earbud earphones, wall plaque, UL & CSA approved wall pack transformer, and one 1/4 wave telescoping antenna	5.0	1,156.00
F.01U.145.482		SM-C	Carry case for systems with six receivers	3.9	147.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.403		SMP-2-A	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom foam inserts. Note: SMP-2 is only available in channels A, E, I and O.	10.0	1,624.00
F.01U.146.394		SMP-2-E	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom foam inserts. Note: SMP-2 is only available in channels A, E, I and O.	10.0	1,624.00
F.01U.118.404		SMP-2-I	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom foam inserts. Note: SMP-2 is only available in channels A, E, I and O.	10.0	1,624.00
F.01U.146.396		SMP-2-O	SoundMate Portable Listening System includes: one PST-170 17 Channel portable transmitter, one HM2 headworn unidirectional microphone, six SR-50 single channel receivers, six HED-2 dual earphones, 14 AA alkaline batteries and system briefcase with custom foam inserts. Note: SMP-2 is only available in channels A, E, I and O.	10.0	1,624.00
F.01U.146.398		SMP-400	SoundMate Agile Portable Listening System includes - one PST-170 portable transmitter, HM2 unidirectional headworn microphone, four SR-400 17 channel receivers, four HED-2 dual headphones, 10 AA alkaline batteries, and system briefcase with custom foam inserts.	10.0	2,347.00
F.01U.146.582		SMP-C	SMP case with custom foam inserts	7.7	236.00
F.01U.381.224		SMS-2GUS-4	2-gang US electrical box adapter 4"	6.0	84.10
F.01U.344.849		SMS-TR-5	Threaded rod adapter for 5" black (sold per pair)	2.0	35.30
F.01U.344.850		SMS-UB-58	U-bolt adapter for 5", 8" black, for installation with standard 2" U-bolts (sold and priced per pair)	2.7	35.30
F.01U.146.452		SM-WP	Wall plaque to display that Soundmate personal listening equipment is available for use on site	0.1	13.57
F.01U.391.601	F.01U.146.864	SPK-2000	Self powered speaker, 5 watt output. 1/2 rack wide	3.5	735.00
F.01U.391.511	F.01U.118.506	SPK300L A4F	2 Channel speaker station features channel select, speaker/mic toggle on-off switch, call light and separate dynamic or carbon mic input. Includes hand mic. (A4F).	5.5	1,160.00
F.01U.391.512	F.01U.118.507	SPK300L A5F	2 Channel speaker station features channel select, speaker/mic toggle on-off switch, call light and separate dynamic or carbon mic input. Includes hand mic. (A5F)	5.5	1,160.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.391.584	F.01U.143.103	SPK300L, DL A4F	2 Channel speaker station w/Dual Listen features channel select, speaker/mic toggle on-off switch, separate dynamic or carbon mic input. NO CALL LIGHT. Includes hand mic. (A4F)	5.5	1,463.00
F.01U.391.585	F.01U.143.104	SPK300L, DL A5F	2 Channel speaker station w/Dual Listen features channel select, speaker/mic toggle on-off switch, separate dynamic or carbon mic input. NO CALL LIGHT. Includes hand mic. (A5F)	5.5	1,477.00
F.01U.341.499		SR20TGX-US	Amplifier system rack 3x TGX20-US		45,545.00
F.01U.118.401		SR-400	17-channel synthesized personal receiver with a back lit LCD display, high frequency boost and E.D.R. includes recharge contacts Runs on two AA batteries. (Earphones and batteries sold separately)	1.0	350.00
F.01U.118.167		SR-50-A	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.079		SR-50-B	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.168		SR-50-C	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.169		SR-50-D	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.080		SR-50-E	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.081		SR-50-F	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.170		SR-50-G	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.082		SR-50-H	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.171		SR-50-I	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.172		SR-50-J	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.083		SR-50-K	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.118.173		SR-50-L	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.084		SR-50-M	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.085		SR-50-N	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.141.086		SR-50-O	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.4	111.00
F.01U.121.974		SR-50-P	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.141.087		SR-50-Q	Single frequency personal receiver with beltclip - requires two AA batteries (batteries and earphone sold separately)	0.3	111.00
F.01U.391.589	F.01U.145.103	SR785L	Dynamic, Normally closed, Low Z, Gooseneck paging mic	n/a	289.00
F.01U.391.590	F.01U.145.105	SR785LN/O	Dynamic, Normally open, Low Z, Gooseneck paging mic	2.0	286.00
F.01U.391.541	F.01U.118.744	SS-1002	1 Ch speaker station - no enclosure.	2.5	592.00
F.01U.391.543	F.01U.118.746	SS-1002P	1 Ch desktop speaker station w/ angle box, (2) XLR-3.	5.5	764.00
F.01U.391.544	F.01U.118.747	SS-1002S	1 Ch portable speaker station w/top handle box, (2) XLR-3).	4.5	764.00
F.01U.391.547	F.01U.118.750	SS-1002U	1 Ch flush mount speaker station w/WKP-Box.	5.0	615.00
F.01U.391.542	F.01U.118.745	SS-2002	2 Ch speaker station - no enclosure.	3.5	572.00
F.01U.391.545	F.01U.118.748	SS-2002P	2 Ch desktop speaker station w/ angle box, (2) XLR-6.	5.5	801.00
F.01U.391.549	F.01U.118.752	SS-2002RM	2 Ch speaker station - rack mountable - use RM-14 rack mount kit.	4.0	983.00
F.01U.391.546	F.01U.118.749	SS-2002S	2 Ch portable speaker station w/top handle box, (2) XLR-6).	5.5	801.00
F.01U.391.548	F.01U.118.751	SS-2002U	2 Ch flush mount speaker station w/WKP-Box.	4.5	660.00
F.01U.391.599	F.01U.146.631	SSA324	System to system interface 2 channel 2 wire to 4 wire conversion or 1 channel 2 wire to 2 wire. 1RU high and 1/2 rack wide.	6.0	896.00
F.01U.391.600	F.01U.146.633	SSA324-#U	System to system interface 2 channel 2 wire to 4 wire conversion or 1 channel 2 wire to 2 wire w/signal option board. 1RU high and 1/2 rack wide.	6.0	1,230.00
F.01U.283.545		SSK-1	Single stud rigging kit (set of 3)	0.4	76.20
F.01U.118.400		ST-300	17-channel synthesized base transmitter with backlit LCD display, XLR and 1/4" inputs, selectable mic/line/70V input, input level adjustment, selectable RF transmit power and Enhanced Dynamic Range (E.D.R.), telescoping antenna and wall pack power supply.	4.0	796.00
F.01U.391.519	F.01U.118.521	SV-3	Interconnect cable for multiple BOP to single SAP.	1.1	371.00
F.01U.265.557		SX100+E	200-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, black polypropylene	35.0	667.00
F.01U.265.558		SX100+WE	200-watt, 12-inch two-way 65° x 65° with Neutrik Speakon® connectors, flying and stand mount, white polypropylene	35.0	667.00
F.01U.265.562		SX300E	300-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, black polypropylene	42.0	923.00
F.01U.265.559		SX300PI	300-watt 12-inch two-way, 65° x 65°, weather resistant (including full grille), Neutrik Speakon® connectors, flying and stand mount, black polypropylene	43.0	1,160.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.265.563		SX300PI-W	300-Watt, two-way loudspeaker, weather resistant, Neutrik Speakon, flying and standmount, White	47.8	1,160.00
F.01U.265.560		SX300PIX	300-watt 12-inch two-way, 65° x 65°, weather resistant (including full grille), internal 70.7/100-volt, 100-watt transformer, flying and stand mount, black polypropylene	47.0	1,282.00
F.01U.265.564		SX300PIX-W	300-Watt, two-way loudspeaker, weather resistant, w/100 Watt transformer, Phoenix block connectors, flying and standmount, White	47.8	1,282.00
F.01U.265.561		SX300WE	300-watt 12-inch two-way, 65° x 65°, Neutrik Speakon® connectors, flying and stand mount, white polypropylene	42.0	923.00
F.01U.265.571		SX600PI	High power dual 12-inch two-way, 65° x 65°, weather resistant (including full grille), SJOW Cable input, includes SuperSAM™ mount, black polypropylene cabinet	92.0	3,336.00
F.01U.265.570		SX600PIX	High power dual 12-inch two-way, 65° x 65°, weather resistant (including full grille), internal 70.7/100-volt, 600-watt transformer, includes SuperSAM™ mount, SJOW Cable input, black polypropylene cabinet	110.0	3,336.00
F.01U.168.801		TC-18	Lapel clip for ULM-18 Lapel Microphone	0.0	13.57
F.01U.145.280		TC-200H	Horizontal tie clip for WLM-200/50	0.0	13.57
F.01U.145.282		TC-200V	Vertical tie clip for WLM-200/50	0.0	13.57
F.01U.110.740		TC-21	Tie Clip for ULM-21 Lapel Microphone	0.0	20.30
F.01U.168.825		TC2-30	Clothing Clip for OLM10 (Bagged)	0.0	24.90
F.01U.117.559		TC-4B	Weatherized terminal cover for 4.2 series - black - SOLD INDIVIDUALLY	0.1	27.90
F.01U.117.560		TC-4W	Weatherized terminal cover for 4.2 series - white - SOLD INDIVIDUALLY	0.1	27.90
F.01U.117.561		TC-6B	Weatherized terminal cover for 6.2 series - black - SOLD INDIVIDUALLY	0.1	31.50
F.01U.117.562		TC-6W	Weatherized terminal cover for 6.2 series - white - SOLD INDIVIDUALLY	0.1	31.50
F.01U.109.432		TC-92	Tie Clip for RE92 Lapel Microphone	0.0	13.57
F.01U.148.731		TC-97-BLACK	TC-97 Black, Clothing Clip for RE90Tx, ELM series, RE97, RE97-2 and RE97L Microphones	0.0	16.96
F.01U.283.492		TCA-1	Truss clamp adapter and hardware for VSA-1, black	2.0	117.00
F.01U.274.383		TCA-ZX1	Truss Clamp Adapter for ZX1 loudspeaker	5.0	95.70
F.01U.144.917		TCB-1	Heavy duty nylon carry bag for up to (2) EV Tripod Speaker Stands, EV logo, center divider, adjustable shoulder strap, dual heavy gauge zippers, black	4.5	45.90
F.01U.274.381		TC-ZX1I BLACK	Terminal Cover for ZX1i. Includes weatherized gland nut fitting.	1.0	35.20
F.01U.274.379		TC-ZX1I-WHT-LB	Terminal Cover for ZX1i. Includes weatherized gland nut fitting.	1.0	35.20
F.01U.118.093		TERMINATION-TP-2	Dummy load terminator, 50 Ohm	0.3	20.30
F.01U.328.094		TGX10	4 x 2500W DSP Amplifier with OMNEO, AES/EBU		8,986.00
F.01U.328.096		TGX20	4 x 5000W DSP Amplifier with OMNEO, AES/EBU		13,484.00
F.01U.132.318		TK-150	TK-150, KIT, ACCESSORY, 70V TRANSFORMER, 150W, EVC, EVF, AND EVH	5.5	286.00
F.01U.144.921		TNC-REV-COUPLER	TNC Reverse Polarity Coupler (Jack to Jack)	0.5	67.70

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.118.470		TP-3	TP-3, XLR-3 Intercom "dummy load" plug for BTR-1/700/800/80N (Audiocom).	0.5	35.50
F.01U.118.472		TP-3R	TP-3R, XLR-3 Intercom "dummy load" plug for BTR-1/700/800/80N (RTS).	0.5	35.20
F.01U.384.715		TPC-1	Touch Panel Controller 5.7"	0.7	1,190.00
F.01U.117.809		TR-16	16 channel synthesized wireless talent receiver. Uses two AA batteries.	0.5	366.00
F.01U.169.594		TR-240,A4F-NA	TR-240 Beltpack, A4F Headset Jack	1.8	1,036.00
F.01U.168.687		TR-240,A4M-NA	TR-240 Beltpack, A4M Headset Jack	1.8	1,036.00
F.01U.365.171		TR-30N-A10 A4F	UHF/VHF beltpack, 2ch, band A-10	1.5	1,617.00
F.01U.365.170		TR-30N-A10 A4M	UHF/VHF beltpack, 2ch, band A-10	1.5	1,617.00
F.01U.365.172		TR-30N-A10 A5F	UHF/VHF beltpack, 2ch, band A-10	1.5	1,617.00
F.01U.365.180		TR-30N-A13 A4F	UHF/VHF beltpack, 2ch, band A-13	1.5	1,617.00
F.01U.365.179		TR-30N-A13 A4M	UHF/VHF beltpack, 2ch, band A-13	1.5	1,617.00
F.01U.365.181		TR-30N-A13 A5F	UHF/VHF beltpack, 2ch, band A-13	1.5	1,617.00
F.01U.365.189		TR-30N-B10 A4F	UHF/VHF beltpack, 2ch, band B-10	1.5	1,617.00
F.01U.365.188		TR-30N-B10 A4M	UHF/VHF beltpack, 2ch, band B-10	1.5	1,617.00
F.01U.365.190		TR-30N-B10 A5F	UHF/VHF beltpack, 2ch, band B-10	1.5	1,617.00
F.01U.365.198		TR-30N-B13 A4F	UHF/VHF beltpack, 2ch, band B-13	1.5	1,617.00
F.01U.365.197		TR-30N-B13 A4M	UHF/VHF beltpack, 2ch, band B-13	1.5	1,617.00
F.01U.365.199		TR-30N-B13 A5F	UHF/VHF beltpack, 2ch, band B-13	1.5	1,617.00
F.01U.365.207		TR-30N-C10 A4F	UHF/VHF beltpack, 2ch, band C-10	1.5	1,617.00
F.01U.365.206		TR-30N-C10 A4M	UHF/VHF beltpack, 2ch, band C-10	1.5	1,617.00
F.01U.365.208		TR-30N-C10 A5F	UHF/VHF beltpack, 2ch, band C-10	1.5	1,617.00
F.01U.365.216		TR-30N-C13 A4F	UHF/VHF beltpack, 2ch, band C-13	1.5	1,617.00
F.01U.365.215		TR-30N-C13 A4M	UHF/VHF beltpack, 2ch, band C-13	1.5	1,617.00
F.01U.365.217		TR-30N-C13 A5F	UHF/VHF beltpack, 2ch, band C-13	1.5	1,617.00
F.01U.365.225		TR-30N-F10 A4F	UHF/VHF beltpack, 2ch, band F-10	1.5	1,617.00
F.01U.365.224		TR-30N-F10 A4M	UHF/VHF beltpack, 2ch, band F-10	1.5	1,617.00
F.01U.365.226		TR-30N-F10 A5F	UHF/VHF beltpack, 2ch, band F-10	1.5	1,617.00
F.01U.365.234		TR-30N-F13 A4F	UHF/VHF beltpack, 2ch, band F-13	1.5	1,617.00
F.01U.365.233		TR-30N-F13 A4M	UHF/VHF beltpack, 2ch, band F-13	1.5	1,617.00
F.01U.365.235		TR-30N-F13 A5F	UHF/VHF beltpack, 2ch, band F-13	1.5	1,617.00
F.01U.365.243		TR-30N-H10 A4F	UHF/VHF beltpack, 2ch, band H-10	1.5	1,617.00
F.01U.365.242		TR-30N-H10 A4M	UHF/VHF beltpack, 2ch, band H-10	1.5	1,617.00
F.01U.365.244		TR-30N-H10 A5F	UHF/VHF beltpack, 2ch, band H-10	1.5	1,617.00
F.01U.365.252		TR-30N-H13 A4F	UHF/VHF beltpack, 2ch, band H-13	1.5	1,617.00
F.01U.365.251		TR-30N-H13 A4M	UHF/VHF beltpack, 2ch, band H-13	1.5	1,617.00
F.01U.365.253		TR-30N-H13 A5F	UHF/VHF beltpack, 2ch, band H-13	1.5	1,617.00
F.01U.365.174		TR-32N-A10 A4F	UHF/VHF beltpack, 2ch, band A-10 stereo	1.5	2,214.00
F.01U.365.173		TR-32N-A10 A4M	UHF/VHF beltpack, 2ch, band A-10 stereo	1.5	2,214.00
F.01U.365.175		TR-32N-A10 A5F	UHF/VHF beltpack, 2ch, band A-10 stereo	1.5	2,214.00
F.01U.365.183		TR-32N-A13 A4F	UHF/VHF beltpack, 2ch, band A-13 stereo	1.5	2,214.00
F.01U.365.182		TR-32N-A13 A4M	UHF/VHF beltpack, 2ch, band A-13 stereo	1.5	2,214.00
F.01U.365.184		TR-32N-A13 A5F	UHF/VHF beltpack, 2ch, band A-13 stereo	1.5	2,214.00
F.01U.365.192		TR-32N-B10 A4F	UHF/VHF beltpack, 2ch, band B-10 stereo	1.5	2,214.00
F.01U.365.191		TR-32N-B10 A4M	UHF/VHF beltpack, 2ch, band B-10 stereo	1.5	2,214.00
F.01U.365.193		TR-32N-B10 A5F	UHF/VHF beltpack, 2ch, band B-10 stereo	1.5	2,214.00
F.01U.365.201		TR-32N-B13 A4F	UHF/VHF beltpack, 2ch, band B-13 stereo	1.5	2,214.00
F.01U.365.200		TR-32N-B13 A4M	UHF/VHF beltpack, 2ch, band B-13 stereo	1.5	2,214.00
F.01U.365.202		TR-32N-B13 A5F	UHF/VHF beltpack, 2ch, band B-13 stereo	1.5	2,214.00
F.01U.365.210		TR-32N-C10 A4F	UHF/VHF beltpack, 2ch, band C-10 stereo	1.5	2,214.00
F.01U.365.209		TR-32N-C10 A4M	UHF/VHF beltpack, 2ch, band C-10 stereo	1.5	2,214.00
F.01U.365.211		TR-32N-C10 A5F	UHF/VHF beltpack, 2ch, band C-10 stereo	1.5	2,214.00
F.01U.365.219		TR-32N-C13 A4F	UHF/VHF beltpack, 2ch, band C-13 stereo	1.5	2,214.00
F.01U.365.218		TR-32N-C13 A4M	UHF/VHF beltpack, 2ch, band C-13 stereo	1.5	2,214.00
F.01U.365.220		TR-32N-C13 A5F	UHF/VHF beltpack, 2ch, band C-13 stereo	1.5	2,214.00
F.01U.365.228		TR-32N-F10 A4F	UHF/VHF beltpack, 2ch, band F-10 stereo	1.5	2,214.00
F.01U.365.227		TR-32N-F10 A4M	UHF/VHF beltpack, 2ch, band F-10 stereo	1.5	2,214.00
F.01U.365.229		TR-32N-F10 A5F	UHF/VHF beltpack, 2ch, band F-10 stereo	1.5	2,214.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.365.237		TR-32N-F13 A4F	UHF/VHF beltpack, 2ch, band F-13 stereo	1.5	2,214.00
F.01U.365.236		TR-32N-F13 A4M	UHF/VHF beltpack, 2ch, band F-13 stereo	1.5	2,214.00
F.01U.365.238		TR-32N-F13 A5F	UHF/VHF beltpack, 2ch, band F-13 stereo	1.5	2,214.00
F.01U.365.246		TR-32N-H10 A4F	UHF/VHF beltpack, 2ch, band H-10 stereo	1.5	2,214.00
F.01U.365.245		TR-32N-H10 A4M	UHF/VHF beltpack, 2ch, band H-10 stereo	1.5	2,214.00
F.01U.365.247		TR-32N-H10 A5F	UHF/VHF beltpack, 2ch, band H-10 stereo	1.5	2,214.00
F.01U.365.255		TR-32N-H13 A4F	UHF/VHF beltpack, 2ch, band H-13 stereo	1.5	2,214.00
F.01U.365.254		TR-32N-H13 A4M	UHF/VHF beltpack, 2ch, band H-13 stereo	1.5	2,214.00
F.01U.365.256		TR-32N-H13 A5F	UHF/VHF beltpack, 2ch, band H-13 stereo	1.5	2,214.00
F.01U.351.333		TR-800 A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	1.5	1,993.00
F.01U.351.334		TR-800 A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	1.5	1,993.00
F.01U.351.117		TR-800 A3 US	UHF beltpack, 2ch, band A3, 4M headset	1.5	1,993.00
F.01U.351.336		TR-800 B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	1.5	1,993.00
F.01U.351.337		TR-800 B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	1.5	1,993.00
F.01U.351.335		TR-800 B3 US	UHF beltpack, 2ch, band B3, 4M headset	1.5	1,993.00
F.01U.351.339		TR-800 C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	1.5	1,993.00
F.01U.351.340		TR-800 C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	1.5	1,993.00
F.01U.351.338		TR-800 C3 US	UHF beltpack, 2ch, band C3, 4M headset	1.5	1,993.00
F.01U.351.342		TR-800 F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	1.5	1,993.00
F.01U.351.343		TR-800 F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	1.5	1,993.00
F.01U.351.341		TR-800 F3 US	UHF beltpack, 2ch, band F3, 4M headset	1.5	1,993.00
F.01U.351.345		TR-800 H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	1.5	1,993.00
F.01U.351.346		TR-800 H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	1.5	1,993.00
F.01U.351.344		TR-800 H3 US	UHF beltpack, 2ch, band H3, 4M headset	1.5	1,993.00
F.01U.145.907		TR-800-E88	TR-800 Belt Pack, A4M Headset Jack, E88 BAND	1.5	1,993.00
F.01U.118.305		TR-800-E88R	TR-800 Belt Pack RTS, A4F Headset Jack, E88 BAND	1.5	1,993.00
F.01U.145.909		TR-800-E88R5	TR-800 Belt Pack RTS, A5F Headset Jack, E88 BAND	1.5	1,993.00
F.01U.359.398		TR-800-FD	UHF beltpack, 2ch, band FD, 4M headset	1.5	1,993.00
F.01U.359.399		TR-800-FDR	UHF beltpack, 2ch, band FD, 4F headset	1.5	1,993.00
F.01U.359.400		TR-800-FDR5	UHF beltpack, 2ch, band FD, 5F headset	1.5	1,993.00
F.01U.359.407		TR-800-FE	UHF beltpack, 2ch, band FE, 4M headset	1.5	1,993.00
F.01U.359.408		TR-800-FER	UHF beltpack, 2ch, band FE, 4F headset	1.5	1,993.00
F.01U.359.409		TR-800-FER5	UHF beltpack, 2ch, band FE, 5F headset	1.5	1,993.00
F.01U.359.419		TR-800-HE	UHF beltpack, 2ch, band HE, 4M headset	1.5	1,993.00
F.01U.359.420		TR-800-HER	UHF beltpack, 2ch, band HE, 4F headset	1.5	1,993.00
F.01U.359.421		TR-800-HER5	UHF beltpack, 2ch, band HE, 5F headset	1.5	1,993.00
F.01U.351.368		TR-80N A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	3.5	2,228.00
F.01U.351.369		TR-80N A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	3.5	2,228.00
F.01U.351.367		TR-80N A3 US	UHF beltpack, 2ch, band A3, 4M headset	1.5	2,228.00
F.01U.351.372		TR-80N B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	3.5	2,228.00
F.01U.351.371		TR-80N B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	3.5	2,228.00
F.01U.351.370		TR-80N B3 US	UHF beltpack, 2ch, band B3, 4M headset	1.5	2,228.00
F.01U.351.374		TR-80N C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	3.5	2,228.00
F.01U.351.375		TR-80N C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	3.5	2,228.00
F.01U.351.373		TR-80N C3 US	UHF beltpack, 2ch, band C3, 4M headset	1.5	2,228.00
F.01U.351.377		TR-80N F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	3.5	2,228.00
F.01U.351.378		TR-80N F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	3.5	2,228.00
F.01U.351.376		TR-80N F3 US	UHF beltpack, 2ch, band F3, 4M headset	1.5	2,228.00
F.01U.351.380		TR-80N H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	3.5	2,228.00
F.01U.351.381		TR-80N H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	3.5	2,228.00
F.01U.351.379		TR-80N H3 US	UHF beltpack, 2ch, band H3, 4M headset	1.5	2,228.00
F.01U.359.319		TR-80N-FD	UHF beltpack, 2ch, band FD, 4M headset	1.5	2,228.00
F.01U.359.320		TR-80N-FDR	UHF beltpack, 2ch, band FD, 4F headset	3.5	2,228.00
F.01U.359.321		TR-80N-FDR5	UHF beltpack, 2ch, band FD, 5F headset	3.5	2,228.00
F.01U.359.413		TR-80N-FE	UHF beltpack, 2ch, band FE, 4M headset	1.5	2,228.00
F.01U.359.414		TR-80N-FER	UHF beltpack, 2ch, band FE, 4F headset	3.5	2,228.00
F.01U.359.415		TR-80N-FER5	UHF beltpack, 2ch, band FE, 5F headset	3.5	2,228.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.359.425		TR-80N-HE	UHF beltpack, 2ch, band HE, 4M headset	1.5	2,228.00
F.01U.359.426		TR-80N-HER	UHF beltpack, 2ch, band HE, 4F headset	3.5	2,228.00
F.01U.359.427		TR-80N-HER5	UHF beltpack, 2ch, band HE, 5F headset	3.5	2,228.00
F.01U.351.348		TR-825 A3 5 US	UHF beltpack, 2ch, band A3, 5M headset	1.5	2,933.00
F.01U.351.349		TR-825 A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	1.5	2,933.00
F.01U.351.350		TR-825 A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	1.5	2,933.00
F.01U.351.347		TR-825 A3 US	UHF beltpack, 2ch, band A3, 4M headset	1.5	2,933.00
F.01U.351.352		TR-825 B3 5 US	UHF beltpack, 2ch, band B3, 5M headset	1.5	2,933.00
F.01U.351.353		TR-825 B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	1.5	2,933.00
F.01U.351.354		TR-825 B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	1.5	2,933.00
F.01U.351.351		TR-825 B3 US	UHF beltpack, 2ch, band B3, 4M headset	1.5	2,933.00
F.01U.351.356		TR-825 C3 5 US	UHF beltpack, 2ch, band C3, 5M headset	1.5	2,933.00
F.01U.351.357		TR-825 C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	1.5	2,933.00
F.01U.351.358		TR-825 C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	1.5	2,933.00
F.01U.351.355		TR-825 C3 US	UHF beltpack, 2ch, band C3, 4M headset	1.5	2,933.00
F.01U.351.360		TR-825 F3 5 US	UHF beltpack, 2ch, band F3, 5M headset	1.5	2,933.00
F.01U.351.361		TR-825 F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	1.5	2,933.00
F.01U.351.362		TR-825 F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	1.5	2,933.00
F.01U.351.359		TR-825 F3 US	UHF beltpack, 2ch, band F3, 4M headset	1.5	2,933.00
F.01U.351.364		TR-825 H3 5 US	UHF beltpack, 2ch, band H3, 5M headset	1.5	2,933.00
F.01U.351.365		TR-825 H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	1.5	2,933.00
F.01U.351.366		TR-825 H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	1.5	2,933.00
F.01U.351.363		TR-825 H3 US	UHF beltpack, 2ch, band H3, 4M headset	1.5	2,933.00
F.01U.145.998		TR-825-E88	TR-825 Belt Pack, A4M Headset Jack, E88 BAND	1.5	2,933.00
F.01U.146.000		TR-825-E885	TR-825 Belt Pack, A5M Headset Jack, E88 BAND	1.5	2,933.00
F.01U.146.002		TR-825-E88R	TR-825 Belt Pack RTS, A4F Headset Jack, E88 BAND	1.5	2,933.00
F.01U.138.077		TR-825-E88R5	TR-825 Belt Pack RTS, A5F Headset Jack, E88 BAND	1.5	2,933.00
F.01U.359.401		TR-825-FD	UHF beltpack, 2ch, band FD, 4M headset	1.5	2,933.00
F.01U.359.402		TR-825-FDR	UHF beltpack, 2ch, band FD, 4F headset	1.5	2,933.00
F.01U.359.403		TR-825-FDR5	UHF beltpack, 2ch, band FD, 5F headset	1.5	2,933.00
F.01U.359.410		TR-825-FE	UHF beltpack, 2ch, band FE, 4M headset	1.5	2,933.00
F.01U.359.411		TR-825-FER	UHF beltpack, 2ch, band FE, 4F headset	1.5	2,933.00
F.01U.359.412		TR-825-FER5	UHF beltpack, 2ch, band FE, 5F headset	1.5	2,933.00
F.01U.359.422		TR-825-HE	UHF beltpack, 2ch, band HE, 4M headset	1.5	2,933.00
F.01U.359.423		TR-825-HER	UHF beltpack, 2ch, band HE, 4F headset	1.5	2,933.00
F.01U.359.424		TR-825-HER5	UHF beltpack, 2ch, band HE, 5F headset	1.5	2,933.00
F.01U.351.383		TR-82N A3 5 US	UHF beltpack, 2ch, band A3, 5M headset	1.5	3,050.00
F.01U.351.384		TR-82N A3 R4 US	UHF beltpack, 2ch, band A3, 4F headset	3.5	3,050.00
F.01U.351.385		TR-82N A3 R5 US	UHF beltpack, 2ch, band A3, 5F headset	3.5	3,050.00
F.01U.351.382		TR-82N A3 US	UHF beltpack, 2ch, band A3, 4M headset	1.5	3,050.00
F.01U.351.387		TR-82N B3 5 US	UHF beltpack, 2ch, band B3, 5M headset	1.5	3,050.00
F.01U.351.388		TR-82N B3 R4 US	UHF beltpack, 2ch, band B3, 4F headset	3.5	3,050.00
F.01U.351.389		TR-82N B3 R5 US	UHF beltpack, 2ch, band B3, 5F headset	3.5	3,050.00
F.01U.351.386		TR-82N B3 US	UHF beltpack, 2ch, band B3, 4M headset	1.5	3,050.00
F.01U.351.391		TR-82N C3 5 US	UHF beltpack, 2ch, band C3, 5M headset	1.5	3,050.00
F.01U.351.394		TR-82N C3 R4 US	UHF beltpack, 2ch, band C3, 4F headset	3.5	3,050.00
F.01U.351.393		TR-82N C3 R5 US	UHF beltpack, 2ch, band C3, 5F headset	3.5	3,050.00
F.01U.351.390		TR-82N C3 US	UHF beltpack, 2ch, band C3, 4M headset	1.5	3,050.00
F.01U.351.395		TR-82N F3 5 US	UHF beltpack, 2ch, band F3, 5M headset	1.5	3,050.00
F.01U.351.396		TR-82N F3 R4 US	UHF beltpack, 2ch, band F3, 4F headset	3.5	3,050.00
F.01U.351.398		TR-82N F3 R5 US	UHF beltpack, 2ch, band F3, 5F headset	3.5	3,050.00
F.01U.351.392		TR-82N F3 US	UHF beltpack, 2ch, band F3, 4M headset	1.5	3,050.00
F.01U.351.399		TR-82N H3 5 US	UHF beltpack, 2ch, band H3, 5M headset	1.5	3,050.00
F.01U.351.400		TR-82N H3 R4 US	UHF beltpack, 2ch, band H3, 4F headset	3.5	3,050.00
F.01U.351.401		TR-82N H3 R5 US	UHF beltpack, 2ch, band H3, 5F headset	3.5	3,050.00
F.01U.351.397		TR-82N H3 US	UHF beltpack, 2ch, band H3, 4M headset	1.5	3,050.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.359.404		TR-82N-FD	UHF beltpack, 2ch, band FD, 4M headset	1.5	3,050.00
F.01U.359.405		TR-82N-FDR	UHF beltpack, 2ch, band FD, 4F headset	3.5	3,050.00
F.01U.359.406		TR-82N-FDR5	UHF beltpack, 2ch, band FD, 5F headset	3.5	3,050.00
F.01U.359.416		TR-82N-FE	UHF beltpack, 2ch, band FE, 4M headset	1.5	3,050.00
F.01U.359.417		TR-82N-FER	UHF beltpack, 2ch, band FE, 4F headset	3.5	3,050.00
F.01U.359.418		TR-82N-FER5	UHF beltpack, 2ch, band FE, 5F headset	3.5	3,050.00
F.01U.359.428		TR-82N-HE	UHF beltpack, 2ch, band HE, 4M headset	1.5	3,050.00
F.01U.359.429		TR-82N-HER	UHF beltpack, 2ch, band HE, 4F headset	3.5	3,050.00
F.01U.359.430		TR-82N-HER5	UHF beltpack, 2ch, band HE, 5F headset	3.5	3,050.00
F.01U.118.149		TRH-1	TRH-1, Heavy duty leather swivel holster with belt loop for TR200/300.	1.5	172.00
F.01U.118.150		TRH-2	TRH-2, Heavy duty leather swivel holster w/belt loop for TR-700/ 800/ 80N	0.5	177.00
F.01U.353.367		TR-P	Threaded rod adapter for pendant	0.1	6.22
F.01U.117.867		TSP-1	Includes 2 EV Tripod Speaker Stands (TSS-1) and 1 EV Dual Tripod Speaker Stand Carry Bag (TCB-1) packaged in a full color retail box	17.5	152.00
F.01U.144.916		TSS-1	All-aluminum tripod speaker stand, reversible shaft with 1 3/8 in to 1 1/2 inch diameter tubing. Height adjustable from 44 - 70 inches. Maximum weight capacity 150lbs.	6.0	58.80
F.01U.117.808		TT-16	16 channel synthesized wireless IFB transmitter with 3pin XLR input, 1/4" unbalanced line level signal output jack. Audiocom/Radiocom/RTS TW compatible.	4.0	1,072.00
F.01U.391.513	F.01U.118.508	TW-5W	1X5 two channel 3pin XLR type passive splitter.	2.5	234.00
F.01U.391.567	F.01U.118.832	TW-7W	One female XLR-3 into seven male XLR-3 out (1/2 rack wide).	1.0	190.00
F.01U.110.757		TW-A	TELESCOPING ANTENNA, TT-16 / AAT-1	0.2	70.90
F.01U.302.272		TX1122	500 watts, 12-inch two-way, passive, 90° x 50° horn pattern, all-new SMX2120 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	50.0	1,010.00
F.01U.302.277		TX1122FM	500 watts, 12-inch two-way dedicated vertical floor monitor, passive, 90° x 50° horn pattern, all-new SMX2121 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable logo, black EVCOAT.	50.0	1,010.00
F.01U.302.273		TX1152	500 watts, 15-inch two-way, passive, 60° x 40° horn pattern, all-new SMX2151 woofer, DH3 compression driver, Backbone grille, integrated pole mount, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	68.9	1,036.00
F.01U.302.278		TX1152FM	500 watts, 15-inch two-way dedicated vertical floor monitor, passive, 90° x 50° horn pattern, all-new SMX2151 woofer, DH3 compression driver, patent pending SST (Signal Synchronized Transducers), Backbone grille, angled input panel, rotatable logo, black EVCOAT.	60.0	1,036.00
F.01U.302.275		TX1181	500 watts, 18-inch subwoofer, EVS-18S woofer, Backbone grille, integrated top pole mount, angled input panel, rotatable logo, black EVCOAT.	83.2	1,036.00



SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.302.274		TX2152	1000 watts, dual 15-inch two-way, passive, 60° x 40° horn pattern, all-new SMX2151 woofers, ND2 compression driver, Backbone grille, angled input panel, rotatable logo, (6) 3/8" suspension points, black EVCOAT.	106.0	1,792.00
F.01U.302.276		TX2181	1000 watts, dual 18-inch subwoofer, EVS-18S woofers, Backbone grille, angled input panel, rotatable logo, black EVCOAT.	134.0	1,691.00
F.01U.117.864		TXA	TA4F to XLR adaptor. Enables use of EV/Telex wireless headworn and lavalier mics in wired XLR applications. Phantom power required.	0.3	63.50
F.01U.344.851		UB-10DB	U-bracket for 10" subwoofer black	13.2	106.00
F.01U.344.852		UB-10DW	U-bracket for 10" subwoofer white	13.1	106.00
F.01U.168.803		ULM18	Uni-Directional Lapel Mic	0.0	74.20
F.01U.120.693		ULM21	Unidirectional lavalier condenser mic with TA4F connector for R100, RE-2, RE-1, and any Telex wireless	1.0	171.00
F.01U.391.550	F.01U.118.754	US-2002	2 Ch user/main station with external balanced/unbalanced selector switch, dynamic mic headset jack (XLR-4M), gooseneck mic jack (1/4" locking), separate channel program input (DB9F) and level control, call light and audible tone and level control, (4) XLR-3 channel connectors (one M/F per channel), PA output (1/8" stereo phone jack) and (2) RCA speaker output jacks (one per channel), 1/2 rack wide by 1 high. Requires a power supply.	4.5	863.00
F.01U.118.017		US600EL	Dynamic noise-canceling grip-to-talk microphone, black	1.0	236.00
F.01U.118.035		US602FL	Dynamic noise-canceling grip-to-talk microphone, black	1.0	231.00
F.01U.120.696		UW30	30-watt underwater speaker with integral 50-ft cable, flush mount (in wet niche), 8 ohms, pool blue	8.0	503.00
F.01U.118.479		UX-58B	UX-58B, Omni-directional 5/8 wave antenna 150-169 MHz (blue, 38.5").	0.5	248.00
F.01U.118.482		UX-58R	UX-58R, Omni-directional 5/8 wave antenna 200-216 MHz (red, 25").	0.5	248.00
F.01U.118.481		UX-58W	UX-58W, Omni-directional 5/8 wave antenna 185-200 MHz (white, 29").	0.5	248.00
F.01U.118.480		UX-58Y	UX-58Y, Omni-directional 5/8 wave antenna 169-185 MHz (yellow, 30.5").	0.5	248.00
F.01U.283.506		VRK-1B	BLACK VERTICAL RIGGING KIT FOR EVF	21.3	1,006.00
F.01U.283.507		VRK-1W	WHITE VERTICAL RIGGING KIT FOR EVF	22.7	1,006.00
F.01U.283.508		VRK-2B	BLACK VERTICAL RIGGING KIT FOR EVF TO SUB	22.9	1,080.00
F.01U.283.509		VRK-2W	WHITE VERTICAL RIGGING KIT FOR EVF TO SUB	22.9	1,080.00
F.01U.283.500		VRK-3B	BLACK VERTICAL RIGGING KIT FOR EVH	26.2	1,159.00
F.01U.283.501		VRK-3W	WHITE VERTICAL RIGGING KIT FOR EVH	26.2	1,159.00
F.01U.260.464		VSA-1	VSA-1, STRONG ARM MOUNT, BLACK	6.0	380.00
F.01U.117.415		VXT-3	VXT-3, Telethin® Cord (Gray), 5' (1.5M) with 500 Ohm Volume Control, 1/4" Straight Connector	1.0	86.00
F.01U.117.414		VYT-3	VYT-3, Telethin® Cord (Gray), 5' (1.5M), 2000 Ohm with Volume Control, 1/4" Straight Connector	1.0	79.40

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.349.769		WB-58B-20P	Wall-bracket multi pack for EVID-S / LB20 5", 8" black 20pc	9.0	336.00
F.01U.349.768		WB-58W-20P	Wall-bracket multi pack for EVID-S / LB20 5", 8" white 20pc	9.0	336.00
F.01U.344.847		WC-58B	Weather cover for 5", 8" black - gland nut cover in case the backup phoenix connector is used (sold and priced per pair)	0.2	23.50
F.01U.344.848		WC-58W	Weather cover for 5", 8" white - gland nut cover in case the backup phoenix connector is used (sold and priced per pair)	0.2	23.50
F.01U.353.369		WC-PB	Weather cover pendant black	0.1	11.81
F.01U.353.368		WC-PW	Weather cover pendant white	0.1	11.81
F.01U.391.532	F.01U.118.643	WKP-BOX	Flush mounted wall box for SS-1002/SS-2002 and WKP-4.	3.1	131.00
F.01U.391.530	F.01U.118.639	WM-1000	1 Ch headset station with listen/call/talk key, balanced/unbalanced operation, headset jack (A4M). Flush mount in two gang box.	1.0	484.00
F.01U.391.531	F.01U.118.640	WM-2000	2 Ch headset station with listen/call/talk key, balanced/unbalanced operation, headset jack (A4M). Flush mount in two gang box.	1.0	522.00
F.01U.391.506	F.01U.118.501	WM300L A4F	2 Channel wall mount user station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 2 gang box. (A4F)	1.5	881.00
F.01U.391.586	F.01U.143.105	WM300L A5F	2 Channel wall mount user station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 2 gang box. (A5F)	1.5	873.00
F.01U.391.517	F.01U.118.516	WMS300L A4F	2 Channel wall mount speaker station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 4 gang box. (A4F)	2.0	1,101.00
F.01U.391.518	F.01U.118.517	WMS300L A5F	2 Channel wall mount speaker station with dynamic mic input, silent channel select switching. Solid metal front with open back for console mount. Mounts in standard 4 gang box. (A5F)	2.0	1,101.00
F.01U.391.569	F.01U.118.897	WP-1-WALL PLATE	Wall plate, 3pin male XLR.	0.5	57.60
F.01U.391.570	F.01U.118.898	WP-2	Wall plate, channel 1/2 selector switch, 3pin male XLR.	0.5	116.00
F.01U.145.393		WP-23	Aerobics sport pouch for belt-pack transmitters	0.2	85.10
F.01U.391.571	F.01U.118.899	WP-3	Wall plate, two channel, 6pin male XLR.	0.5	75.00
F.01U.391.596	F.01U.145.389	WP-300	Dynamic Plate Mic, Low Z	n/a	80.50
F.01U.391.595	F.01U.145.387	WP-300S	Dynamic Plate Mic, Low Z, w/switch	0.4	105.00
F.01U.146.434		WPHS-746	Headworn condenser vocal mic with TA4F connector. Waterproofing material covers mic and headband.	0.4	320.00
F.01U.282.205		WS KIT	Panel mic spare windscreens, quantity 3	0.1	33.70
F.01U.118.010		WS-11	Foam windscreen for PH-21/PH-23/Stinger	0.0	16.96
F.01U.168.802		WS-18	Foam windscreen for ULM-18 Lapel Microphone	0.1	15.82
F.01U.118.011		WS-2	WS-2, Windscreen, For PH44/PH88 and HR1/HR2	0.5	9.67
F.01U.110.739		WS-21	Windscreen for ULM-21 Lapel Microphone	0.0	19.22
F.01U.109.877		WS-3	WS-3, Windscreen grey for PH-24	0.5	9.67
F.01U.109.293		WS-30	Foam windscreen for OLM-10, WLM-10, and WLM-30	0.2	16.96

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.109.272		WS-745	Foam windscreen for HM7 and SCHS-745 headworn mic	2.4	16.96
F.01U.145.102		WS-746	Foam windscreen for WPHS-746 headworn mic	0.3	16.96
F.01U.110.490		WS-92	Foam windscreen for RE92 Lapel Microphone	0.0	16.96
F.01U.169.340		WS-97-BEIGE	Windscreen Kit RE97 Beige	0.6	20.30
F.01U.169.341		WS-97-BLACK	Windscreen Kit RE97 Black	0.0	20.30
F.01U.145.176		WS-E	Windscreen for RE90TX and all ELM series lapel mics	0.0	10.17
F.01U.170.778		WS-H3	Foam windscreen for HM3	0.3	15.82
F.01U.144.945		WS-PC1	Windscreen for PolarChoice gooseneck mics. Provides additional protection from 'p' pops and wind noise.	0.1	22.60
F.01U.118.952		WSPL-1	WSPL-1, Foam windscreen (black) for all PL and ND Series VOCAL microphones	0.1	22.60
F.01U.118.953		WSPL-2	WSPL-2, Foam windscreen (black) for RE20, RE20-BLACK, RE27N/D, RE320, ND68 and PL33	0.2	27.10
F.01U.118.954		WSPL-3	WSPL-3, Foam windscreen (black) for PL35 tom/snare drum microphone	0.1	22.60
F.01U.118.955		WSPL-4	WSPL-4, Foam windscreen (black) for PL37 overhead condenser microphone	0.1	22.60
F.01U.117.870		XOB	Nylon belt for beltpack	0.9	19.18
F.01U.391.566	F.01U.118.831	XP-4PGM	9-pin male program input on ES4000A & EMS400	1.0	154.00
F.01U.391.583	F.01U.143.099	XP-US-PG	9-pin male program input on US-2002 & MS2002 into two XLR-3 male plus 1/8" stereo PA output into a XLR-3 male (1/4 rack wide).	1.0	168.00
F.01U.272.255		ZLX-12	ZLX 12" TWO-WAY PASSIVE LOUDSPEAKER	39.6	676.00
F.01U.348.779		ZLX-12BT-US	12" 2-WAY POWERED SPEAKER BT USCORD	41.8	808.00
F.01U.278.181		ZLX-12-CVR	ZLX PADDED COVER FOR ZLX-12/P - EV LOGO	14.8	90.80
F.01U.272.256		ZLX-15	ZLX 15" TWO-WAY PASSIVE LOUDSPEAKER	48.3	855.00
F.01U.348.780		ZLX-15BT-US	15" 2-WAY POWERED SPEAKER BT USCORD	50.7	988.00
F.01U.278.182		ZLX-15-CVR	ZLX PADDED COVER FOR ZLX-15/P - EV LOGO	18.9	107.00
F.01U.278.180		ZLX-BRKT	ZLX WALL MOUNT BRACKET FOR ALL MODELS	4.2	156.00
F.01U.267.021		ZX1-90	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguide. Includes integrated pole mount, carrying slot and rubber feet. Black high impact polymer cabinet.	23.0	441.00
F.01U.267.022		ZX1-90W	200 watt 8" two-way speaker system with EV DH2005 hi-frequency compression driver. 2 NL4 connectors. 90x50 coverage pattern with rotatable waveguide. Includes integrated pole mount, carrying slot and rubber feet. White high impact polymer cabinet.	23.0	441.00
F.01U.265.577		ZX1I-100	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	25.0	610.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.265.579		ZX1I-100T	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. Black high impact polymer cabinet.	29.0	733.00
F.01U.265.580		ZX1I-100TW	8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. White high impact polymer cabinet.	29.0	733.00
F.01U.265.578		ZX1I-100W	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 100x100 coverage pattern. Includes QuickSAM mount bracket and 4 pole phoenix connector. White high impact polymer cabinet	25.0	610.00
F.01U.265.575		ZX1I-90	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Black high impact polymer cabinet.	25.0	610.00
F.01U.265.581		ZX1I-90T	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. Black high impact polymer cabinet.	29.0	733.00
F.01U.265.582		ZX1I-90TW	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. Includes transformer for 70/100v operation at 6.5, 12.5, 25, 50, 100 watts. White high impact polymer cabinet.	29.0	733.00
F.01U.265.576		ZX1I-90W	200 watt 8" two-way weatherized speaker system with EV DH2005 hi-frequency compression driver. 90x50 coverage pattern with rotatable waveguide. Includes QuickSAM mount bracket and 4 pole phoenix connector. White high impact polymer cabinet.	25.0	610.00
F.01U.267.692		ZX1-SUB	ZX1-Sub, Black, Passive	53.2	662.00
F.01U.265.585		ZX3-60B	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	47.0	1,317.00
F.01U.265.603		ZX3-60PI-B	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	48.0	1,796.00
F.01U.265.604		ZX3-60PI-W	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 60 X 60 horn, White	48.0	1,796.00

SAP NUMBER	Replaced SAP NUMBER	PRODUCT	DESCRIPTION	SHIP WT	MSRP
F.01U.265.586		ZX3-60W	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	47.0	1,317.00
F.01U.265.583		ZX3-90B	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	47.0	1,317.00
F.01U.265.587		ZX3-90PI-B	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	48.0	1,796.00
F.01U.265.602		ZX3-90PI-W	600-Watt, weatherized, permanent installation, 12" two-way loudspeaker system, integral stand mount, 90 X 50 horn, White	48.0	1,796.00
F.01U.265.584		ZX3-90W	600-Watt, 12" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	47.0	1,317.00
F.01U.265.605		ZX4	400-Watt, 15" two-way loudspeaker system, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	49.0	1,021.00
F.01U.265.567		ZX5-60B	600-Watt, 15" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, Black	49.0	1,437.00
F.01U.265.569		ZX5-60PI	600-Watt, weatherized, permanent installation, 15" two-way loudspeaker system, integral stand mount, 60 X 60 horn, Black	49.0	1,988.00
F.01U.265.601		ZX5-60W	600-Watt, 15" two-way loudspeaker system, bi-amp or passive, 60 X 60 horn, integral stand mount, Neutrik Speakon, White	49.0	1,578.00
F.01U.265.565		ZX5-90B	600-Watt, 15" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, Black	49.0	1,437.00
F.01U.265.568		ZX5-90PI	600-Watt, weatherized, permanent installation, 15" two-way loudspeaker system, integral stand mount, 90 X 50 horn, Black	49.0	1,988.00
F.01U.265.566		ZX5-90W	600-Watt, 15" two-way loudspeaker system, bi-amp or passive, 90 X 50 horn, integral stand mount, Neutrik Speakon, White	49.0	1,578.00
F.01U.353.818		ZXA1-90B-120V	ZXA1-90B 120V, BLK, AMPLIFIED, 90 X 50 DEG HORN	22.7	663.00
F.01U.353.817		ZXA1-90W-120V	ZXA1-90W 120V, WH, AMPLIFIED, 90 X 50 DEG HORN	22.7	694.00
F.01U.247.468		ZXA1-SUB-120V	ZXA1-SUB 120V, BLK, AMPLIFIED	54.2	777.00
F.01U.261.220		ZXA1-SUB-CVR	Padded Cover for ZXA1-SUB - EV Logo	5.9	97.90
F.01U.261.386		ZX-ZXA-CVR	Padded Cover for ZX1 / ZXA1	10.7	71.50